

thm_2Ecardinal_2EINJECTIVE_IMAGE (TMJqTRjJ22MC6JyMdBB7MhmNv6EwNjQcVnt)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_7E` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A.27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap (ap (c_2Emin_2E_3D (2^{A-27a})) (\lambda V1f \in 2.V1f) V0P)))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define `c_2Ebool_2E_IN` to be $\lambda A.27a : \iota. (\lambda V0x \in A.27a. (\lambda V1f \in (2^{A-27a}). (ap V1f V0x)))$

Definition 8 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t) V1t2)))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty A.27a \Rightarrow \forall A.27b. nonempty A.27b \Rightarrow c_2Epair_2EABS_prod A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

Definition 9 We define `c_2Epair_2E_2C` to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0x \in A.27a. \lambda V1y \in A.27b. (ap (c_2Epair_2EABS_prod A.27a A.27b) V0x V1y)$

Let `c_2Epred_set_2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a. nonempty A.27a \Rightarrow \forall A.27b. nonempty A.27b \Rightarrow c_2Epred_set_2EGSPEC A.27a A.27b \in ((2^{A-27a})^{(ty_2Epair_2Eprod A.27a 2)^{A-27b}}) \tag{3}$$

Definition 10 We define $c_2\text{Epred_set_2EIMAGE}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 11 We define $c_2\text{Epred_set_2EUNIV}$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2\text{Ebool_2ET}).$

Definition 12 We define $c_2\text{Epred_set_2ESUBSET}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Assume the following.

$$True \tag{4}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{5}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & p V0t)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \forall V0f \in (A_27b^{A_27a}).(\forall V1u \in (2^{A_27a}).(\forall V2s \in \\ & (2^{A_27a}).(\forall V3t \in (2^{A_27a}).(((p (ap (ap (c_2\text{Epred_set_2ESUBSET} \\ & A_27a) V2s) V1u)) \wedge ((p (ap (ap (c_2\text{Epred_set_2ESUBSET} A_27a) V3t) \\ & V1u)) \wedge ((ap (ap (c_2\text{Epred_set_2EIMAGE} A_27a A_27b) V0f) V2s) = \\ & (ap (ap (c_2\text{Epred_set_2EIMAGE} A_27a A_27b) V0f) V3t)))))) \Rightarrow (V2s = \\ & V3t))) \Leftrightarrow (\forall V4x \in A_27a.(\forall V5y \in A_27a.(((p (ap (ap (\\ & c_2\text{Ebool_2EIN} A_27a) V4x) V1u)) \wedge ((p (ap (ap (c_2\text{Ebool_2EIN} A_27a) \\ & V5y) V1u)) \wedge ((ap V0f V4x) = (ap V0f V5y)))))) \Rightarrow (V4x = V5y)))))) \end{aligned} \tag{8}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(p (ap (ap (c_2\text{Ebool_2EIN} A_27a) V0x) (c_2\text{Epred_set_2EUNIV} A_27a)))) \tag{9}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0s \in (2^{A_27a}).(p (ap (ap (c_2\text{Epred_set_2ESUBSET} A_27a) V0s) (c_2\text{Epred_set_2EUNIV} A_27a)))) \tag{10}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}). ((\forall V1s \in (2^{A_27a}). (\forall V2t \in \\ & (2^{A_27a}). (((ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V0f) \\ V1s) = (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V0f)\ V2t)) \Rightarrow (\\ & \quad V1s = V2t)))) \Leftrightarrow (\forall V3x \in A_27a. (\forall V4y \in A_27a. (((ap\ V0f \\ & \quad V3x) = (ap\ V0f\ V4y)) \Rightarrow (V3x = V4y)))))) \end{aligned}$$