

thm_2Ecardinal_2Ecardleq_ANTISYM
(TMMQ6o8HrMJzMP8cd1rSeU4pjX1o5Z6e4MW)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_EF$

Definition 7 We define $c_2Ebool_2E_EIN$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Epred_set_2ESURJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a}).$

Definition 12 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a}).$

Definition 13 We define $c_2Epred_set_2EBIJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A-27a}).\lambda V1s \in (2^{A-27a}).$

Definition 14 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A-27a}).\lambda V1s2 \in (2^{A-27a}).$

Definition 15 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A-27a}).\lambda V1s2 \in (2^{A-27a}).$

Assume the following.

$$True \quad (1)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (2)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \quad (3) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0s \in (2^{A_27a}). (\forall V1t \in (2^{A_27b}). (((\exists V2f \in \\ & (A_27b^{A_27a}). (p\ (ap\ (ap\ (ap\ (c.2Epred_set_2EINJ\ A_27a\ A_27b) \\ & V2f)\ V0s)\ V1t))) \wedge (\exists V3g \in (A_27a^{A_27b}). (p\ (ap\ (ap\ (ap\ (c.2Epred_set_2EINJ \\ & A_27b\ A_27a)\ V3g)\ V1t)\ V0s)))))) \Rightarrow (\exists V4h \in (A_27b^{A_27a}). (p\ (\\ & ap\ (ap\ (ap\ (c.2Epred_set_2EIJ\ A_27a\ A_27b)\ V4h)\ V0s)\ V1t)))))) \quad (4) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0s \in (2^{A_27a}). (\forall V1t \in (2^{A_27b}). (((p\ (ap\ (ap\ (c.2Ecardinal_2Ecardleq \\ & A_27a\ A_27b)\ V0s)\ V1t)) \wedge (p\ (ap\ (ap\ (c.2Ecardinal_2Ecardleq\ A_27b \\ & A_27a)\ V1t)\ V0s)))))) \Rightarrow (p\ (ap\ (ap\ (c.2Ecardinal_2Ecardeq\ A_27a\ A_27b) \\ & V0s)\ V1t)))))) \end{aligned}$$