

thm\_2Ecardinal\_2Ecountable\_\_decomposition  
(TM-  
PoBoKkFJygxy1uuG74eBzuHrvXW1gaFCG)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_to } (x = y) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$ .

**Definition 4** We define `c_2Ebool_2EBOUNDED` to be  $(\lambda V0v \in 2. \text{c\_2Ebool\_2ET})$ .

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^{A\_27a}))))$ .

**Definition 6** We define `c_2Emarker_2EAbbrev` to be  $\lambda V0x \in 2. V0x$ .

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Epair\_2Eprod } A0 \ A1) \tag{1}$$

Let `c_2Epair_2ESND` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow \forall A\_27b. \text{nonempty } A\_27b \Rightarrow \text{c\_2Epair\_2ESND } A\_27a \ A\_27b \in (A\_27b^{(\text{ty\_2Epair\_2Eprod } A\_27a \ A\_27b)}) \tag{2}$$

Let `c_2Epair_2EFST` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow \forall A\_27b. \text{nonempty } A\_27b \Rightarrow \text{c\_2Epair\_2EFST } A\_27a \ A\_27b \in (A\_27a^{(\text{ty\_2Epair\_2Eprod } A\_27a \ A\_27b)}) \tag{3}$$

**Definition 7** We define `c_2Epair_2EUNCURRY` to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c^{A\_27b})$ .

**Definition 8** We define `c_2Ebool_2EF` to be  $(\text{ap } (\text{c\_2Ebool\_2E\_21 } 2) (\lambda V0t \in 2. V0t))$ .

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E))$

**Definition 11** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 12** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Ebool\_2EIN V1t s))$

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.(ap V2t t1 t2)))))$

**Definition 14** We define  $c\_2Epred\_set\_2EPSUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_2F\_5C V1t s))$

**Definition 15** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.(ap V2t t1 t2)))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (4)$$

**Definition 16** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_2F\_5C V0x y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \end{aligned} \quad (5)$$

**Definition 17** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_2F\_5C V1t s))$

**Definition 18** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 V0P))))$

**Definition 19** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap (c\_2Epred\_set\_2EUNION V0P))$

**Definition 20** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_3F V1s f))$

**Definition 21** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_3F V1s x))$

**Definition 22** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2E\_2EF)$ .

**Definition 23** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_21 2) V0s)$

**Definition 24** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2E\_2ET)$ .

**Definition 25** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_3F V1s f))$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \quad (6)$$

**Definition 26** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap (c\_2Ebool\_2E3F$

**Definition 27** We define  $c\_2Eset\_relation\_2Eantisym$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27$

**Definition 28** We define  $c\_2Eset\_relation\_2Ereflexive$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27$

**Definition 29** We define  $c\_2Eset\_relation\_2Etransitive$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27$

**Definition 30** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod$

**Definition 31** We define  $c\_2Eset\_relation\_2Erange$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A$

**Definition 32** We define  $c\_2Eset\_relation\_2Emaximal\_elements$  to be  $\lambda A\_27a : \iota.\lambda V0xs \in (2^{A\_27a}).\lambda V1r \in$

**Definition 33** We define  $c\_2Eset\_relation\_2Eupper\_bounds$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s \in (2^{A\_27b}).\lambda V$

**Definition 34** We define  $c\_2Eset\_relation\_2Echain$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1r \in (2^{(ty\_2Epair\_2E$

**Definition 35** We define  $c\_2Eset\_relation\_2Epartial\_order$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27$

Assume the following.

$$True \tag{7}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{8}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{9}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \tag{10}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t) \Leftrightarrow (p V0t))) \tag{11}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \tag{12}$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \tag{13}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (14)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p(ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p(ap V0P V2x)))))) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p(ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p(ap V0P V2x)))))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p(ap V0P V2x)) \wedge (p(ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A\_27a.(p(ap V0P V3x))) \wedge (\forall V4x \in A\_27a.(p(ap V1Q V4x))))))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in 2.(((\forall V2x \in A\_27a.(p(ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A\_27a.((p(ap V0P V3x)) \wedge (p V1Q)))))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((p\ V0P) \wedge (\forall V2x \in A\_27a. (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow (\forall V3x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((\exists V2x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow ((p\ V0P) \wedge (\exists V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a. (p\ (ap\ V1P\ V3x))) \vee (p\ V0Q)))))) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow ((p\ V0P) \vee (\forall V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in 2. ((\forall V2x \in A\_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A\_27a. (p\ (ap\ V0P\ V3x))) \Rightarrow (p\ V1Q)))))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((\exists V2x \in A\_27a. ((p\ V0P) \Rightarrow (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow ((p\ V0P) \Rightarrow (\exists V3x \in A\_27a. (p\ (ap\ V1Q\ V3x)))))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. ((\neg((p\ V0A) \Rightarrow (p\ V1B))) \Leftrightarrow ((p\ V0A) \wedge (\neg(p\ V1B)))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B)))))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.((((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))) \quad (34)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.((((p V0P) \vee (p V1Q)) \Rightarrow (p V2R)) \Leftrightarrow (((p V0P) \Rightarrow (p V2R)) \wedge ((p V1Q) \Rightarrow (p V2R)))))) \quad (35)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2R \in 2.(((p V0P) \Rightarrow ((p V1Q) \wedge (p V2R))) \Leftrightarrow (((p V0P) \Rightarrow (p V1Q)) \wedge ((p V0P) \Rightarrow (p V2R)))))) \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (37)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.((((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (38)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (39)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0f \in (2^{A_{27a}}).(\forall V1v \in A_{27a}.((\forall V2x \in A_{27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (40)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0P \in ((2^{A_{27b}})^{A_{27a}}).((\forall V1x \in A_{27a}.(\exists V2y \in A_{27b}.(p (ap (ap V0P V1x) V2y)))) \Leftrightarrow (\exists V3f \in (A_{27b}^{A_{27a}}).(\forall V4x \in A_{27a}.(p (ap (ap V0P V4x) (ap V3f V4x)))))))) \quad (41)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c\_2Ebool\_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0s \in (2^{A\_27a}).(\forall V1f \in (A\_27b^{A\_27a}).(\forall V2x \in \\ A\_27a.(\forall V3y \in A\_27a.(((p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) \\ V0s)) \wedge (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V3y) V0s))) \Rightarrow (((ap V1f V2x) = \\ (ap V1f V3y)) \Leftrightarrow (V2x = V3y)))))) \Rightarrow ((p (ap (c\_2Epred\_set\_2EFINITE \\ A\_27b) (ap (ap (c\_2Epred\_set\_2EIMAGE A\_27a A\_27b) V1f) V0s))) \Leftrightarrow \\ (p (ap (c\_2Epred\_set\_2EFINITE A\_27a) V0s)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a.(\forall V1y \in A\_27b.(\forall V2a \in A\_27a.(\forall V3b \in \\ A\_27b.(((ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y) = (ap (ap \\ (c\_2Epair\_2E\_2C A\_27a A\_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in A\_27a.(\forall V1y \in A\_27b.(\forall V2a \in A\_27a.(\forall V3b \in \\ A\_27b.(((ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V0x) V1y) = (ap (ap \\ (c\_2Epair\_2E\_2C A\_27a A\_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0x \in (ty\_2Epair\_2Eprod A\_27a A\_27b).((ap (ap (c\_2Epair\_2E\_2C \\ A\_27a A\_27b) (ap (c\_2Epair\_2E\_2E\_2C A\_27a A\_27b) V0x)) (ap (c\_2Epair\_2E\_2SND \\ A\_27a A\_27b) V0x)) = V0x)) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\ nonempty A\_27c \Rightarrow (\forall V0f \in ((A\_27c^{A\_27b})^{A\_27a}).(\forall V1x \in \\ A\_27a.(\forall V2y \in A\_27b.((ap (ap (c\_2Epair\_2EUNCURRY A\_27a \\ A\_27b A\_27c) V0f) (ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V1x) V2y))) = \\ (ap (ap V0f V1x) V2y)))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.(((p (ap (ap (c\_2Ebool\_2EIN \\ A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2x) V1t)))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}).(\forall V1v \in \\ A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b)\ V0f)))) \Leftrightarrow (\exists V2x \in A\_27b.((ap\ (ap\ (c\_2Epair\_2E\_2C \\ A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (49)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\neg(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)))))) \quad (50)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (c\_2Epred\_set\_2EUNIV\ A\_27a)))) \quad (51)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\neg((c\_2Epred\_set\_2EUNIV\ A\_27a) = (c\_2Epred\_set\_2EEMPTY\ A\_27a))) \quad (52)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).(\forall V2u \in (2^{A\_27a}).(((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ A\_27a)\ V0s)\ V1t)) \wedge (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V1t)\ V2u)))) \Rightarrow (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V2u)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V0s))) \quad (54)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ (2^{A\_27a}).(((p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ V1t)) \wedge \\ (p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V1t)\ V0s)))) \Rightarrow (V0s = V1t)))) \end{aligned} \quad (55)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)\ V0s)))) \quad (56)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0s \in (2^{A\_27a}).((ap\ ( \\ ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)) \\ V0s) = V0s)) \wedge (\forall V1s \in (2^{A\_27a}).((ap\ (ap\ (c\_2Epred\_set\_2EUNION \\ A\_27a)\ V1s)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)) = V1s)))) \end{aligned} \quad (57)$$



Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1y \in \\ A_{.27a}. (\forall V2s \in (2^{A_{.27a}}). ((p (ap (ap (c_{.2Ebool\_2EIN } A_{.27a} \\ V0x) (ap (ap (c_{.2Epred\_set\_2EINSERT } A_{.27a} V1y) V2s))) \Leftrightarrow ((V0x = \\ V1y) \vee (p (ap (ap (c_{.2Ebool\_2EIN } A_{.27a} V0x) V2s)))))))))) \end{aligned} \quad (58)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}). ((V0s = \\ (c_{.2Epred\_set\_2EEMPTY } A_{.27a})) \vee (\exists V1x \in A_{.27a}. (\exists V2t \in \\ (2^{A_{.27a}}). ((V0s = (ap (ap (c_{.2Epred\_set\_2EINSERT } A_{.27a} V1x) \\ V2t)) \wedge (\neg (p (ap (ap (c_{.2Ebool\_2EIN } A_{.27a} V1x) V2t)))))))))) \end{aligned} \quad (59)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1s \in \\ (2^{A_{.27a}}). (\forall V2t \in (2^{A_{.27a}}). ((p (ap (ap (c_{.2Epred\_set\_2ESUBSET } \\ A_{.27a} (ap (ap (c_{.2Epred\_set\_2EINSERT } A_{.27a} V0x) V1s)) V2t)) \Leftrightarrow \\ ((p (ap (ap (c_{.2Ebool\_2EIN } A_{.27a} V0x) V2t)) \wedge (p (ap (ap (c_{.2Epred\_set\_2ESUBSET } \\ A_{.27a} V1s) V2t)))))))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (\forall V1s \in \\ (2^{A_{.27a}}). ((\neg (p (ap (ap (c_{.2Ebool\_2EIN } A_{.27a} V0x) V1s))) \Rightarrow (\forall V2t \in \\ (2^{A_{.27a}}). ((p (ap (ap (c_{.2Epred\_set\_2ESUBSET } A_{.27a} V1s) (ap \\ (ap (c_{.2Epred\_set\_2EINSERT } A_{.27a} V0x) V2t))) \Leftrightarrow (p (ap (ap (c_{.2Epred\_set\_2ESUBSET } \\ A_{.27a} V1s) V2t)))))))))) \end{aligned} \quad (61)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}). (\forall V1t \in \\ (2^{A_{.27a}}). ((p (ap (ap (c_{.2Epred\_set\_2EPSUBSET } A_{.27a} V0s) V1t)) \Leftrightarrow \\ ((p (ap (ap (c_{.2Epred\_set\_2ESUBSET } A_{.27a} V0s) V1t)) \wedge (\exists V2y \in \\ A_{.27a}. ((p (ap (ap (c_{.2Ebool\_2EIN } A_{.27a} V2y) V1t)) \wedge (\neg (p (ap (ap \\ (c_{.2Ebool\_2EIN } A_{.27a} V2y) V0s)))))))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow ( \\ \forall V0y \in A_{.27b}. (\forall V1s \in (2^{A_{.27a}}). (\forall V2f \in (A_{.27b}^{A_{.27a}}). \\ ((p (ap (ap (c_{.2Ebool\_2EIN } A_{.27b} V0y) (ap (ap (c_{.2Epred\_set\_2EIMAGE } \\ A_{.27a} A_{.27b} V2f) V1s))) \Leftrightarrow (\exists V3x \in A_{.27a}. ((V0y = (ap V2f V3x)) \wedge \\ (p (ap (ap (c_{.2Ebool\_2EIN } A_{.27a} V3x) V1s)))))))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0s \in (2^{A\_27a}).(\forall V1f \in (A\_27b^{A\_27a}).(((ap\ (ap\ ( \\ c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V1f)\ V0s) = (c\_2Epred\_set\_2EEMPTY \\ A\_27b)) \Leftrightarrow (V0s = (c\_2Epred\_set\_2EEMPTY\ A\_27a)))))) \end{aligned} \quad (64)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}).(\forall V1s \in (2^{A\_27a}).(\forall V2t \in \\ (2^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ\ A\_27a\ A\_27b)\ V0f)\ V1s)\ V2t)) \Leftrightarrow ((\forall V3x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ V3x)\ V1s)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ (ap\ V0f\ V3x))\ V2t)))))) \wedge \\ (\forall V4x \in A\_27a.(\forall V5y \in A\_27a.(((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A\_27a)\ V4x)\ V1s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V5y)\ V1s))) \Rightarrow \\ (((ap\ V0f\ V4x) = (ap\ V0f\ V5y)) \Leftrightarrow (V4x = V5y)))))))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in \\ (2^{A\_27a}).((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\ A\_27a)\ V0x)\ V1s))) \Leftrightarrow (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V1s)))))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} (\neg(p\ (ap\ (c\_2Epred\_set\_2EFINITE\ ty\_2Enum\_2Enum)\ (c\_2Epred\_set\_2EUNIV \\ ty\_2Enum\_2Enum)))) \end{aligned} \quad (67)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1sos \in \\ (2^{(2^{A\_27a})}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Epred\_set\_2EBIGUNION \\ A\_27a)\ V1sos))) \Leftrightarrow (\exists V2s \in (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A\_27a)\ V0x)\ V2s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V2s)\ V1sos))))))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow ((ap\ (c\_2Epred\_set\_2EBIGUNION \\ A\_27a)\ (c\_2Epred\_set\_2EEMPTY\ (2^{A\_27a}))) = (c\_2Epred\_set\_2EEMPTY \\ A\_27a)) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1P \in \\ (2^{(2^{A\_27a})}).((ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a)\ (ap\ (ap \\ (c\_2Epred\_set\_2EINSERT\ (2^{A\_27a})\ V0s)\ V1P))) = (ap\ (ap\ (c\_2Epred\_set\_2EUNION \\ A\_27a)\ V0s)\ (ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a)\ V1P)))))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0X \in (2^{A-27a}).(\forall V1P \in \\ (2^{(2^{A-27a})}).((p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ (ap \\ (c.2Epred\_set.2EBIGUNION\ A.27a)\ V1P))\ V0X)) \Leftrightarrow (\forall V2Y \in ( \\ 2^{A-27a}).((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{A-27a})\ V2Y)\ V1P)) \Rightarrow (p\ ( \\ ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V2Y)\ V0X)))))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in (2^{A-27a}).(\forall V1P \in \\ (2^{(2^{A-27a})}).((p\ (ap\ (ap\ (c.2Ebool.2EIN\ (2^{A-27a})\ V0x)\ V1P)) \Rightarrow \\ (p\ (ap\ (ap\ (c.2Epred\_set.2ESUBSET\ A.27a)\ V0x)\ (ap\ (c.2Epred\_set.2EBIGUNION \\ A.27a)\ V1P)))))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A-27a}).((\neg(p\ ( \\ ap\ (c.2Epred\_set.2EFINITE\ A.27a)\ V0s))) \Leftrightarrow (\exists V1f \in (A.27a^{ty.2Enum.2Enum}). \\ (p\ (ap\ (ap\ (ap\ (c.2Epred\_set.2EINJ\ ty.2Enum.2Enum\ A.27a)\ V1f) \\ (c.2Epred\_set.2EUNIV\ ty.2Enum.2Enum))\ V0s)))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in (A.27a^{ty.2Enum.2Enum}). \\ (p\ (ap\ (c.2Epred\_set.2Ecountable\ A.27a)\ (ap\ (ap\ (c.2Epred\_set.2EIMAGE \\ ty.2Enum.2Enum\ A.27a)\ V0f)\ (c.2Epred\_set.2EUNIV\ ty.2Enum.2Enum)))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1s \in \\ (2^{A-27a}).((p\ (ap\ (c.2Epred\_set.2Ecountable\ A.27a)\ (ap\ (ap\ ( \\ c.2Epred\_set.2EINSERT\ A.27a)\ V0x)\ V1s))) \Leftrightarrow (p\ (ap\ (c.2Epred\_set.2Ecountable \\ A.27a)\ V1s)))))) \end{aligned} \quad (75)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (76)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (77)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (78)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (79)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (80)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (81)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (82)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (83)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (84)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (85)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (86)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (87)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (88)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (89)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (90)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)}), \\ (\forall V1s \in (2^{A\_27a}).(((\neg(V1s = (c\_2Epred\_set\_2EEMPTY\ A\_27a)))) \wedge \\ ((p\ (ap\ (ap\ (c\_2Eset\_relation\_2Epartial\_order\ A\_27a)\ V0r)\ V1s)) \wedge \\ (\forall V2t \in (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Eset\_relation\_2Echain \\ A\_27a\ V2t)\ V0r))) \Rightarrow (\neg((ap\ (ap\ (c\_2Eset\_relation\_2Eupper\_bounds \\ A\_27a\ A\_27a)\ V2t)\ V0r) = (c\_2Epred\_set\_2EEMPTY\ A\_27a)))))) \Rightarrow \\ (\exists V3x \in A\_27a.(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ (ap\ (ap \\ (c\_2Eset\_relation\_2Emaximal\_elements\ A\_27a)\ V1s)\ V0r)))))) \end{aligned} \quad (91)$$

**Theorem 1**

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).((\neg(p\ ( \\ ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V0s))) \Rightarrow (\exists V1A \in (2^{(2^{A\_27a})}). \\ (((ap\ (c\_2Epred\_set\_2EBIGUNION\ A\_27a)\ V1A) = V0s) \wedge (\forall V2a \in \\ (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (2^{A\_27a})\ V2a)\ V1A)) \Rightarrow (( \\ \neg(p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V2a))) \wedge (p\ (ap\ (c\_2Epred\_set\_2Ecountable \\ A\_27a)\ V2a)))))))))) \end{aligned}$$