

# thm\_2Ecombin\_2EUPDATE\_\_APPLY\_\_IMP\_\_ID (TMLT1BUVr4kwkVF1uEm5zA49ydhrrpEUg3EE)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

**Definition 5** We define `c_2Ebool_2EF` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 7** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define `c_2Ebool_2ECOND` to be  $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap (c_2Emin_2E_40 A_27a (ap V1t1 V2t2))$

**Definition 9** We define `c_2Ecombin_2EUPDATE` to be  $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0a \in A_27a.\lambda V1b \in A_27b.(ap (c_2Emin_2E_40 A_27a (ap (ap (ap (c_2Emin_2E_40 A_27b (ap V0a V1b))$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow ( \\ & \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1a \in A_27a.(\forall V2b \in A_27b. \\ & \quad ((ap V0f V1a) = V2b) \Leftrightarrow ((ap (ap (ap (c_2Ecombin_2EUPDATE A_27a A_27b) \\ & \quad \quad V1a) V2b) V0f) = V0f)))))) \end{aligned} \tag{1}$$

**Theorem 1**

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow ( \\ & \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1b \in A_27b.(\forall V2a \in A_27a. \\ & \quad ((ap V0f V2a) = V1b) \Rightarrow ((ap (ap (ap (c_2Ecombin_2EUPDATE A_27a A_27b) \\ & \quad \quad V2a) V1b) V0f) = V0f)))))) \end{aligned}$$