

# thm\_2Ecombin\_2EW\_\_THM (TMRitWmwHGy- jEa8GGAk7ADT6fJ3AEQKWic1)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ecombin\_2EW$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in ((A\_27b^{A\_27a})^{A\_27a}).(\lambda V1x \in A\_27a.((ap (ap$

**Theorem 1**

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ \forall V0f \in ((A\_27b^{A\_27a})^{A\_27a}).(\forall V1x \in A\_27a.((ap (ap \\ (c\_2Ecombin\_2EW A\_27a A\_27b) V0f) V1x) = (ap (ap V0f V1x) V1x))))$$