

thm_2Ecomparison_2Egood__cmp__Less__trans
(TMRA41N4vtiFKFvFqb7VQM8KzwqFNheCNwh)

October 26, 2020

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** $(the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A a))))$

Definition 4 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2EternaryComparisons_2Eordering : \iota$ be given. Assume the following.

$$nonempty\ ty_2EternaryComparisons_2Eordering \quad (1)$$

Let $c_2EternaryComparisons_2ELESS : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2ELESS \in ty_2EternaryComparisons_2Eordering \quad (2)$$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (ap (c_2Emin_2E_3D_3D_3E A a))))))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2EternaryComparisons_2EEQUAL : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EEQUAL \in ty_2EternaryComparisons_2Eordering \quad (3)$$

Let $c_2EternaryComparisons_2EGREATER : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EGREATER \in ty_2EternaryComparisons_2Eordering \quad (4)$$

Definition 8 We define $c_2Ecomparison_2Egood_cmp$ to be $\lambda A_27a : \iota.\lambda V0cmp \in ((ty_2EternaryComparisons_2Eordering2num : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (5)$$

Let $c_2EternaryComparisons_2Eordering2num : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2Eordering2num \in (ty_2Enum_2Enum^{ty_2EternaryComparisons_2Eordering}) \quad (6)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (8)$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 10 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (10)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$

Definition 13 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 14 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(c_2Ebool_2E_21\ t1\ t2)))$

Definition 16 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_21\ t))$

Definition 17 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V0n$

Definition 18 We define $c_2EternaryComparisons_2Eordering_CASE$ to be $\lambda A_27a : \iota.\lambda V0x \in ty_2EternaryComparisons_2Eordering$

Definition 19 We define $c_2Erelation_2Etransitive$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). (ap (c_2Ebool_2E$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Assume the following.

$$True \tag{12}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{13}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{14}$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{15}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \tag{16}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{18}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p (ap V0P V2x)) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((\forall V3x \in A_27a. (p (ap V0P V3x))) \wedge (\forall V4x \in A_27a. (p (ap V1Q V4x))))))) \tag{19}$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in 2. (((\forall V2x \in A_27a. (p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A_27a. ((p (ap V0P V3x)) \wedge (p V1Q)))))) \tag{20}$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V_0P \in 2. (\forall V_1Q \in (2^{A_{27a}}). ((p \ V_0P) \wedge (\forall V_2x \in A_{27a}. (p \ (ap \ V_1Q \ V_2x)))) \Leftrightarrow (\forall V_3x \in A_{27a}. ((p \ V_0P) \wedge (p \ (ap \ V_1Q \ V_3x))))))) \quad (21)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V_0P \in 2. (\forall V_1Q \in (2^{A_{27a}}). ((\forall V_2x \in A_{27a}. ((p \ V_0P) \vee (p \ (ap \ V_1Q \ V_2x)))) \Leftrightarrow ((p \ V_0P) \vee (\forall V_3x \in A_{27a}. (p \ (ap \ V_1Q \ V_3x))))))) \quad (22)$$

Assume the following.

$$(\forall V_0A \in 2. (\forall V_1B \in 2. (\forall V_2C \in 2. (((p \ V_0A) \vee (p \ V_1B) \wedge (p \ V_2C)) \Leftrightarrow (((p \ V_0A) \vee (p \ V_1B)) \wedge ((p \ V_0A) \vee (p \ V_2C))))))) \quad (23)$$

Assume the following.

$$(\forall V_0A \in 2. (\forall V_1B \in 2. (\forall V_2C \in 2. (((p \ V_1B) \wedge (p \ V_2C) \vee (p \ V_0A)) \Leftrightarrow (((p \ V_1B) \vee (p \ V_0A)) \wedge ((p \ V_2C) \vee (p \ V_0A))))))) \quad (24)$$

Assume the following.

$$(\forall V_0t_1 \in 2. (\forall V_1t_2 \in 2. (\forall V_2t_3 \in 2. (((p \ V_0t_1) \Rightarrow ((p \ V_1t_2) \Rightarrow (p \ V_2t_3))) \Leftrightarrow (((p \ V_0t_1) \wedge (p \ V_1t_2)) \Rightarrow (p \ V_2t_3)))))) \quad (25)$$

Assume the following.

$$(\forall V_0x \in 2. (\forall V_1x_{27} \in 2. (\forall V_2y \in 2. (\forall V_3y_{27} \in 2. (((p \ V_0x) \Leftrightarrow (p \ V_1x_{27})) \wedge ((p \ V_1x_{27}) \Rightarrow ((p \ V_2y) \Leftrightarrow (p \ V_3y_{27})))) \Rightarrow ((p \ V_0x) \Rightarrow (p \ V_2y)) \Leftrightarrow ((p \ V_1x_{27}) \Rightarrow (p \ V_3y_{27})))))) \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (((\neg(c.2EternaryComparisons.2ELESS = \\
& \quad c.2EternaryComparisons.2EEQUAL)) \wedge (\neg(c.2EternaryComparisons.2ELESS = \\
& \quad c.2EternaryComparisons.2EGREATER)) \wedge (\neg(c.2EternaryComparisons.2EEQUAL = \\
& \quad c.2EternaryComparisons.2EGREATER)))) \wedge (((\forall V0v0 \in A.27a. \\
& (\forall V1v1 \in A.27a. (\forall V2v2 \in A.27a. ((ap\ (ap\ (ap\ (ap\ (c.2EternaryComparisons.2Eordering_CASE \\
& \quad A.27a)\ c.2EternaryComparisons.2ELESS)\ V0v0)\ V1v1)\ V2v2) = V0v0)))) \wedge \\
& \quad ((\forall V3v0 \in A.27a. (\forall V4v1 \in A.27a. (\forall V5v2 \in A.27a. \\
& \quad ((ap\ (ap\ (ap\ (ap\ (c.2EternaryComparisons.2Eordering_CASE\ A.27a)\ \\
& \quad c.2EternaryComparisons.2EEQUAL)\ V3v0)\ V4v1)\ V5v2) = V4v1)))) \wedge \\
& \quad ((\forall V6v0 \in A.27a. (\forall V7v1 \in A.27a. (\forall V8v2 \in A.27a. \\
& \quad ((ap\ (ap\ (ap\ (ap\ (c.2EternaryComparisons.2Eordering_CASE\ A.27a)\ \\
& \quad c.2EternaryComparisons.2EGREATER)\ V6v0)\ V7v1)\ V8v2) = V8v2)))))) \wedge \\
& ((\forall V9a \in ty.2EternaryComparisons.2Eordering. ((V9a = c.2EternaryComparisons.2ELESS) \vee \\
& ((V9a = c.2EternaryComparisons.2EEQUAL) \vee (V9a = c.2EternaryComparisons.2EGREATER)))) \wedge \\
& \quad ((\forall V10cmp \in ((ty.2EternaryComparisons.2Eordering^{A.27a})^{A.27a}). \\
& \quad ((p\ (ap\ (c.2Ecomparison.2Egood_cmp\ A.27a)\ V10cmp)) \Leftrightarrow ((\forall V11x \in \\
& \quad A.27a. ((ap\ (ap\ V10cmp\ V11x)\ V11x) = c.2EternaryComparisons.2EEQUAL)) \wedge \\
& \quad ((\forall V12x \in A.27a. (\forall V13y \in A.27a. (((ap\ (ap\ V10cmp\ V12x)\ \\
& \quad V13y) = c.2EternaryComparisons.2EEQUAL) \Rightarrow ((ap\ (ap\ V10cmp\ V13y)\ \\
& \quad V12x) = c.2EternaryComparisons.2EEQUAL)))))) \wedge ((\forall V14x \in \\
& \quad A.27a. (\forall V15y \in A.27a. (((ap\ (ap\ V10cmp\ V14x)\ V15y) = c.2EternaryComparisons.2EGREATER) \Leftrightarrow \\
& \quad ((ap\ (ap\ V10cmp\ V15y)\ V14x) = c.2EternaryComparisons.2ELESS)))))) \wedge \\
& \quad ((\forall V16x \in A.27a. (\forall V17y \in A.27a. (\forall V18z \in A.27a. \\
& \quad (((ap\ (ap\ V10cmp\ V16x)\ V17y) = c.2EternaryComparisons.2EEQUAL) \wedge \\
& \quad ((ap\ (ap\ V10cmp\ V17y)\ V18z) = c.2EternaryComparisons.2ELESS)) \Rightarrow \\
& \quad ((ap\ (ap\ V10cmp\ V16x)\ V18z) = c.2EternaryComparisons.2ELESS)))))) \wedge \\
& \quad ((\forall V19x \in A.27a. (\forall V20y \in A.27a. (\forall V21z \in A.27a. \\
& \quad (((ap\ (ap\ V10cmp\ V19x)\ V20y) = c.2EternaryComparisons.2ELESS) \wedge \\
& \quad ((ap\ (ap\ V10cmp\ V20y)\ V21z) = c.2EternaryComparisons.2EEQUAL)) \Rightarrow \\
& \quad ((ap\ (ap\ V10cmp\ V19x)\ V21z) = c.2EternaryComparisons.2ELESS)))))) \wedge \\
& \quad ((\forall V22x \in A.27a. (\forall V23y \in A.27a. (\forall V24z \in A.27a. \\
& \quad (((ap\ (ap\ V10cmp\ V22x)\ V23y) = c.2EternaryComparisons.2EEQUAL) \wedge \\
& \quad ((ap\ (ap\ V10cmp\ V23y)\ V24z) = c.2EternaryComparisons.2EEQUAL)) \Rightarrow \\
& \quad ((ap\ (ap\ V10cmp\ V22x)\ V24z) = c.2EternaryComparisons.2EEQUAL)))))) \wedge \\
& \quad ((\forall V25x \in A.27a. (\forall V26y \in A.27a. (\forall V27z \in A.27a. \\
& \quad (((ap\ (ap\ V10cmp\ V25x)\ V26y) = c.2EternaryComparisons.2ELESS) \wedge \\
& \quad ((ap\ (ap\ V10cmp\ V26y)\ V27z) = c.2EternaryComparisons.2ELESS)) \Rightarrow \\
& \quad ((ap\ (ap\ V10cmp\ V25x)\ V27z) = c.2EternaryComparisons.2ELESS))))))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (29)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (42)$$

Theorem 1

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0cmp \in ((ty_2EternaryComparisons_2Eordering^{A_27a})^{A_27a}). \\ ((p (ap (c_2Ecomparison_2Egood_cmp \ A_27a) \ V0cmp)) \Rightarrow (p (ap (c_2Erelation_2Etransitive \\ A_27a) (\lambda V1k \in A_27a.(\lambda V2k_27 \in A_27a.(ap (ap (c_2Emin_2E_3D \\ ty_2EternaryComparisons_2Eordering) (ap (ap \ V0cmp \ V1k) \ V2k_27)) \\ c_2EternaryComparisons_2ELESS))))))))))$$