

thm_2Ecomparison_2Enum__cmp__numOrd (TMK21tb6azSntT4rYzh9rTJjeFKwJQ9jLqy)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Let `ty_2EternaryComparisons_2Eordering` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2EternaryComparisons_2Eordering} \quad (1)$$

Let `c_2EternaryComparisons_2EGREATER` : ι be given. Assume the following.

$$\text{c_2EternaryComparisons_2EGREATER} \in \text{ty_2EternaryComparisons_2Eordering} \quad (2)$$

Let `c_2EternaryComparisons_2ELESS` : ι be given. Assume the following.

$$\text{c_2EternaryComparisons_2ELESS} \in \text{ty_2EternaryComparisons_2Eordering} \quad (3)$$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_{27a} : \iota. (\lambda V 0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2EF` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 0t \in 2.V 0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow p \ Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V 0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 0t) \text{ c_2Ebool_2EF})))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V 0t1 \in 2. (\lambda V 1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V 2t \in 2. (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V 2t) \text{ c_2Ebool_2EF}))))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \quad (4)$$

Let `c_2Enum_2EREP__num` : ι be given. Assume the following.

$$\text{c_2Enum_2EREP_num} \in (\text{omega}^{\text{ty_2Enum_2Enum}}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (7)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. p (ap\ P\ x)) \mathbf{then}$ (the $(\lambda x. x \in A \wedge p$
of type $\iota \Rightarrow \iota$).

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. ($

Let $c_2EternaryComparisons_2EEQUAL : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EEQUAL \in ty_2EternaryComparisons_2Eordering \quad (8)$$

Definition 13 We define $c_2EternaryComparisons_2Enum_compare$ to be $\lambda V0n1 \in ty_2Enum_2Enum. \lambda V1$

Definition 14 We define $c_2Etoto_2ETO_of_LinearOrder$ to be $\lambda A. 27a : \iota. \lambda V0r \in ((2^{A-27a})^{A-27a}). \lambda V1x \in$

Definition 15 We define $c_2Etoto_2EnumOrd$ to be $(ap (c_2Etoto_2ETO_of_LinearOrder\ ty_2Enum_2Enum$

Assume the following.

$$True \quad (9)$$

Assume the following.

$$\forall A. 27a. nonempty\ A. 27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A. 27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (10)$$

Assume the following.

$$\forall A. 27a. nonempty\ A. 27a \Rightarrow (\forall V0x \in A. 27a. ((V0x = V0x) \Leftrightarrow True)) \quad (11)$$

Assume the following.

$$\forall A. 27a. nonempty\ A. 27a \Rightarrow \forall A. 27b. nonempty\ A. 27b \Rightarrow (\forall V0f \in (A. 27b^{A-27a}). (\forall V1g \in (A. 27b^{A-27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A. 27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (12)$$

Assume the following.

$$\begin{aligned}
& (\forall V0n1 \in ty_2Enum_2Enum. (\forall V1n2 \in ty_2Enum_2Enum. \\
& ((ap (ap c_2EternaryComparisons_2Enum_compare V0n1) V1n2) = \\
& (ap (ap (ap (c_2Ebool_2ECOND ty_2EternaryComparisons_2Eordering) \\
& (ap (ap (c_2Emin_2E_3D ty_2Enum_2Enum) V0n1) V1n2)) c_2EternaryComparisons_2EEQUAL) \\
& (ap (ap (ap (c_2Ebool_2ECOND ty_2EternaryComparisons_2Eordering) \\
& (ap (ap c_2Eprim_rec_2E_3C V0n1) V1n2)) c_2EternaryComparisons_2ELESS) \\
& c_2EternaryComparisons_2EGREATER)))))) \\
& \tag{13}
\end{aligned}$$

Theorem 1 ($c_2EternaryComparisons_2Enum_compare = c_2Etoto_2EnumOrd$).