

thm\_2Ecomparison\_2Epair\_\_cmp\_\_cong  
 (TMFFhYvYPMYN-  
 jnVVM9E43cronQzivMYt8CD)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_5C\_2E\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2EternaryComparisons\_2Eordering : \iota$  be given. Assume the following.

$$nonempty\ ty\_2EternaryComparisons\_2Eordering \quad (1)$$

Let  $c\_2EternaryComparisons\_2EGREATER : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2EGREATER \in ty\_2EternaryComparisons\_2Eordering \quad (2)$$

Let  $c\_2EternaryComparisons\_2ELESS : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2ELESS \in ty\_2EternaryComparisons\_2Eordering \quad (3)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (4)$$

Let  $c\_2EternaryComparisons\_2Eordering\_2num : \iota$  be given. Assume the following.

$$c\_2EternaryComparisons\_2Eordering\_2num \in (ty\_2Enum\_2Enum^{ty\_2EternaryComparisons\_2Eordering}) \quad (5)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (6)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (7)$$

**Definition 8** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 9** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (8)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (9)$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ m)$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 11** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2E\_2B\ n))\ V0n)$

**Definition 12** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 13** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ t2))\ t1)$

**Definition 14** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A)\ P)$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A.\lambda a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.\lambda V2t2 \in A.a\ t1\ t2))\ a$

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40\ a)\ P)))\ a$

**Definition 17** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.V0m\ V1n$

**Definition 18** We define  $c\_2EternaryComparisons\_2Eordering\_CASE$  to be  $\lambda A.\lambda a : \iota.\lambda V0x \in ty\_2EternaryComparisons\_2Eordering.V0x\ a$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (11)$$

Let  $c\_2EternaryComparisons\_2Epair\_compare : \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow A\_27a\ A\_27b\ A\_27c\ A\_27d \in (((ty\_2EternaryComparisons\_2Eordering^{(ty\_2Epair\_2Eprod\ A\_27b\ A\_27d)})^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}))^{(ty\_2Epair\_2Eprod\ A\_27c\ A\_27d)} \quad (12)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (13)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (14)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (15)$$

**Definition 19** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b\ V0x\ V1y))$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\forall V1y \in A_{27a}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (p V1B) \vee (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow (p V1t2) \Rightarrow (p V2t3)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (26)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0f \in (2^{A_{27a}}). (\forall V1v \in A_{27a}. ((\forall V2x \in A_{27a}. ((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (27)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0c1 \in ( \\
& \quad (ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}).(\forall V1c2 \in \\
& \quad ((ty\_2EternaryComparisons\_2Eordering^{A\_27d})^{A\_27c}).(\forall V2x \in \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c).(\forall V3y \in (ty\_2Epair\_2Eprod \\
& \quad A\_27b\ A\_27d).((ap\ (ap\ (ap\ (ap\ (c\_2EternaryComparisons\_2Epair\_compare \\
& \quad A\_27a\ A\_27b\ A\_27c\ A\_27d)\ V0c1)\ V1c2)\ V2x)\ V3y) = (ap\ (ap\ (ap\ (ap\ (c\_2EternaryComparisons\_2Eordering \\
& \quad ty\_2EternaryComparisons\_2Eordering)\ (ap\ (ap\ V0c1\ (ap\ (c\_2Epair\_2EFST \\
& \quad A\_27a\ A\_27c)\ V2x))\ (ap\ (c\_2Epair\_2EFST\ A\_27b\ A\_27d)\ V3y)))\ c\_2EternaryComparisons\_2ELE \\
& \quad (ap\ (ap\ V1c2\ (ap\ (c\_2Epair\_2ESND\ A\_27a\ A\_27c)\ V2x))\ (ap\ (c\_2Epair\_2ESND \\
& \quad A\_27b\ A\_27d)\ V3y))))\ c\_2EternaryComparisons\_2EGREATER)))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a.(\forall V1y \in A\_27b.(\forall V2a \in A\_27a.(\forall V3b \in \\
& \quad A\_27b.(((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\
& \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b))) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a.(\forall V1y \in A\_27b.((ap\ (c\_2Epair\_2EFST\ A\_27a \\
& \quad A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y)) = V0x))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0x \in A\_27a.(\forall V1y \in A\_27b.((ap\ (c\_2Epair\_2ESND\ A\_27a \\
& \quad A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y)) = V1y))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0P \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}).((\forall V1p \in \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b).(p\ (ap\ V0P\ V1p))) \Leftrightarrow (\forall V2p\_1 \in \\
& \quad A\_27a.(\forall V3p\_2 \in A\_27b.(p\ (ap\ V0P\ (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad A\_27a\ A\_27b)\ V2p\_1)\ V3p\_2)))))) \\
& \hspace{15em} (32)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0cmp1 \in \\
& \quad ((ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}). (\forall V1cmp2 \in \\
& \quad ((ty\_2EternaryComparisons\_2Eordering^{A\_27d})^{A\_27c}). (\forall V2v1 \in \\
& \quad (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c). (\forall V3v2 \in (ty\_2Epair\_2Eprod \\
& \quad A\_27b\ A\_27d). (\forall V4cmp1\_27 \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27b})^{A\_27a}). \\
& \quad (\forall V5cmp2\_27 \in ((ty\_2EternaryComparisons\_2Eordering^{A\_27d})^{A\_27c}). \\
& \quad (\forall V6v1\_27 \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c). (\forall V7v2\_27 \in \\
& \quad (ty\_2Epair\_2Eprod\ A\_27b\ A\_27d). (((V2v1 = V6v1\_27) \wedge ((V3v2 = V7v2\_27) \wedge \\
& \quad ((\forall V8a \in A\_27a. (\forall V9b \in A\_27c. (\forall V10c \in A\_27b. \\
& \quad (\forall V11d \in A\_27d. (((V6v1\_27 = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\
& \quad A\_27c)\ V8a)\ V9b)) \wedge (V7v2\_27 = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b\ A\_27d) \\
& \quad V10c)\ V11d)))) \Rightarrow ((ap\ (ap\ V0cmp1\ V8a)\ V10c) = (ap\ (ap\ V4cmp1\_27\ V8a) \\
& \quad V10c)))))) \wedge (\forall V12a \in A\_27a. (\forall V13b \in A\_27c. (\forall V14c \in \\
& \quad A\_27b. (\forall V15d \in A\_27d. (((V6v1\_27 = (ap\ (ap\ (c\_2Epair\_2E\_2C \\
& \quad A\_27a\ A\_27c)\ V12a)\ V13b)) \wedge (V7v2\_27 = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b \\
& \quad A\_27d)\ V14c)\ V15d)))) \Rightarrow ((ap\ (ap\ V1cmp2\ V13b)\ V15d) = (ap\ (ap\ V5cmp2\_27 \\
& \quad V13b)\ V15d)))))) \Rightarrow ((ap\ (ap\ (ap\ (ap\ (c\_2EternaryComparisons\_2Epair\_compare \\
& \quad A\_27a\ A\_27b\ A\_27c\ A\_27d)\ V0cmp1)\ V1cmp2)\ V2v1)\ V3v2) = (ap\ (ap\ (ap \\
& \quad (ap\ (c\_2EternaryComparisons\_2Epair\_compare\ A\_27a\ A\_27b\ A\_27c \\
& \quad A\_27d)\ V4cmp1\_27)\ V5cmp2\_27)\ V6v1\_27)\ V7v2\_27)))))))))
\end{aligned}$$