

thm_2Ecomparison_2Estring__cmp__good
(TMYE9E6XmEQCQr2qM6CXvsLTsN48eewr14N)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Estring_2Echar : \iota$ be given. Assume the following.

$$nonempty\ ty_2Estring_2Echar \tag{2}$$

Let $c_2Estring_2EORD : \iota$ be given. Assume the following.

$$c_2Estring_2EORD \in (ty_2Enum_2Enum^{ty_2Estring_2Echar}) \tag{3}$$

Let $ty_2EternaryComparisons_2Eordering : \iota$ be given. Assume the following.

$$nonempty\ ty_2EternaryComparisons_2Eordering \tag{4}$$

Let $c_2EternaryComparisons_2EGREATER : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EGREATER \in ty_2EternaryComparisons_2Eordering \tag{5}$$

Let $c_2EternaryComparisons_2ELESS : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2ELESS \in ty_2EternaryComparisons_2Eordering \tag{6}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E_7E))$

Definition 7 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in 2)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (7)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (8)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (9)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num)$

Definition 9 We define $c_Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_Emin_2E_40$

Definition 11 We define $c_Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.))$

Let $c_2EternaryComparisons_2EEQUAL : \iota$ be given. Assume the following.

$$c_2EternaryComparisons_2EEQUAL \in ty_2EternaryComparisons_2Eordering \quad (10)$$

Definition 13 We define $c_2EternaryComparisons_2Enum_compare$ to be $\lambda V0n1 \in ty_2Enum_2Enum.\lambda V1$

Definition 14 We define $c_2EternaryComparisons_2Echar_compare$ to be $\lambda V0c1 \in ty_2Estring_2Echar.\lambda V$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (11)$$

Let $c_2EternaryComparisons_2Elist_compare : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2EternaryComparisons_2Elist_compare A_27a A_27b \in (((ty_2EternaryComparisons_2Eordering^{(ty_2Elist_2Elist A_27b)})(ty_2Elist_2Elist A_27a))((ty_2Elist_2Elist A_27a))) \quad (12)$$

Definition 15 We define $c_2EternaryComparisons_2Estring_compare$ to be $(ap (c_2EternaryComparisons_2Elist_compare$

Definition 16 We define $c_Ecomparison_2Egood_cmp$ to be $\lambda A_27a : \iota.\lambda V0cmp \in ((ty_2EternaryComparisons_2Elist_compare$

Definition 17 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (c_2EternaryComparisons_2Estring_compare = (ap (c_2EternaryComparisons_2Elist_compare \\ & ty_2Estring_2Echar_ty_2Estring_2Echar) c_2EternaryComparisons_2Echar_compare)) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0cmp \in ((ty_2EternaryComparisons_2Eordering^{A_27a} A_27a). \\ & ((p (ap (c_2Ecomparison_2Egood_cmp A_27a) V0cmp)) \Rightarrow (p (ap (c_2Ecomparison_2Egood_cmp \\ & (ty_2Elist_2Elist A_27a)) (ap (c_2EternaryComparisons_2Elist_compare \\ & A_27a A_27a) V0cmp)))))) \end{aligned} \quad (18)$$

Assume the following.

$$(p (ap (c_2Ecomparison_2Egood_cmp ty_2Estring_2Echar) c_2EternaryComparisons_2Echar_compare)) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\ & (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (24)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q) \vee (p V2r)) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (25)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (26)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (27)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (29)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(((\neg(\neg(p V0p))) \Rightarrow (p V0p)))) \quad (33)$$

Theorem 1

$$(p \text{ (ap (c.2Ecomparison.2Egood_cmp (ty.2Elist.2Elist ty.2Estring.2Echar)) c.2EternaryComparisons.2Estring_compare))$$