

thm_2Ecomplex_2ECOMPLEX_INVINV (TMbnej6cmAubcqCtojNxeYqKCvmDkkADpvh)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A-27a}))))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2.V2t))))$

Let `c_2Enum_2EZERO_REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } ty_2Enum_2Enum \tag{2}$$

Let `c_2Enum_2EABS_num` : ι be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\text{omega}}) \tag{3}$$

Definition 7 We define `c_2Enum_2E0` to be $(\text{ap } c_2Enum_2EABS_num \ c_2Enum_2EZERO_REP)$.

Definition 8 We define `c_2Earithmic_2EZERO` to be `c_2Enum_2E0`.

Let `c_2Enum_2EREP_num` : ι be given. Assume the following.

$$c_2Enum_2EREP_num \in (\text{omega}^{ty_2Enum_2Enum}) \tag{4}$$

Let `c_2Enum_2ESUC_REP` : ι be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\text{omega}^{\text{omega}}) \tag{5}$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 12 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2ESND\ A.27a\ A.27b \in (A.27b^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}) \quad (9)$$

Definition 13 We define $c_2Ecomplex_2EIM$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2E$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (10)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Epair_2EFST\ A.27a\ A.27b \in (A.27a^{(ty_2Epair_2Eprod\ A.27a\ A.27b)}) \quad (11)$$

Definition 14 We define $c_2Ecomplex_2ERE$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2E$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (12)$$

Let $c_2Erealax_2Ereal_2REP_2CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_2REP_2CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (13)$$

Definition 15 We define $c_2Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A.$ if $(\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 16 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E.40 (t$
Let $c_2Erealax_2Etreall_add : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_add \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal))_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (14)$$

Let $c_2Erealax_2Etreall_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (15)$$

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}} \quad (16)$$

Definition 17 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty$

Definition 18 We define $c_2Erealax_2Ereal_add$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Let $c_2Erealax_2Etreall_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal))_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (17)$$

Definition 19 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal$

Let $c_2Erealax_2Etreall_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_inv \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal))_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (18)$$

Definition 20 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_ABS$

Let $c_2Erealax_2Etreall_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreall_mul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal))_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})_{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)} \quad (19)$$

Definition 21 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 22 We define $c_2Ereal_2E.2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.($

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (20)$$

Definition 23 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Definition 24 We define $c_2Ecomplex_2Ecomplex_inv$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ere$

Definition 25 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}) \quad (21)$$

Definition 26 We define $c_2Ecomplex_2Ecomplex_of_real$ to be $\lambda V0x \in ty_2Erealax_2Ereal. (ap\ (ap\ (c_2E$

Definition 27 We define $c_2Ecomplex_2Ecomplex_of_num$ to be $\lambda V0n \in ty_2Eenum_2Eenum. (ap\ c_2Ecomp$

Definition 28 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 29 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal. \lambda V1y \in ty_2Erealax_2Ere$

Definition 30 We define $c_2Ecomplex_2Ecomplex_mul$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ere$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \quad (25)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. (\forall V1y \in A_{27a}. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$\begin{aligned} & (\neg((ap \ c_2Ecomplex_2Ecomplex_of_num \ (ap \ c_2Earithmetic_2ENUMERAL \\ & (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO)))) = (ap \ c_2Ecomplex_2Ecomplex_of_num \\ & \ c_2Enum_2E0))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal). \\ & ((\neg(V0z = (ap \ c_2Ecomplex_2Ecomplex_of_num \ c_2Enum_2E0)))) \Rightarrow \\ & ((ap \ (ap \ c_2Ecomplex_2Ecomplex_mul \ V0z) \ (ap \ c_2Ecomplex_2Ecomplex_inv \\ & V0z)) = (ap \ c_2Ecomplex_2Ecomplex_of_num \ (ap \ c_2Earithmetic_2ENUMERAL \\ & (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal). \\ & ((\neg(V0z = (ap \ c_2Ecomplex_2Ecomplex_of_num \ c_2Enum_2E0)))) \Rightarrow \\ & ((ap \ (ap \ c_2Ecomplex_2Ecomplex_mul \ (ap \ c_2Ecomplex_2Ecomplex_inv \\ & V0z)) \ V0z) = (ap \ c_2Ecomplex_2Ecomplex_of_num \ (ap \ c_2Earithmetic_2ENUMERAL \\ & (ap \ c_2Earithmetic_2EBIT1 \ c_2Earithmetic_2EZERO)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal). \\ & ((ap \ (ap \ c_2Ecomplex_2Ecomplex_mul \ V0z) \ (ap \ c_2Ecomplex_2Ecomplex_of_num \\ & \ c_2Enum_2E0)) = (ap \ c_2Ecomplex_2Ecomplex_of_num \ c_2Enum_2E0))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal). \\ & (\forall V1w \in (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal). \\ & (\forall V2v \in (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal). \\ & (((ap \ (ap \ c_2Ecomplex_2Ecomplex_mul \ V0z) \ V2v) = (ap \ (ap \ c_2Ecomplex_2Ecomplex_mul \\ & V1w) \ V2v)) \Leftrightarrow ((V2v = (ap \ c_2Ecomplex_2Ecomplex_of_num \ c_2Enum_2E0)) \vee \\ & (V0z = V1w)))))) \end{aligned} \quad (33)$$

Theorem 1

$$\begin{aligned} & (\forall V0z \in (ty_2Epair_2Eprod \ ty_2Erealax_2Ereal \ ty_2Erealax_2Ereal). \\ & ((\neg(V0z = (ap \ c_2Ecomplex_2Ecomplex_of_num \ c_2Enum_2E0)))) \Rightarrow \\ & ((ap \ c_2Ecomplex_2Ecomplex_inv \ (ap \ c_2Ecomplex_2Ecomplex_inv \\ & V0z)) = V0z))) \end{aligned}$$