

thm_2Ecomplex_2ECOMPLETE_INV__0 (TM- FvubkDVHqzknAoTd6TmfAuGxCh7MjzwKN)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Let $c_2Enum_2E_2ZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2E_2ZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2E_2ZERO_REP)$.

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{4}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \tag{5}$$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ x\ y)$

Definition 9 We define $c_2Ecomplex_2Ecomplex_of_real$ to be $\lambda V0x \in ty_2Erealax_2Ereal. (ap\ (ap\ (c_2Epair_2E_2C\ x)\ y))$

Definition 10 We define $c_2Ecomplex_2Ecomplex_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ c_2Ecomplex_2Ecomplex_of_real\ n)$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (8)$$

Definition 11 We define $c_2Ecomplex_2EIM$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Enum_2Enum)$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (9)$$

Definition 12 We define $c_2Ecomplex_2ERE$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Enum_2Enum)$

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (11)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (12)$$

Definition 15 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2B\ n))$

Definition 16 We define `c_2Earithmic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let `c_2Ereal_2Epow` : ι be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal}) \quad (13)$$

Let `ty_2Ehreal_2Ehreal` : ι be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (14)$$

Let `c_2Erealax_2Ereal__REP__CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax}) \quad (15)$$

Definition 17 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge P\ x)$ of type $\iota \Rightarrow \iota$).

Definition 18 We define `c_2Erealax_2Ereal__REP` to be $\lambda V0a \in ty_2Erealax_2Ereal$.(ap `c_2Emin_2E_40` (t

Let `c_2Erealax_2Etreal__add` : ι be given. Assume the following.

$$c_2Erealax_2Etreal_add \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (16)$$

Let `c_2Erealax_2Etreal__eq` : ι be given. Assume the following.

$$c_2Erealax_2Etreal_eq \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (17)$$

Let `c_2Erealax_2Ereal__ABS__CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})} \quad (18)$$

Definition 19 We define `c_2Erealax_2Ereal__ABS` to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)$

Definition 20 We define `c_2Erealax_2Ereal__add` to be $\lambda V0T1 \in ty_2Erealax_2Ereal$. $\lambda V1T2 \in ty_2Erealax_2Ereal$

Let `c_2Erealax_2Etreal__neg` : ι be given. Assume the following.

$$c_2Erealax_2Etreal_neg \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (19)$$

Definition 21 We define `c_2Erealax_2Ereal__neg` to be $\lambda V0T1 \in ty_2Erealax_2Ereal$.(ap `c_2Erealax_2Ereal__add` (t

Let `c_2Erealax_2Etreal__inv` : ι be given. Assume the following.

$$c_2Erealax_2Etreal_inv \in ((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)}) \quad (20)$$

Definition 22 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal_ABS$
Let $c_2Erealax_2Etrealmul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealmul \in (((ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)) (21)$$

Definition 23 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.$

Definition 24 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 25 We define $c_2Ecomplex_2Ecomplex_inv$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (23)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in A_27b.(((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.((ap\ (c_2Epair_2E_2E_2FST\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V0x))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27b.((ap\ (c_2Epair_2E_2ESND\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V1y))) \quad (27)$$

Assume the following.

$$(\forall V0x \in ty_2Erealax_2Ereal.((ap\ (ap\ c_2Erealax_2Ereal_add\ (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0))\ V0x) = V0x)) \quad (28)$$

Assume the following.

$$\begin{aligned} & ((ap\ c.\mathit{2Erealax_2Einv}\ (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ c.\mathit{2Enum_2E0})) = \\ & \quad (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ c.\mathit{2Enum_2E0})) \end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty.\mathit{2Erealax_2Ereal}.\ ((ap\ (ap\ c.\mathit{2Erealax_2Ereal_mul}\ \\ & (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ c.\mathit{2Enum_2E0}))\ V0x) = (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ \\ & \quad c.\mathit{2Enum_2E0}))) \end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned} & ((ap\ c.\mathit{2Erealax_2Ereal_neg}\ (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ c.\mathit{2Enum_2E0})) = \\ & \quad (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ c.\mathit{2Enum_2E0})) \end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty.\mathit{2Erealax_2Ereal}.\ ((ap\ (ap\ c.\mathit{2Ereal_2Epow}\ V0x) \\ & (ap\ c.\mathit{2Earithmetic_2ENUMERAL}\ (ap\ c.\mathit{2Earithmetic_2EBIT2}\ c.\mathit{2Earithmetic_2EZERO}))) = \\ & \quad (ap\ (ap\ c.\mathit{2Erealax_2Ereal_mul}\ V0x)\ V0x))) \end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty.\mathit{2Erealax_2Ereal}.\ (\forall V1y \in ty.\mathit{2Erealax_2Ereal}.\ \\ & ((ap\ (ap\ c.\mathit{2Erealax_2Ereal_mul}\ (ap\ c.\mathit{2Erealax_2Ereal_neg}\ V0x)) \\ & V1y) = (ap\ c.\mathit{2Erealax_2Ereal_neg}\ (ap\ (ap\ c.\mathit{2Erealax_2Ereal_mul}\ \\ & \quad V0x)\ V1y)))))) \end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty.\mathit{2Enum_2Enum}.\ (\forall V1m \in ty.\mathit{2Enum_2Enum}.\ (\\ & (((ap\ c.\mathit{2Ereal_2Ereal_of_num}\ V0n) = (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ \\ & V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c.\mathit{2Erealax_2Ereal_neg}\ (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ \\ & V0n)) = (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ V1m)) \Leftrightarrow ((V0n = c.\mathit{2Enum_2E0}) \wedge \\ & (V1m = c.\mathit{2Enum_2E0}))) \wedge (((ap\ c.\mathit{2Ereal_2Ereal_of_num}\ V0n) = \\ & (ap\ c.\mathit{2Erealax_2Ereal_neg}\ (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ V1m))) \Leftrightarrow \\ & ((V0n = c.\mathit{2Enum_2E0}) \wedge (V1m = c.\mathit{2Enum_2E0}))) \wedge (((ap\ c.\mathit{2Erealax_2Ereal_neg}\ \\ & (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ V0n)) = (ap\ c.\mathit{2Erealax_2Ereal_neg}\ \\ & (ap\ c.\mathit{2Ereal_2Ereal_of_num}\ V1m)))) \Leftrightarrow (V0n = V1m)))))) \end{aligned} \tag{34}$$

Theorem 1

$$\begin{aligned} & ((ap\ c.\mathit{2Ecomplex_2Ecomplex_inv}\ (ap\ c.\mathit{2Ecomplex_2Ecomplex_of_num}\ \\ & c.\mathit{2Enum_2E0})) = (ap\ c.\mathit{2Ecomplex_2Ecomplex_of_num}\ c.\mathit{2Enum_2E0})) \end{aligned}$$