

# thm\_2Ecomplex\_2EEULER\_FORMULE (TMb- mmgEwfjmm9D1jr2PT1dCxxg9BkHLZcKS)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 3** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 4** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \tag{5}$$

**Definition 5** We define  $c\_2Ebool\_2E21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E3D (2^{A-27a}))$

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num\ ($

Let  $c\_2Earithmetic\_2E2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{6}$$

**Definition 7** We define  $c\_2Earithmic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmic\_2EBIT1) n)$

**Definition 8** We define  $c\_2Earithmic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (7)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 9** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E21) 2) (\lambda V2t \in 2.t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (9)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (10)$$

**Definition 11** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2E2C) x y)$

**Definition 12** We define  $c\_2Ecomplex\_2Ei$  to be  $(ap (ap (c\_2Epair\_2E2C) ty\_2Erealax\_2Ereal) ty\_2Erealax\_2Ereal)$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (11)$$

**Definition 13** We define  $c\_2Ecomplex\_2EIM$  to be  $\lambda V0z \in (ty\_2Epair\_2Eprod\ ty\_2Erealax\_2Ereal\ ty\_2Erealax\_2Ereal)$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (12)$$

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal}) \quad (13)$$

**Definition 14** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge P x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 15** We define  $c\_Erealax\_Ereal\_REP$  to be  $\lambda V0a \in ty\_Erealax\_Ereal.(ap (c\_Emin\_E.40 (t$

Let  $c\_Erealax\_Etrealmul : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealmul \in (((ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)})_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal)})_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal)} \quad (14)$$

Let  $c\_Erealax\_Etrealeq : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealeq \in ((2^{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)})_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal)})_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal)} \quad (15)$$

Let  $c\_Erealax\_Ereal\_ABS\_CLASS : \iota$  be given. Assume the following.

$$c\_Erealax\_Ereal\_ABS\_CLASS \in (ty\_Erealax\_Ereal)^{(2^{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)})_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal)}} \quad (16)$$

**Definition 16** We define  $c\_Erealax\_Ereal\_ABS$  to be  $\lambda V0r \in (ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)$

**Definition 17** We define  $c\_Erealax\_Ereal\_mul$  to be  $\lambda V0T1 \in ty\_Erealax\_Ereal.\lambda V1T2 \in ty\_Erealax\_Ereal$

Let  $c\_Epair\_EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_Epair\_EFST A.27a A.27b \in (A.27a^{(ty\_Epair\_Eprod A.27a A.27b)}) \quad (17)$$

**Definition 18** We define  $c\_Ecomplex\_ERE$  to be  $\lambda V0z \in (ty\_Epair\_Eprod ty\_Erealax\_Ereal ty\_Erealax\_Ereal)$

**Definition 19** We define  $c\_Ecomplex\_Ecomplex\_scalar\_mul$  to be  $\lambda V0z \in (ty\_Epair\_Eprod ty\_Erealax\_Ereal ty\_Erealax\_Ereal)$

Let  $c\_Ereal\_Epow : \iota$  be given. Assume the following.

$$c\_Ereal\_Epow \in ((ty\_Erealax\_Ereal^{ty\_Eenum\_Eenum})_{ty\_Erealax\_Ereal}) \quad (18)$$

Let  $c\_Earithmetic\_EFACT : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EFACT \in (ty\_Eenum\_Eenum^{ty\_Eenum\_Eenum}) \quad (19)$$

**Definition 20** We define  $c\_Earithmetic\_EBIT2$  to be  $\lambda V0n \in ty\_Eenum\_Eenum.(ap (ap c\_Earithmetic\_EBIT2$

Let  $c\_Earithmetic\_EDIV : \iota$  be given. Assume the following.

$$c\_Earithmetic\_EDIV \in ((ty\_Eenum\_Eenum^{ty\_Eenum\_Eenum})_{ty\_Eenum\_Eenum}) \quad (20)$$

Let  $c\_Erealax\_Etrealmneg : \iota$  be given. Assume the following.

$$c\_Erealax\_Etrealmneg \in ((ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)_{(ty\_Epair\_Eprod ty\_Ehreal\_Ehreal ty\_Ehreal\_Ehreal)}) \quad (21)$$

**Definition 21** We define  $c\_2Erealax\_2Ereal\_neg$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_inv : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_inv \in ((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (22)$$

**Definition 22** We define  $c\_2Erealax\_2Einv$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.(ap\ c\_2Erealax\_2Ereal\_ABS$

**Definition 23** We define  $c\_2Ereal\_2E\_2F$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal.$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \quad (23)$$

**Definition 24** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 25** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.$

Let  $c\_2Ereal\_2Esum : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Esum \in ((ty\_2Erealax\_2Ereal^{(ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum})})^{(ty\_2Epair\_2Eprod\ ty\_2Enum\_2Enum)}) \quad (24)$$

**Definition 26** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 27** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 28** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 29** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 30** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 31** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Erealax\_2Etrealm\_add : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_add \in (((ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (25)$$

**Definition 32** We define  $c\_2Erealax\_2Ereal\_add$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 33** We define  $c\_2Ereal\_2Ereal\_sub$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$

Let  $c\_2Erealax\_2Etrealm\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etrealm\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)}) \quad (26)$$

**Definition 34** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$ .

**Definition 35** We define  $c\_2Ereal\_2Ereal\_lte$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Ereal$ .

**Definition 36** We define  $c\_2Ereal\_2Eabs$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap (ap (ap (c\_2Ebool\_2ECONJ$

**Definition 37** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a}$

Let  $ty\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Emetric\_2Emetric A0) \quad (27)$$

Let  $c\_2Emetric\_2Emetric : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emetric\_2Emetric A\_27a \in ((ty\_2Emetric\_2Emetric A\_27a)^{(ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})}) \quad (28)$$

**Definition 38** We define  $c\_2Emetric\_2Emr1$  to be  $(ap (c\_2Emetric\_2Emetric ty\_2Erealax\_2Ereal) (ap (c$

Let  $c\_2Emetric\_2Edist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Emetric\_2Edist A\_27a \in ((ty\_2Erealax\_2Ereal^{(ty\_2Epair\_2Eprod A\_27a A\_27a)}) \quad (29)$$

Let  $ty\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Etopology\_2Etopology A0) \quad (30)$$

Let  $c\_2Etopology\_2Etopology : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Etopology\_2Etopology A\_27a \in ((ty\_2Etopology\_2Etopology A\_27a)^{(2^{(2^{A\_27a})})}) \quad (31)$$

**Definition 39** We define  $c\_2Emetric\_2Emtop$  to be  $\lambda A\_27a : \iota.\lambda V0m \in (ty\_2Emetric\_2Emetric A\_27a).(ap$

Let  $c\_2Enets\_2Eextends : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Enets\_2Eextends A\_27a A\_27b \in (((2^{(ty\_2Epair\_2Eprod (ty\_2Etopology\_2Etopology A\_27a) ((2^{A\_27b})^{A\_27b}))})^{A\_27a})^{(A\_27a^{A\_27b})}) \quad (32)$$

**Definition 40** We define  $c\_2Eseq\_2E\_2D\_2D\_3E$  to be  $\lambda V0x \in (ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum}).\lambda V1x$

**Definition 41** We define  $c\_2Eseq\_2Esums$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum}).\lambda V1s \in ty\_2E$

**Definition 42** We define  $c\_2Eseq\_2Esuminf$  to be  $\lambda V0f \in (ty\_2Erealax\_2Ereal^{ty\_2Eenum\_2Eenum}).(ap (c\_2E$

**Definition 43** We define  $c\_2Etransc\_2Ecos$  to be  $\lambda V0x \in ty\_2Erealax\_2Ereal.(ap c\_2Eseq\_2Esuminf (\lambda V1n$

**Definition 44** We define  $c\_2Etransc\_2Epi$  to be  $(ap (ap c\_2Erealax\_2Ereal\_mul (ap c\_2Ereal\_2Ereal\_of\_m$

**Definition 45** We define  $c\_Etransc\_ERoot$  to be  $\lambda V0n \in ty\_Eenum\_Eenum.\lambda V1x \in ty\_Erealax\_Ereal$

**Definition 46** We define  $c\_Etransc\_ESqrt$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.(ap (ap c\_Etransc\_ERoot$

**Definition 47** We define  $c\_Ecomplex\_EModu$  to be  $\lambda V0z \in (ty\_Epair\_Eprod ty\_Erealax\_Ereal ty\_E$

**Definition 48** We define  $c\_Etransc\_Eacs$  to be  $\lambda V0y \in ty\_Erealax\_Ereal.(ap (c\_Emin\_E40 ty\_Ere$

**Definition 49** We define  $c\_Ecomplex\_Earg$  to be  $\lambda V0z \in (ty\_Epair\_Eprod ty\_Erealax\_Ereal ty\_E$

Let  $c\_Earithmetic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmetic\_E\_2D \in ((ty\_Eenum\_Eenum^{ty\_Eenum\_Eenum})^{ty\_Eenum\_Eenum}) \quad (33)$$

**Definition 50** We define  $c\_Etransc\_ESin$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.(ap c\_Eseq\_Esuminf (\lambda V1m$

**Definition 51** We define  $c\_Ecomplex\_Ecomplex\_scalar\_Imul$  to be  $\lambda V0k \in ty\_Erealax\_Ereal.\lambda V1z \in$

**Definition 52** We define  $c\_Etransc\_Eexp$  to be  $\lambda V0x \in ty\_Erealax\_Ereal.(ap c\_Eseq\_Esuminf (\lambda V1$

**Definition 53** We define  $c\_Ecomplex\_Ecomplex\_exp$  to be  $\lambda V0z \in (ty\_Epair\_Eprod ty\_Erealax\_Ereal$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in (ty\_Epair\_Eprod ty\_Erealax\_Ereal ty\_Erealax\_Ereal). \\ & ((ap (ap c\_Ecomplex\_Ecomplex\_scalar\_Imul (ap c\_Ereal\_Ereal\_of\_num \\ & (ap c\_Earithmetic\_ENUMERAL (ap c\_Earithmetic\_EBIT1 c\_Earithmetic\_EZERO)))) \\ & V0z) = V0z)) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0z \in (ty\_Epair\_Eprod ty\_Erealax\_Ereal ty\_Erealax\_Ereal). \\ & ((ap (ap c\_Ecomplex\_Ecomplex\_scalar\_Imul (ap c\_Ecomplex\_EModu \\ & V0z)) (ap (ap (c\_Epair\_E2C ty\_Erealax\_Ereal ty\_Erealax\_Ereal) \\ & (ap c\_Etransc\_Ecos (ap c\_Ecomplex\_Earg V0z))) (ap c\_Etransc\_ESin \\ & (ap c\_Ecomplex\_Earg V0z)))) = V0z)) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2EFST\ A.27a \\ A.27b)\ (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2ESND\ A.27a \\ A.27b)\ (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty.2Erealx.2Ereal. ((ap\ (ap\ c.2Erealx.2Ereal\_mul \\ (ap\ c.2Ereal.2Ereal\_of\_num\ (ap\ c.2Earithmetic.2ENUMERAL\ ( \\ ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO))))))\ V0x) = V0x) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} (\forall V0x \in ty.2Erealx.2Ereal. ((ap\ (ap\ c.2Erealx.2Ereal\_mul \\ (ap\ c.2Ereal.2Ereal\_of\_num\ c.2Enum.2E0))\ V0x) = (ap\ c.2Ereal.2Ereal\_of\_num \\ c.2Enum.2E0))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} ((ap\ c.2Etransc.2Eexp\ (ap\ c.2Ereal.2Ereal\_of\_num\ c.2Enum.2E0)) = \\ (ap\ c.2Ereal.2Ereal\_of\_num\ (ap\ c.2Earithmetic.2ENUMERAL\ ( \\ ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO)))) \end{aligned} \quad (43)$$

**Theorem 1**

$$\begin{aligned} (\forall V0z \in (ty.2Epair.2Eprod\ ty.2Erealx.2Ereal\ ty.2Erealx.2Ereal). \\ ((ap\ (ap\ c.2Ecomplex.2Ecomplex\_scalar\_lmul\ (ap\ c.2Ecomplex.2Emodu \\ V0z))\ (ap\ c.2Ecomplex.2Ecomplex\_exp\ (ap\ (ap\ c.2Ecomplex.2Ecomplex\_scalar\_rmul \\ c.2Ecomplex.2Ei)\ (ap\ c.2Ecomplex.2Earg\ V0z)))))) = V0z) \end{aligned}$$