

thm_2Ecomplex_2EIM__MODU__ARG (TMUnbUR2ES5Urg9t3iPViv8QWGXoaDUASaV)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{4}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \tag{5}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 9 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Definition 10 We define $c_2Ecomplex_2Ecomplex_of_real$ to be $\lambda V0x \in ty_2Erealax_2Ereal. (ap\ (ap\ (c_2E$

Definition 11 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (9)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Definition 13 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic$

Definition 14 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (11)$$

Definition 15 We define $c_2Ecomplex_2EIM$ to be $\lambda V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2E$

Let $c_2Ereal_2Epow : \iota$ be given. Assume the following.

$$c_2Ereal_2Epow \in ((ty_2Erealax_2Ereal)^{ty_2Enum_2Enum})^{ty_2Erealax_2Ereal} \quad (12)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (13)$$

Definition 16 We define $c_Ecomplex_ERE$ to be $\lambda V0z \in (ty_Epair_Eprod\ ty_Erealax_Ereal\ ty_Ehreal_Ehreal)$. Let $ty_Ehreal_Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_Ehreal_Ehreal \quad (14)$$

Let $c_Erealax_Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_REP_CLASS \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{ty_Erealax_Ereal}) \quad (15)$$

Definition 17 We define c_Emin_E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge P\ x)$ of type $\iota \Rightarrow \iota$).

Definition 18 We define $c_Erealax_Ereal_REP$ to be $\lambda V0a \in ty_Erealax_Ereal$.($ap\ (c_Emin_E40)$ (

Let $c_Erealax_Ereal_add : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_add \in (((ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (16)$$

Let $c_Erealax_Ereal_eq : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_eq \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (17)$$

Let $c_Erealax_Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_ABS_CLASS \in (ty_Erealax_Ereal)^{(2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})} \quad (18)$$

Definition 19 We define $c_Erealax_Ereal_ABS$ to be $\lambda V0r \in (ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)$.

Definition 20 We define $c_Erealax_Ereal_add$ to be $\lambda V0T1 \in ty_Erealax_Ereal$. $\lambda V1T2 \in ty_Erealax_Ereal$.

Let $c_Erealax_Ereal_lt : \iota$ be given. Assume the following.

$$c_Erealax_Ereal_lt \in ((2^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)})^{(ty_Epair_Eprod\ ty_Ehreal_Ehreal\ ty_Ehreal_Ehreal)}) \quad (19)$$

Definition 21 We define $c_Erealax_Ereal_lt$ to be $\lambda V0T1 \in ty_Erealax_Ereal$. $\lambda V1T2 \in ty_Erealax_Ereal$.

Definition 22 We define $c_Etransc_Eroot$ to be $\lambda V0n \in ty_Eenum_Eenum$. $\lambda V1x \in ty_Erealax_Ereal$.

Definition 23 We define $c_Etransc_Esqrt$ to be $\lambda V0x \in ty_Erealax_Ereal$.($ap\ (ap\ c_Etransc_Eroot)$ (

Definition 24 We define $c_Ecomplex_Emodu$ to be $\lambda V0z \in (ty_Epair_Eprod\ ty_Erealax_Ereal\ ty_Ehreal_Ehreal)$.

Let $c_Earithmetic_EFACT : \iota$ be given. Assume the following.

$$c_Earithmetic_EFACT \in (ty_Eenum_Eenum)^{ty_Eenum_Eenum} \quad (20)$$

Let $c_Earithmetic_EEDIV : \iota$ be given. Assume the following.

$$c_Earithmetic_EEDIV \in ((ty_Eenum_Eenum)^{ty_Eenum_Eenum})^{ty_Eenum_Eenum} \quad (21)$$

Definition 25 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (22)$$

Definition 26 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal$

Let $c_2Erealax_2Etrealm_inv : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_inv \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (23)$$

Definition 27 We define $c_2Erealax_2Einv$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap c_2Erealax_2Ereal_ABS$

Let $c_2Erealax_2Etrealm_mul : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_mul \in (((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) (ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)) \quad (24)$$

Definition 28 We define $c_2Erealax_2Ereal_mul$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax$

Definition 29 We define $c_2Ereal_2E_2F$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Let $c_2Earithmic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (25)$$

Definition 30 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Let $c_2Ereal_2Esum : \iota$ be given. Assume the following.

$$c_2Ereal_2Esum \in ((ty_2Erealax_2Ereal^{(ty_2Erealax_2Ereal^{ty_2Enum_2Enum})}) (ty_2Epair_2Eprod ty_2Enum_2Enum)) \quad (26)$$

Definition 31 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

Definition 32 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 33 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 34 We define $c_2Earithmic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 35 We define $c_2Earithmic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 36 We define $c_2Ereal_2Ereal_sub$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 37 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal$

Definition 38 We define c_Ereal_2Eabs to be $\lambda V0x \in ty_2Erealx_2Ereal.(ap (ap (ap (c_Ebool_2ECONJ$

Definition 39 We define $c_Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27$

Let $ty_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Emetric_2Emetric A0) \quad (27)$$

Let $c_2Emetric_2Emetric : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Emetric A_27a \in ((ty_2Emetric_2Emetric A_27a)^{(ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)})}) \quad (28)$$

Definition 40 We define $c_2Emetric_2Emr1$ to be $(ap (c_2Emetric_2Emetric ty_2Erealx_2Ereal) (ap (c$

Let $c_2Emetric_2Edist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Emetric_2Edist A_27a \in ((ty_2Erealx_2Ereal^{(ty_2Epair_2Eprod A_27a A_27a)})^{(c_2Emetric_2Edist)}) \quad (29)$$

Let $ty_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Etopology_2Etopology A0) \quad (30)$$

Let $c_2Etopology_2Etopology : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Etopology_2Etopology A_27a \in ((ty_2Etopology_2Etopology A_27a)^{(2^{(2^{A_27a})})}) \quad (31)$$

Definition 41 We define $c_2Emetric_2Emtop$ to be $\lambda A_27a : \iota.\lambda V0m \in (ty_2Emetric_2Emetric A_27a).(ap$

Let $c_2Enets_2Etends : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Enets_2Etends A_27a A_27b \in (((2^{(ty_2Epair_2Eprod (ty_2Etopology_2Etopology A_27a) (2^{A_27b})^{A_27b})})^{A_27a})^{(A_27a^{A_27b})}) \quad (32)$$

Definition 42 We define $c_2Eseq_2E_2D_2D_3E$ to be $\lambda V0x \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1x$

Definition 43 We define c_2Eseq_2Esums to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).\lambda V1s \in ty_2$

Definition 44 We define $c_2Eseq_2Esuminf$ to be $\lambda V0f \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}).(ap (c_2E$

Definition 45 We define $c_2Etransc_2Ecos$ to be $\lambda V0x \in ty_2Erealx_2Ereal.(ap c_2Eseq_2Esuminf (\lambda V1n$

Definition 46 We define $c_2Etransc_2Epi$ to be $(ap (ap c_2Erealx_2Ereal_mul (ap c_2Ereal_2Ereal_of_m$

Definition 47 We define $c_2Etransc_2Eacs$ to be $\lambda V0y \in ty_2Erealx_2Ereal.(ap (c_2Emin_2E_40 ty_2Ere$

Definition 48 We define $c_2Ecomplex_2Earg$ to be $\lambda V0z \in (ty_2Epair_2Eprod ty_2Erealx_2Ereal ty_2E$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})ty_2Enum_2Enum) \quad (33)$$

Definition 49 We define $c_2Etransc_2Esin$ to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap\ c_2Eseq_2Esuminf\ (\lambda V1n$

Definition 50 We define $c_2Ecomplex_2Ecomplex_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ c_2Ecomp$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t) \vee \neg(p\ V0t))) \quad (37)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (40)$$

Assume the following.

$$((ap\ c_2Ecomplex_2Emodu\ (ap\ c_2Ecomplex_2Ecomplex_of_num\ c_2Enum_2E0)) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)) \quad (41)$$

Assume the following.

$$(\forall V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal).((V0z = (ap\ c_2Ecomplex_2Ecomplex_of_num\ c_2Enum_2E0)) \Leftrightarrow ((ap\ c_2Ecomplex_2Emodu\ V0z) = (ap\ c_2Ereal_2Ereal_of_num\ c_2Enum_2E0)))) \quad (42)$$

Assume the following.

$$\begin{aligned}
& (\forall V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal). \\
& \quad ((\neg(V0z = (ap\ c_2Ecomplex_2Ecomplex_of_num\ c_2Eenum_2E0))) \Rightarrow \\
& \quad ((ap\ c_2Etrasc_2Esin\ (ap\ c_2Ecomplex_2Earg\ V0z)) = (ap\ (ap\ c_2Ereal_2E_2F \\
& \quad \quad (ap\ c_2Ecomplex_2EIM\ V0z))\ (ap\ c_2Ecomplex_2Emodu\ V0z))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c_2Epair_2ESND\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y)))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. ((ap\ (ap\ c_2Erealax_2Ereal_mul \\
& \quad (ap\ c_2Ereal_2Ereal_of_num\ c_2Eenum_2E0))\ V0x) = (ap\ c_2Ereal_2Ereal_of_num \\
& \quad \quad c_2Eenum_2E0)))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Erealax_2Ereal. (\forall V1y \in ty_2Erealax_2Ereal. \\
& \quad ((\neg(V1y = (ap\ c_2Ereal_2Ereal_of_num\ c_2Eenum_2E0))) \Rightarrow ((ap\ (\\
& \quad ap\ c_2Erealax_2Ereal_mul\ V1y)\ (ap\ (ap\ c_2Ereal_2E_2F\ V0x)\ V1y)) = \\
& \quad \quad V0x))))
\end{aligned} \tag{46}$$

Theorem 1

$$\begin{aligned}
& (\forall V0z \in (ty_2Epair_2Eprod\ ty_2Erealax_2Ereal\ ty_2Erealax_2Ereal). \\
& \quad ((ap\ c_2Ecomplex_2EIM\ V0z) = (ap\ (ap\ c_2Erealax_2Ereal_mul\ (ap \\
& \quad c_2Ecomplex_2Emodu\ V0z))\ (ap\ c_2Etrasc_2Esin\ (ap\ c_2Ecomplex_2Earg \\
& \quad \quad V0z))))))
\end{aligned}$$