

thm_2Econtainer_2ECARD_LIST_TO_BAG (TMF6rpzqtQpYeH63RJSQzaVZigkWuFr8JvC)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V1x \in 2.V1x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1))$.

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Ebag_2EBAG_CARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebag_2EBAG_CARD A_27a \in (ty_2Enum_2Enum^{(ty_2Enum_2Enum^{A_27a})}) \quad (7)$$

Definition 9 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E21 2)) (\lambda V0t \in 2.V0t)$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E21 2))$.

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in 2.V0t2))))$.

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then $(the (\lambda x.x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.V0t2)))$.

Definition 15 We define $c_2Ebag_2EBAG_INSERT$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum^{A_27a})$.

Definition 16 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$.

Definition 17 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A_27a : \iota.(ap (c_2Ecombin_2EK ty_2Enum_2Enum^{A_27a}))$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (8)$$

Let $c_2Econtainer_2ELIST_TO_BAG : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Econtainer_2ELIST_TO_BAG A_27a \in ((ty_2Enum_2Enum^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (9)$$

Definition 18 We define $c_2Ebag_2EFINITE_BAG$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A_27a}).(ap (c_2Ebag_2EBAG_INSERT A_27a V0b))$.

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \quad (10)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (11)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (12)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.((ap\ c_2Enum_2ESUC\ V0m) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \quad (13)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum.(\forall V2p \in ty_2Enum_2Enum.(((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V2p) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V2p)) \Leftrightarrow (V0m = V1n)))))) \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Ebag_2EBAG_CARD\ A_27a)\ (c_2Ebag_2EEMPTY_BAG\ A_27a)) = c_2Enum_2E0) \wedge (\forall V0b \in (ty_2Enum_2Enum^{A_27a}).((p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_27a)\ V0b)) \Rightarrow (\forall V1e \in A_27a.((ap\ (c_2Ebag_2EBAG_CARD\ A_27a)\ (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a)\ V1e)\ V0b)) = (ap\ (ap\ c_2Earithmetic_2E_2B\ (ap\ (c_2Ebag_2EBAG_CARD\ A_27a)\ V0b))\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))))))) \quad (15)$$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Ebag_2EEMPTY_BAG\ A_27a)) \wedge (\forall V0h \in A_27a.(\forall V1t \in (ty_2Elist_2Elist\ A_27a).((ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a)\ V0h)\ (ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ V1t)))))) \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ls \in (ty_2Elis_2Elis \\ & A.27a).(p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A.27a)\ (ap\ (c_2Econtainer_2ELIST_TO_BAG \\ & A.27a)\ V0ls)))) \end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (((ap\ (c_2Elis_2ELENGTH\ A.27a) \\ & (c_2Elis_2ENIL\ A.27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A.27a.(\\ & \forall V1t \in (ty_2Elis_2Elis\ A.27a).(ap\ (c_2Elis_2ELENGTH \\ & A.27a)\ (ap\ (ap\ (c_2Elis_2ECONS\ A.27a)\ V0h)\ V1t)) = (ap\ c_2Enum_2ESUC \\ & (ap\ (c_2Elis_2ELENGTH\ A.27a)\ V1t)))))) \end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elis_2Elis\ A.27a)}), \\ & (((p\ (ap\ V0P\ (c_2Elis_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elis_2Elis \\ & A.27a).(p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elis_2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elis_2Elis \\ & A.27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \tag{22}$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ls \in (ty_2Elis_2Elis \\ & A.27a).(ap\ (c_2Ebag_2EBAG_CARD\ A.27a)\ (ap\ (c_2Econtainer_2ELIST_TO_BAG \\ & A.27a)\ V0ls)) = (ap\ (c_2Elis_2ELENGTH\ A.27a)\ V0ls)) \end{aligned}$$