

thm_2Econtainer_2EIN__LIST__TO__BAG (Tmb- nypQ6ExcQKwTGsz4a1GGZXqbiE3VxuNR)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 4 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define `c_2Earithmic_2EBIT1` to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1) V0n)$.

Definition 8 We define `c_2Earithmic_2ENUMERAL` to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 10 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E) V0t) c_2Ebool_2E_7E)$.

Definition 12 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t) V1t2) V0t1)$.

Definition 13 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A.p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40) V0P)))$.

Definition 15 We define `c_2Eprim_rec_2E_3C` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$.

Definition 16 We define `c_2Earithmic_2E_3E` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$.

Definition 17 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in 2.V2t) V1t2) V0t1)$.

Definition 18 We define `c_2Earithmic_2E_3E_3D` to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.V1n$.

Definition 19 We define `c_2Ebag_2EBAG_INN` to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1n \in ty_2Enum_2Enum.V1n$.

Definition 20 We define `c_2Ebag_2EBAG_IN` to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum.V1b)$.

Definition 21 We define `c_2Ebool_2ECOND` to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.V2t2) V1t1) V0t)$.

Definition 22 We define `c_2Ebag_2EBAG_INSERT` to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum.V1b)$.

Definition 23 We define `c_2Ecombin_2EK` to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$.

Definition 24 We define `c_2Ebag_2EEMPTY_BAG` to be $\lambda A_27a : \iota.(ap (c_2Ecombin_2EK) ty_2Enum_2Enum.V0)$.

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (7)$$

Let `c_2Econtainer_2ELIST_TO_BAG` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Econtainer_2ELIST_TO_BAG A_27a \in ((ty_2Enum_2Enum^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (8)$$

Let `c_2Elist_2ECONS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (9)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (10)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in ((2^{A_27a})(ty_2Elist_2Elist\ A_27a)) \quad (11)$$

Definition 25 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in (ty_2Enum_2Enum^{A_27a}). \\ & (\forall V1e1 \in A_27a. (\forall V2e2 \in A_27a. ((p\ (ap\ (ap\ (c_2Ebag_2EBAG_IN \\ & A_27a)\ V1e1)\ (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a)\ V2e2)\ V0b)))) \Leftrightarrow \\ & ((V1e1 = V2e2) \vee (p\ (ap\ (ap\ (c_2Ebag_2EBAG_IN\ A_27a)\ V1e1)\ V0b)))))) \end{aligned} \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p\ (ap\ (ap\ (c_2Ebag_2EBAG_IN\ A_27a)\ V0x)\ (c_2Ebag_2EEMPTY_BAG\ A_27a)))))) \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (17)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\
& p V0t))))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (((ap (c_2Econtainer_2ELIST_TO_BAG \\
& A_27a) (c_2Elist_2ENIL A_27a)) = (c_2Ebag_2EMPTY_BAG A_27a)) \wedge \\
& (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist A_27a). (\\
& (ap (c_2Econtainer_2ELIST_TO_BAG A_27a) (ap (ap (c_2Elist_2ECONS \\
& A_27a) V0h) V1t))) = (ap (ap (c_2Ebag_2EBAG_INSERT A_27a) V0h) (\\
& ap (c_2Econtainer_2ELIST_TO_BAG A_27a) V1t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist A_27a)}). \\
& (((p (ap V0P (c_2Elist_2ENIL A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\
& A_27a). ((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A_27a. (p (ap V0P (ap (ap (\\
& c_2Elist_2ECONS A_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\
& A_27a). (p (ap V0P V3l))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0x \in A_27a. ((p (ap (ap \\
& (c_2Ebool_2EIN A_27a) V0x) (ap (c_2Elist_2ELIST_TO_SET A_27a) \\
& (c_2Elist_2ENIL A_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A_27a. (\forall V2h \in \\
& A_27a. (\forall V3t \in (ty_2Elist_2Elist A_27a). ((p (ap (ap (c_2Ebool_2EIN \\
& A_27a) V1x) (ap (c_2Elist_2ELIST_TO_SET A_27a) (ap (ap (c_2Elist_2ECONS \\
& A_27a) V2h) V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p (ap (ap (c_2Ebool_2EIN A_27a) \\
& V1x) (ap (c_2Elist_2ELIST_TO_SET A_27a) V3t))))))))))
\end{aligned} \tag{23}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0h \in A_27a. (\forall V1l \in \\
& (ty_2Elist_2Elist A_27a). ((p (ap (ap (c_2Ebag_2EBAG_IN A_27a) \\
& V0h) (ap (c_2Econtainer_2ELIST_TO_BAG A_27a) V1l))) \Leftrightarrow (p (ap \\
& (ap (c_2Ebool_2EIN A_27a) V0h) (ap (c_2Elist_2ELIST_TO_SET \\
& A_27a) V1l))))))
\end{aligned}$$