

thm_2Econtainer_2ELIST__TO__BAG__APPEND (TMMh8jpALq9ucGt8FcgMaqwE1YAiM3K7mZg)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebag_2EBAG_UNION$ to be $\lambda A_27a : \iota.\lambda V0b \in (ty_2Enum_2Enum^{A_27a}).\lambda V1c$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{3}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{4}$$

Definition 5 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 6 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{5}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{6}$$

Definition 7 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 8 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmic$

Definition 9 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 10 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V0t2)$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if\ (\exists x \in A.p\ (ap\ P\ x))\ then\ (the\ (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 14 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 15 We define $c_2Ebag_2EBAG_INSERT$ to be $\lambda A_27a : \iota.\lambda V0e \in A_27a.\lambda V1b \in (ty_2Enum_2Enum$

Definition 16 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 17 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A_27a : \iota.(ap\ (c_2Ecombin_2EK\ ty_2Enum_2Enum$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (7)$$

Let $c_2Econtainer_2ELIST_TO_BAG : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Econtainer_2ELIST_TO_BAG\ A_27a \in ((ty_2Enum_2Enum^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \quad (8)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (9)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (10)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (11)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0e \in A_27a. (\forall V1b1 \in \\
& \quad (ty_2Enum_2Enum^{A_27a}). (\forall V2b2 \in (ty_2Enum_2Enum^{A_27a}). \\
& \quad ((ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ (ap\ (ap\ (c_2Ebag_2EBAG_INSERT \\
& \quad \quad A_27a)\ V0e)\ V1b1))\ V2b2) = (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a) \\
& \quad \quad V0e)\ (ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V1b1)\ V2b2))) \wedge ((ap\ (\\
& \quad ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V1b1)\ (ap\ (ap\ (c_2Ebag_2EBAG_INSERT \\
& \quad \quad A_27a)\ V0e)\ V2b2)) = (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a)\ V0e) \\
& \quad \quad (ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_27a)\ V1b1)\ V2b2))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow ((\forall V0b \in (ty_2Enum_2Enum^{A_27a}). ((ap\ (ap \\
& \quad (c_2Ebag_2EBAG_UNION\ A_27a)\ V0b)\ (c_2Ebag_2EEMPTY_BAG\ A_27a)) = \\
& \quad V0b)) \wedge ((\forall V1b \in (ty_2Enum_2Enum^{A_27b}). ((ap\ (ap\ (c_2Ebag_2EBAG_UNION \\
& \quad \quad A_27b)\ (c_2Ebag_2EEMPTY_BAG\ A_27b))\ V1b) = V1b)) \wedge (\forall V2b1 \in \\
& \quad (ty_2Enum_2Enum^{A_27c}). (\forall V3b2 \in (ty_2Enum_2Enum^{A_27c}). \\
& \quad ((ap\ (ap\ (c_2Ebag_2EBAG_UNION\ A_27c)\ V2b1)\ V3b2) = (c_2Ebag_2EEMPTY_BAG \\
& \quad \quad A_27c)) \Leftrightarrow ((V2b1 = (c_2Ebag_2EEMPTY_BAG\ A_27c)) \wedge (V3b2 = (c_2Ebag_2EEMPTY_BAG \\
& \quad \quad A_27c))))))
\end{aligned} \tag{13}$$

Assume the following.

$$True \tag{14}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
\quad A_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{15}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow \\
\quad True)) \tag{16}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Econtainer_2ELIST_TO_BAG \\
& \quad A_27a)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Ebag_2EEMPTY_BAG\ A_27a)) \wedge \\
& \quad (\forall V0h \in A_27a. (\forall V1t \in (ty_2Elist_2Elist\ A_27a). (\\
& \quad (ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& \quad \quad A_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a)\ V0h)\ (\\
& \quad \quad ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ V1t))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & ((\forall V0l \in (ty_2Elist_2Elist \\ A_27a).((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) \\ V0l) = V0l)) \wedge (\forall V1l1 \in (ty_2Elist_2Elist\ A_27a).(\forall V2l2 \in \\ (ty_2Elist_2Elist\ A_27a).(\forall V3h \in A_27a.((ap\ (ap\ (c_2Elist_2EAPPEND \\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ V1l1))\ V2l2) = (ap\ (ap \\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a) \\ V1l1)\ V2l2)))))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ ((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ A_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ A_27a).(p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (19)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0l1 \in (ty_2Elist_2Elist \\ A_27a).(\forall V1l2 \in (ty_2Elist_2Elist\ A_27a).((ap\ (c_2Econtainer_2ELIST_TO_BAG \\ A_27a)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V0l1)\ V1l2)) = (ap\ (ap\ (\\ c_2Ebag_2EBAG_UNION\ A_27a)\ (ap\ (c_2Econtainer_2ELIST_TO_BAG \\ A_27a)\ V0l1))\ (ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ V1l2)))))) \end{aligned}$$