

thm_2Econtainer_2ELIST__TO__BAG__MAP (TMEtYWQ9SUwgTQfussZbV75ophMkTcejV1H)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } ty_2Enum_2Enum \tag{2}$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\text{omega}}) \tag{3}$$

Definition 2 We define `c_2Enum_2E0` to be $(\text{ap } c_2Enum_2EABS_num \ c_2Enum_2EZERO_REP)$.

Definition 3 We define `c_2Ebool_2E_T` to be $(\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^2))) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x)$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^{A_27a}))))$

Definition 5 We define `c_2Ebool_2E_F` to be $(\text{ap } (c_2Ebool_2E_21 \ 2)) \ (\lambda V0t \in 2.V0t)$.

Definition 6 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow Q)$ of type ι .

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (c_2Ebool_2E_21 \ 2)) \ (\lambda V2t \in 2.V2t)))$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \ (\text{ap } P \ x)) \ \text{then } (the \ (\lambda x. x \in A \wedge P \ x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define `c_2Ebool_2ECOND` to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (\text{ap } (c_2Emin_2E_40 \ (2^{A_27a})) \ (\lambda V3t3 \in A_27a. (\text{ap } P \ t3))))))$

Definition 10 We define `c_2Ebag_2EBAG__FILTER` to be $\lambda A_27a : \iota. \lambda V0P \in (2^{A_27a}). \lambda V1b \in (ty_2Enum_2Enum \ A_27a)$

Definition 11 We define `c_2Earithmetic_2EZERO` to be `c_2Enum_2E0`.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (5)$$

Definition 12 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (6)$$

Definition 13 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2B))$

Definition 14 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Ebag_2EBAG_CARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ebag_2EBAG_CARD\ A_27a \in (ty_2Enum_2Enum^{(ty_2Enum_2Enum)^{A_27a}}) \quad (7)$$

Definition 15 We define $c_2Ebag_2EBAG_INSERT$ to be $\lambda A_27a : \iota. \lambda V0e \in A_27a. \lambda V1b \in (ty_2Enum_2Enum)^{A_27a}$

Definition 16 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Definition 17 We define $c_2Ebag_2EEMPTY_BAG$ to be $\lambda A_27a : \iota. (ap\ (c_2Ecombin_2EK\ ty_2Enum_2Enum)^{A_27a})$

Definition 18 We define $c_2Ebag_2EFINITE_BAG$ to be $\lambda A_27a : \iota. \lambda V0b \in (ty_2Enum_2Enum)^{A_27a}. (ap\ (c_2Ecombin_2EK\ ty_2Enum_2Enum)^{A_27a})$

Definition 19 We define c_2Ebool_2ELET to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0f \in (A_27b)^{A_27a}. (\lambda V1x \in A_27a. V0f))$

Definition 20 We define $c_2Ebag_2EBAG_IMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27a)^{A_27b}. \lambda V1b \in (ty_2Enum_2Enum)^{A_27b}. (ap\ (c_2Ebag_2EBAG_CARD\ A_27a)\ V0f)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (8)$$

Let $c_2Econtainer_2ELIST_TO_BAG : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Econtainer_2ELIST_TO_BAG\ A_27a \in ((ty_2Enum_2Enum)^{A_27a})^{(ty_2Elist_2Elist\ A_27a)} \quad (9)$$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Elist_2EMAP\ A_27a\ A_27b \in (((ty_2Elist_2Elist\ A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{(A_27b)^{A_27a}}) \quad (10)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (11)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Ebag_2EBAG_IMAGE\ A_27b\ A_27a)\ V0f)\ (c_2Ebag_2EEMPTY_BAG\ A_27a)) = (c_2Ebag_2EEMPTY_BAG\ A_27b))) \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0b \in (ty_2Enum_2Enum^{A_27a}).(\forall V1f \in (A_27b^{A_27a}).(\forall V2e \in A_27a.((p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A_27a)\ V0b)) \Rightarrow ((ap\ (ap\ (c_2Ebag_2EBAG_IMAGE\ A_27b\ A_27a)\ V1f)\ (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a)\ V2e)\ V0b)) = (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27b)\ (ap\ V1f\ V2e))\ (ap\ (ap\ (c_2Ebag_2EBAG_IMAGE\ A_27b\ A_27a)\ V1f)\ V0b))))))) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) = (c_2Ebag_2EEMPTY_BAG\ A_27a)) \wedge (\forall V0h \in A_27a.(\forall V1t \in (ty_2Elist_2Elist\ A_27a).((ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Ebag_2EBAG_INSERT\ A_27a)\ V0h)\ (ap\ (c_2Econtainer_2ELIST_TO_BAG\ A_27a)\ V1t))))))) \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0ls \in (ty_2Elist_2Elist \\ & A.27a).(p\ (ap\ (c_2Ebag_2EFINITE_BAG\ A.27a)\ (ap\ (c_2Econtainer_2ELIST_TO_BAG \\ & A.27a)\ V0ls)))) \end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b) \\ & V0f)\ (c_2Elist_2ENIL\ A.27a)) = (c_2Elist_2ENIL\ A.27b))) \wedge (\forall V1f \in \\ & (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty_2Elist_2Elist \\ & A.27a).((ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c_2Elist_2ECONS \\ & A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (c_2Elist_2ECONS\ A.27b)\ (ap\ V1f\ V2h)) \\ & (ap\ (ap\ (c_2Elist_2EMAP\ A.27a\ A.27b)\ V1f)\ V3t))))))) \end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A.27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A.27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist \\ & A.27a).(p\ (ap\ V0P\ V1t))) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\ & c_2Elist_2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist \\ & A.27a).(p\ (ap\ V0P\ V3l)))) \end{aligned} \tag{21}$$

Theorem 1

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0f \in (A.27a^{A.27b}).(\forall V1b \in (ty_2Elist_2Elist\ A.27b). \\ & ((ap\ (c_2Econtainer_2ELIST_TO_BAG\ A.27a)\ (ap\ (ap\ (c_2Elist_2EMAP \\ & A.27b\ A.27a)\ V0f)\ V1b)) = (ap\ (ap\ (c_2Ebag_2EBAG_IMAGE\ A.27a\ A.27b) \\ & V0f)\ (ap\ (c_2Econtainer_2ELIST_TO_BAG\ A.27b)\ V1b)))) \end{aligned}$$