

thm\_2Econtainer\_2ELIST\_\_TO\_\_SET\_\_THM  
 (TM-  
 LLr4fBnMBY1E8MegtYp9fzXKcRw1atXgM)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2EET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))))$

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2EABS\_prod A.27a A.27b \in ((ty\_2Epair\_2Eprod A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c\_2Epair\_2EABS\_prod A.27a A.27b) (V0x V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epred\_set\_2EGSPEC A.27a A.27b \in ((2^{A-27a})^{(ty\_2Epair\_2Eprod A.27a 2)^{A-27b}}) \tag{3}$$

**Definition 9** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2Elist\_2Elist A\_27a) (ap (c\_2Elist\_2Elist A\_27a) s))$ .  
Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (4)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)(ty\_2Elist\_2Elist A\_27a))^{A\_27a}) \quad (5)$$

**Definition 10** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (6)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (7)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ & \quad \forall V0h \in A\_27b.(\forall V1t \in (ty\_2Elist\_2Elist A\_27b).(( \\ & \quad (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) (c\_2Elist\_2ENIL A\_27a)) = \\ & \quad (c\_2Epred\_set\_2EEMPTY A\_27a)) \wedge ((ap (c\_2Elist\_2ELIST\_TO\_SET \\ & A\_27b) (ap (ap (c\_2Elist\_2ECONS A\_27b) V0h) V1t)) = (ap (ap (c\_2Epred\_set\_2EINSERT \\ & A\_27b) V0h) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27b) V1t)))))) \\ & \quad (8) \end{aligned}$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ & \quad \forall V0h \in A\_27b.(\forall V1t \in (ty\_2Elist\_2Elist A\_27b).(( \\ & \quad (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) (c\_2Elist\_2ENIL A\_27a)) = \\ & \quad (c\_2Epred\_set\_2EEMPTY A\_27a)) \wedge ((ap (c\_2Elist\_2ELIST\_TO\_SET \\ & A\_27b) (ap (ap (c\_2Elist\_2ECONS A\_27b) V0h) V1t)) = (ap (ap (c\_2Epred\_set\_2EINSERT \\ & A\_27b) V0h) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27b) V1t)))))) \end{aligned}$$