

thm_2EdefCNF_2EUNIQUE_ind
(TMRCj42ET1A15GhxveexssyibV6HRJCMfhd)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2)) (\lambda V2t \in 2.V2t))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{3}$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Emin_2E_3D (2^{A_27a}))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \tag{4}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \tag{5}$$

Definition 7 We define `c_2Epair_2EUNCURRY` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. \lambda A_{.27c} : \iota. \lambda V0f \in ((A_{.27c})^{A_{.27b}})$

Definition 8 We define `c_2Ebool_2EF` to be $(ap (c_2Ebool_2E_{.21} \ 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define `c_2Erelation_2EEMPTY_REL` to be $\lambda A_{.27a} : \iota. \lambda V0x \in A_{.27a}. \lambda V1y \in A_{.27a}. c_2Ebool_2E_{.21}$

Definition 10 We define `c_2Ebool_2E_{.7E}` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_{.3D_3D_3E} V0t) c_2Ebool_2E_{.21}))$

Definition 11 We define `c_2Emin_2E_{.40}` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 12 We define `c_2Ebool_2E_{.3F}` to be $\lambda A_{.27a} : \iota. (\lambda V0P \in (2^{A_{.27a}}). (ap V0P (ap (c_2Emin_2E_{.40} V0P))))$

Definition 13 We define `c_2Erelation_2EWF` to be $\lambda A_{.27a} : \iota. \lambda V0R \in ((2^{A_{.27a}})^{A_{.27a}}). (ap (c_2Ebool_2E_{.21} V0R))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. nonempty A_{.27a} \Rightarrow \forall A_{.27b}. nonempty A_{.27b} \Rightarrow c_2Esum_2EABS_sum A_{.27a} A_{.27b} \in ((ty_2Esum_2Esum A_{.27a} A_{.27b})^{((2^{A_{.27b}})^{A_{.27a}})^2}) \quad (7)$$

Definition 14 We define `c_2Esum_2EINR` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. \lambda V0e \in A_{.27b}. (ap (c_2Esum_2EABS_sum V0e))$

Definition 15 We define `c_2Esum_2EINL` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. \lambda V0e \in A_{.27a}. (ap (c_2Esum_2EABS_sum V0e))$

Definition 16 We define `c_2Ebool_2E_{.5C_2F}` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_{.21} \ 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_{.21} \ 2) V2t))))))$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow \neg (p V0t))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2. (\neg (p V0t) \Rightarrow ((p V0t) \Rightarrow False))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow \neg (p V0t)))) \quad (12)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (15)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). ((\neg(\exists V1x \in A.27a. (p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A.27a. (\neg(p (ap V0P V2x))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in (2^{A.27a}). ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x))) \vee (\exists V4x \in A.27a. (p (ap V1Q V4x))))) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in 2. (((\exists V2x \in A.27a. (p (ap V0P V2x))) \vee (p V1Q)) \Leftrightarrow (\exists V3x \in A.27a. ((p (ap V0P V3x)) \vee (p V1Q)))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A.27a}). (((p V0P) \vee (\exists V2x \in A.27a. (p (ap V1Q V2x)))) \Leftrightarrow (\exists V3x \in A.27a. ((p V0P) \vee (p (ap V1Q V3x))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in 2. ((\exists V2x \in A.27a. ((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x)) \wedge (p V1Q)))) \quad (20)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0x \in (ty.2Epair.2Eprod A.27a A.27b). (\exists V1q \in A.27a. (\exists V2r \in A.27b. (V0x = (ap (ap (c.2Epair.2E.C A.27a A.27b) V1q) V2r)))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}). (\forall V1x \in \\
& \quad A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c.2Epair_2EUNCURRY\ A.27a \\
& \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Epair_2E_2C\ A.27a\ A.27b)\ V1x)\ V2y))) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0R \in ((2^{A.27a})^{A.27a}). \\
& \quad ((p\ (ap\ (c.2Erelation_2EWF\ A.27a)\ V0R)) \Rightarrow (\forall V1P \in (2^{A.27a}). \\
& \quad ((\forall V2x \in A.27a. ((\forall V3y \in A.27a. ((p\ (ap\ (ap\ V0R\ V3y)\ V2x)) \Rightarrow \\
& \quad (p\ (ap\ V1P\ V3y)))))) \Rightarrow (p\ (ap\ V1P\ V2x)))) \Rightarrow (\forall V4x \in A.27a. (p\ (ap \\
& \quad V1P\ V4x))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (p\ (ap\ (c.2Erelation_2EWF\ A.27a) \\
& \quad (c.2Erelation_2EEMPTY_REL\ A.27a)))
\end{aligned} \tag{24}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{25}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge ((p \ V0p) \vee (\neg(p \ V2r)))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow (\\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (\\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow (\\
& \forall V0ss \in (ty_2Esum_2Esum \ A.27a \ A.27b). ((\exists V1x \in A.27a. \\
& (V0ss = (ap \ (c.2Esum_2EINL \ A.27a \ A.27b) \ V1x))) \vee (\exists V2y \in A.27b. \\
& (V0ss = (ap \ (c.2Esum_2EINR \ A.27a \ A.27b) \ V2y))))))
\end{aligned} \tag{35}$$

Theorem 1

$$\begin{aligned}
(\forall V0P \in (((2^{ty_2Epair_2Eprod} ((2^2)^2) (ty_2Epair_2Eprod (ty_2Esum_2Esum ty_2Enum_2Enum 2) (ty_2Esum_2Esum \\
& ((\forall V1v \in (2^{ty_2Enum_2Enum}).(\forall V2n \in ty_2Enum_2Enum \\
& (\forall V3conn \in ((2^2)^2).(\forall V4i \in ty_2Enum_2Enum.(\forall V \\
& ty_2Enum_2Enum.(p (ap (ap (ap V0P V1v) V2n) (ap (ap (c. \\
& ((2^2)^2) (ty_2Epair_2Eprod (ty_2Esum_2Esum ty_2Enum_2 \\
& (ty_2Esum_2Esum ty_2Enum_2Enum 2))) V3conn) (ap (ap (c. \\
& (ty_2Esum_2Esum ty_2Enum_2Enum 2) (ty_2Esum_2Esum ty \\
& 2)) (ap (c.2Esum_2EINL ty_2Enum_2Enum 2) V4i)) (ap (c.2 \\
& ty_2Enum_2Enum 2) V5j))))))))) \wedge ((\forall V6v \in (2^{ty_2Enum \\
& (\forall V7n \in ty_2Enum_2Enum.(\forall V8conn \in ((2^2)^2).(\forall V \\
& ty_2Enum_2Enum.(\forall V10b \in 2.(p (ap (ap (ap V0P V6v) \\
& (ap (c.2Epair_2E_2C ((2^2)^2) (ty_2Epair_2Eprod (ty_2Esum \\
& ty_2Enum_2Enum 2) (ty_2Esum_2Esum ty_2Enum_2Enum \\
& (ap (ap (c.2Epair_2E_2C (ty_2Esum_2Esum ty_2Enum_2Enum 2) (\\
& ty_2Enum_2Enum 2)) (ap (c.2Esum_2EINL ty_2Enum_2Enum \\
& (ap (c.2Esum_2EINR ty_2Enum_2Enum 2) V10b))))))))) \wedge \\
& (2^{ty_2Enum_2Enum}).(\forall V12n \in ty_2Enum_2Enum.(\forall V13 \\
& ((2^2)^2).(\forall V14a \in 2.(\forall V15j \in ty_2Enum_2Enum.(\\
& (ap (ap (ap V0P V11v) V12n) (ap (ap (c.2Epair_2E_2C ((2^2)^2) (ty \\
& (ty_2Esum_2Esum ty_2Enum_2Enum 2) (ty_2Esum_2Esum ty \\
& 2))) V13conn) (ap (ap (c.2Epair_2E_2C (ty_2Esum_2Esum ty_2 \\
& 2) (ty_2Esum_2Esum ty_2Enum_2Enum 2)) (ap (c.2Esum_2EINR \\
& 2) V14a)) (ap (c.2Esum_2EINL ty_2Enum_2Enum 2) V15j \\
& (\forall V16v \in (2^{ty_2Enum_2Enum}).(\forall V17n \in ty_2Enum_2E \\
& (\forall V18conn \in ((2^2)^2).(\forall V19a \in 2.(\forall V20b \in 2. \\
& (p (ap (ap (ap V0P V16v) V17n) (ap (ap (c.2Epair_2E_2C ((2^2)^2) (\\
& (ty_2Esum_2Esum ty_2Enum_2Enum 2) (ty_2Esum_2Esum ty \\
& 2))) V18conn) (ap (ap (c.2Epair_2E_2C (ty_2Esum_2Esum ty_2 \\
& 2) (ty_2Esum_2Esum ty_2Enum_2Enum 2)) (ap (c.2Esum_2EINR \\
& 2) V19a)) (ap (c.2Esum_2EINR ty_2Enum_2Enum 2) V20b) \\
& (\forall V21v \in (2^{ty_2Enum_2Enum}).(\forall V22v1 \in ty_2Enum_2E \\
& (\forall V23v2 \in ((2^2)^2).(\forall V24v3 \in (ty_2Esum_2Esum ty_2Enum \\
& 2).(\forall V25v4 \in (ty_2Esum_2Esum ty_2Enum_2Enum 2) \\
& (ap (ap V0P V21v) V22v1) (ap (ap (c.2Epair_2E_2C ((2^2)^2) (ty \\
& (ty_2Esum_2Esum ty_2Enum_2Enum 2) (ty_2Esum_2Esum ty \\
& 2))) V23v2) (ap (ap (c.2Epair_2E_2C (ty_2Esum_2Esum ty_2E \\
& 2) (ty_2Esum_2Esum ty_2Enum_2Enum 2)) V24v3) V25v
\end{aligned}$$