

# thm\_2Edft\_2EDFT\_\_ALL\_\_DISTINCT (TMctc63spRNbfrYfRFeYzhZaoxG3ju9rFyJ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) P)))$

**Definition 4** We define  $c\_2Ebool\_2E\_T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P) P)))$

**Definition 6** We define  $c\_2Ebool\_2E\_F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

**Definition 9** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Emin\_2E\_3D (2^{A\_27a}) P) P))))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Edft\_2EDFT : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Edft\_2EDFT A\_27a A\_27b \in (((((A\_27a^{A\_27a})^{(ty\_2Elist\_2Elist A\_27b)})^{(ty\_2Elist\_2Elist A\_27b)})^{((A\_27a^{A\_27a})^{A\_27b})})^{((ty\_2Elist\_2Elist A\_27a) A\_27b)})) \quad (2)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EAPPEND A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{(ty\_2Elist\_2Elist A\_27a)}) \quad (3)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (4)$$

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (5)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (6)$$

**Definition 11** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (7)$$

**Definition 12** We define  $c\_2EdirGraph\_2EParents$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0G \in ((ty\_2Elist\_2Elist\ A\_27a\ A\_27b)\ V0G)$

**Definition 13** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 15** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0x\ V1s)$

**Definition 16** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 17** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ 2)\ V0s)$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (8)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (9)$$

Let  $c\_2Elist\_2EALL\_DISTINCT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EALL\_DISTINCT\ A\_27a \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}) \quad (10)$$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee (\neg(p\ V0t)))) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (17)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p V0t))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\
& A\_27a. (((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\
& V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\
& V0t1) V1t2) = V1t2))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee ( \\
& (p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge \\
& (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in \\
& 2. (((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\
& (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\
& (\forall V5y\_27 \in A\_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\
& ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\
& V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\
& V5y\_27))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0G \in ((ty\_2Elist\_2Elist\ A.27a)^{A.27a}).(\forall V1f \in ( \\
& \quad (A.27b^{A.27b})^{A.27a}).(\forall V2seen \in (ty\_2Elist\_2Elist\ A.27a). \\
& \quad (\forall V3acc \in A.27b.(\forall V4visit\_now \in A.27a.(\forall V5visit\_later \in \\
& \quad (ty\_2Elist\_2Elist\ A.27a).((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A.27a) \\
& \quad (ap\ (c\_2EdirGraph\_2EParents\ A.27a\ A.27a)\ V0G))) \Rightarrow (((ap\ (ap\ (ap \\
& \quad (ap\ (ap\ (c\_2Edft\_2EDFT\ A.27b\ A.27a)\ V0G)\ V1f)\ V2seen)\ (c\_2Elist\_2ENIL \\
& \quad A.27a))\ V3acc) = V3acc) \wedge ((ap\ (ap\ (ap\ (ap\ (ap\ (c\_2Edft\_2EDFT\ A.27b \\
& \quad A.27a)\ V0G)\ V1f)\ V2seen)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a)\ V4visit\_now) \\
& \quad V5visit\_later))\ V3acc) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A.27b)\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V4visit\_now)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad A.27a)\ V2seen)))\ (ap\ (ap\ (ap\ (ap\ (ap\ (c\_2Edft\_2EDFT\ A.27b\ A.27a) \\
& \quad V0G)\ V1f)\ V2seen)\ V5visit\_later)\ V3acc))\ (ap\ (ap\ (ap\ (ap\ (ap\ (c\_2Edft\_2EDFT \\
& \quad A.27b\ A.27a)\ V0G)\ V1f)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a)\ V4visit\_now) \\
& \quad V2seen))\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A.27a)\ (ap\ V0G\ V4visit\_now)) \\
& \quad V5visit\_later))\ (ap\ (ap\ V1f\ V4visit\_now)\ V3acc))))))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \forall V0P \in (((((2^{A.27b})(ty\_2Elist\_2Elist\ A.27a))(ty\_2Elist\_2Elist\ A.27a))^{(A.27b^{A.27b})^{A.27a}})((ty\_2Elist\_2Elist\ A.27a)^{A.27a}) \\
& \quad ((\forall V1G \in ((ty\_2Elist\_2Elist\ A.27a)^{A.27a}).(\forall V2f \in \\
& \quad ((A.27b^{A.27b})^{A.27a}).(\forall V3seen \in (ty\_2Elist\_2Elist\ A.27a). \\
& \quad (\forall V4visit\_now \in A.27a.(\forall V5visit\_later \in (ty\_2Elist\_2Elist \\
& \quad A.27a).(\forall V6acc \in A.27b.((p\ (ap\ (ap\ (ap\ (ap\ (ap\ V0P\ V1G)\ V2f) \\
& \quad V3seen)\ (c\_2Elist\_2ENIL\ A.27a))\ V6acc) \wedge (((p\ (ap\ (c\_2Epred\_set\_2EFINITE \\
& \quad A.27a)\ (ap\ (c\_2EdirGraph\_2EParents\ A.27a\ A.27a)\ V1G))) \wedge (\neg(p\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V4visit\_now)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET \\
& \quad A.27a)\ V3seen)))))) \Rightarrow (p\ (ap\ (ap\ (ap\ (ap\ (ap\ V0P\ V1G)\ V2f)\ (ap\ (ap\ (c\_2Elist\_2ECONS \\
& \quad A.27a)\ V4visit\_now)\ V3seen))\ (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A.27a) \\
& \quad (ap\ V1G\ V4visit\_now))\ V5visit\_later))\ (ap\ (ap\ V2f\ V4visit\_now) \\
& \quad V6acc)))) \wedge (((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A.27a)\ (ap\ (c\_2EdirGraph\_2EParents \\
& \quad A.27a\ A.27a)\ V1G))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A.27a)\ V4visit\_now) \\
& \quad (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A.27a)\ V3seen)))))) \Rightarrow (p\ (ap\ (ap\ (ap \\
& \quad (ap\ (ap\ V0P\ V1G)\ V2f)\ V3seen)\ V5visit\_later)\ V6acc)))) \Rightarrow (p\ (ap\ ( \\
& \quad ap\ (ap\ (ap\ (ap\ V0P\ V1G)\ V2f)\ V3seen)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A.27a) \\
& \quad V4visit\_now)\ V5visit\_later))\ V6acc)))))) \Rightarrow (\forall V7v \in \\
& \quad ((ty\_2Elist\_2Elist\ A.27a)^{A.27a}).(\forall V8v1 \in ((A.27b^{A.27b})^{A.27a}). \\
& \quad (\forall V9v2 \in (ty\_2Elist\_2Elist\ A.27a).(\forall V10v3 \in (ty\_2Elist\_2Elist \\
& \quad A.27a).(\forall V11v4 \in A.27b.(p\ (ap\ (ap\ (ap\ (ap\ (ap\ V0P\ V7v)\ V8v1) \\
& \quad V9v2)\ V10v3)\ V11v4))))))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. \text{nonempty } A\_27a \Rightarrow ((\forall V0x \in A\_27a. ((p (ap (ap \\
& (c\_2Ebool\_2EIN A\_27a) V0x) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) \\
& (c\_2Elist\_2ENIL A\_27a)))) \Leftrightarrow \text{False})) \wedge (\forall V1x \in A\_27a. (\forall V2h \in \\
& A\_27a. (\forall V3t \in (ty\_2Elist\_2Elist A\_27a). ((p (ap (ap (c\_2Ebool\_2EIN \\
& A\_27a) V1x) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) (ap (ap (c\_2Elist\_2ECONS \\
& A\_27a) V2h) V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\
& V1x) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) V3t))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (((p (ap (c\_2Elist\_2EALL\_DISTINCT \\
& A\_27a) (c\_2Elist\_2ENIL A\_27a))) \Leftrightarrow \text{True}) \wedge (\forall V0h \in A\_27a. ( \\
& \forall V1t \in (ty\_2Elist\_2Elist A\_27a). ((p (ap (c\_2Elist\_2EALL\_DISTINCT \\
& A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t))) \Leftrightarrow ((\neg (p (ap (ap \\
& (c\_2Ebool\_2EIN A\_27a) V0h) (ap (c\_2Elist\_2ELIST\_TO\_SET A\_27a) \\
& V1t)))) \wedge (p (ap (c\_2Elist\_2EALL\_DISTINCT A\_27a) V1t))))))
\end{aligned} \tag{31}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{32}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \tag{33}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow \\
((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \tag{34}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow \\
((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \tag{35}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \tag{36}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg \\
& p V2r) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\
& ((\neg(p V1q)) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge ((p \ V0p) \vee (\neg(p \ V2r)))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{41}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{43}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0G \in ((ty\_2Elist\_2Elist \\
& A\_27a)^{A\_27a}). (\forall V1seen \in (ty\_2Elist\_2Elist \ A\_27a). (\forall V2to\_visit \in \\
& (ty\_2Elist\_2Elist \ A\_27a). ((p \ (ap \ (c\_2Epred\_set\_2EFINITE \ A\_27a) \\
& (ap \ (c\_2EdirGraph\_2EParents \ A\_27a \ A\_27a) \ V0G))) \Rightarrow (p \ (ap \ (c\_2Elist\_2EALL\_DISTINCT \\
& A\_27a) \ (ap \ (ap \ (ap \ (ap \ (ap \ (c\_2Edft\_2EDFT \ (ty\_2Elist\_2Elist \ A\_27a) \\
& A\_27a) \ V0G) \ (c\_2Elist\_2ECONS \ A\_27a)) \ V1seen) \ V2to\_visit) \ (c\_2Elist\_2ENIL \\
& A\_27a))))))
\end{aligned}$$