

thm\_2EdirGraph\_2EEXCLUDE\_\_LEM  
(TMJd3wwWCm7nHx3K4RRqLjzS5rfftuGHHqC)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (2)$$

**Definition 3** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Emin\_2E\_40 (2^{A\_27a}))$

**Definition 10** We define  $c\_2EdirGraph\_2EEXCLUDE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0G \in ((ty\_2Elist\_2Elist (2^{A\_27a \cup A\_27b}))$

**Definition 11** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 12** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (3)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (4)$$

**Definition 13** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ x\ y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \quad (5)$$

**Definition 14** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27a)\ x\ s)$

**Definition 15** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2).(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E\ V0t)$

Assume the following.

$$True \quad (6)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (7)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (8)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (10)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (11)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a.((ap V0f V2x) = (ap V1g V2x)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True) \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False) \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C)))))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow (\forall V0b \in 2.(\forall V1f \in (A\_27b^{A\_27a}).(\forall V2g \in (A\_27b^{A\_27a}).(\forall V3x \in A\_27a.((ap (ap (ap (ap (c\_2Ebool\_2ECOND (A\_27b^{A\_27a})) V0b) V1f) V2g) V3x) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27b) V0b) (ap V1f V3x)) (ap V2g V3x)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1b \in 2. (\forall V2x \in A\_27a. \\ & \quad (\forall V3y \in A\_27a. ((ap\ V0f\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & \quad V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V1b)\ (ap\ V0f \\ & \quad V2x))\ (ap\ V0f\ V3y))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & \quad (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & \quad (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & \quad ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & \quad V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\ & \quad V5y\_27))))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)))))) \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ & \quad A\_27a. (\forall V2s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ & \quad V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ & \quad V1y) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (28)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg( \\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{33}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p \ V0p) \Leftrightarrow (p \ (ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ 2) \ V1q) \ V2r) \ V3s))) \Leftrightarrow \\
& (((p \ V0p) \vee ((p \ V1q) \vee (\neg(p \ V3s)))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge \\
& (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V3s)))) \wedge (((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg( \\
& p \ V0p)))) \wedge ((p \ V1q) \vee ((p \ V3s) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{35}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{36}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{37}$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \quad \forall V0G \in ((ty\_2Elist\_2Elist\ A.27b)^{A.27a}). (\forall V1x \in A.27a. \\ & \quad (\forall V2l \in (2^{A.27a}). ((ap\ (ap\ (c\_2EdirGraph\_2EEXCLUDE\ A.27b \\ & \quad A.27a)\ V0G)\ (ap\ (ap\ (c\_2Epred\_set\_2INSERT\ A.27a)\ V1x)\ V2l)) = \\ & \quad (ap\ (ap\ (c\_2EdirGraph\_2EEXCLUDE\ A.27b\ A.27a)\ (ap\ (ap\ (c\_2EdirGraph\_2EEXCLUDE \\ & \quad A.27b\ A.27a)\ V0G)\ V2l))\ (ap\ (ap\ (c\_2Epred\_set\_2INSERT\ A.27a) \\ & \quad V1x)\ (c\_2Epred\_set\_2EMPTY\ A.27a)))))) \end{aligned}$$