

# thm\_2Edivides\_2EINDEX\_LESS\_PRIMES (TMTp1QtwsLvpqSXx9ojTzocBnPPyVqrdb7)

October 26, 2020

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (1)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \quad (2)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (3)$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Enum\_2E0$  to be ( $ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP$ ).

**Definition 3** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 4** We define  $c\_2Ebool\_2ET$  to be ( $ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$ ).

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}).(ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x)))$ .

**Definition 6** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ m)$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 7** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic\_2EBIT1 n) V0)$

**Definition 8** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p\ P \Rightarrow_p Q)$  of type  $\iota$ .

**Definition 10** We define  $c_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Let  $c_2Earithmetic_2E_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (7)$$

**Definition 11** We define  $c_{\text{2Emin\_2E\_40}}$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \text{ } x)) \text{ then } (\lambda x. x \in A \wedge$  of type  $\iota \Rightarrow \iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_{27a} : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\_{V0P}\_{(ap\_{(c\_2Emin\_2E\_40$

**Definition 13** We define  $c\_2Edivides\_2Edivides$  to be  $\lambda V0a \in ty\_2Enum\_2Enum.\lambda V1b \in ty\_2Enum\_2Enum.$

**Definition 14** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

**Definition 16** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 17** We define  $c\_2Edivides\_2Eprime$  to be  $\lambda V0a \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Ebool\_2E\_2F_5C$

Let  $c_2$  divides  $2EPRIMES : \iota$  be given. Assume the following.

*c\_2Edivides\_2EPRIMES*  $\in$  (*ty\_2Enum\_2Enum*<sup>*ty\_2Enum\_2Enum*</sup>)

*2Earithmetic\_2EEVEN* :  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum})$$

*metric-2EODD*:  $\iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum})$$

We define  $c : \text{2Enum\_rec} \rightarrow \text{2Enum}$  to be  $\lambda V0m \in tu.\text{2Enum\_2Enum } \lambda V1n \in tu.\text{2Enum\_2Enum }$

**Definition 19.** We define  $c$  2Earthmetic 2E 3E to be  $\lambda V0m \in tu\; 2Enum\; 2Enum\;\lambda V1n \in tu\; 2Enum\; 2Enum$

**Definition 20.** We define  $c$  2Earthmetic 2E 3E 3D to be  $\lambda V0m \in tu\; 2Enum\; 2Enum\;\lambda V1n \in tu\; 2Enum\; 2Enum\;\lambda V2o \in tu\; 2Enum\; 2Enum\;\lambda V3p \in tu\; 2Enum\; 2Enum\;\lambda V4q \in tu\; 2Enum\; 2Enum\;\lambda V5r \in tu\; 2Enum\; 2Enum\;\lambda V6s \in tu\; 2Enum\; 2Enum\;\lambda V7t \in tu\; 2Enum\; 2Enum\;\lambda V8u \in tu\; 2Enum\; 2Enum\;\lambda V9v \in tu\; 2Enum\; 2Enum\;\lambda V10w \in tu\; 2Enum\; 2Enum\;\lambda V11x \in tu\; 2Enum\; 2Enum\;\lambda V12y \in tu\; 2Enum\; 2Enum\;\lambda V13z \in tu\; 2Enum\; 2Enum$

Let  $c\_2Earithmetic\_2EXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (11)$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum} \quad (12)$$

**Definition 23** We define  $c\_2Eenumeral\_2EiSUC$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap c\_2Enum\_2ESUC (ap$

**Definition 24** We define  $c\_2Eenumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

**Definition 25** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap (ap c\_2Earithmetic$

**Definition 26** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 27** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1$

Let  $c\_2Ewhile\_2EWHILE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow c\_2Ewhile\_2EWHILE A\_27a \in (((A\_27a^{A\_27a})^{(A\_27a^{A\_27a})})^{(2^{A\_27a})}) \quad (13)$$

**Definition 28** We define  $c\_2Ewhile\_2ELEAST$  to be  $\lambda V0P \in (2^{ty\_2Enum\_2Enum}).(ap (ap (ap (c\_2Ewhile\_2E$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\& \\ & ((ap (ap c\_2Earithmetic\_2E\_2B c\_2Enum\_2E0) V0m) = V0m) \wedge (((ap ( \\ & ap c\_2Earithmetic\_2E\_2B V0m) c\_2Enum\_2E0) = V0m) \wedge (((ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B \\ & V0m) V1n))) \wedge ((ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap c\_2Enum\_2ESUC \\ & V1n)) = (ap c\_2Enum\_2ESUC (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n))))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\& \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & V1n) V0m)))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.(\& \\ & \forall V2p \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\ & (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p))))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ & (ap c\_2Enum\_2ESUC V0m)) V1n)))))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ c\_2Enum\_2E0) V0n))) \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0m) V1n))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ V1n) V0m)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\ (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\ (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\ & ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\ & (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\ V0m) V1n))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\ & ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\ & \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\ (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\ V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p)))))) \end{aligned} \quad (22)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. ((ap\ c\_2Enum\_2ESUC\ V0n) = (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2ENUMERAL\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))\ V0n))) \quad (23)$$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t))))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p\ V0t)) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (28)$$

Assume the following.

$$\forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t))))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))))) \quad (35)$$

Assume the following.

$$\begin{aligned} (((ap c\_2Edivides\_2EPRIMES c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL & (ap c\_2Earithmetic\_2EBIT2 c\_2Earithmetic\_2EZERO))) \wedge (\forall V0n \in ty\_2Enum\_2Enum.(ap c\_2Edivides\_2EPRIMES (ap c\_2Enum\_2ESUC & V0n)) = (ap c\_2Ewhile\_2ELEAST (\lambda V1p \in ty\_2Enum\_2Enum.(ap (ap c\_2Ebool\_2E\_2F\_5C (ap c\_2Edivides\_2Eprime V1p)) (ap (ap c\_2Eprim\_rec\_2E\_3C & (ap c\_2Edivides\_2EPRIMES V0n)) V1p))))))) \end{aligned} \quad (36)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p (ap c\_2Edivides\_2Eprime (ap c\_2Edivides\_2EPRIMES & V0n)))) \quad (37)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Eprim\_rec\_2E\_3C & (ap c\_2Edivides\_2EPRIMES V0n)) (ap c\_2Edivides\_2EPRIMES (ap c\_2Enum\_2ESUC & V0n)))))) \quad (38)$$

Assume the following.

$$\begin{aligned} (\forall V0P \in (2^{ty\_2Enum\_2Enum}).(((p (ap V0P c\_2Enum\_2E0)) \wedge & (\forall V1n \in ty\_2Enum\_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c\_2Enum\_2ESUC & V1n))))))) \Rightarrow (\forall V2n \in ty\_2Enum\_2Enum.(p (ap V0P V2n)))))) \end{aligned} \quad (39)$$

Assume the following.

$(\forall V0n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B c_2Enum\_2E0) V0n) = V0n)) \wedge (\forall V1n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V1n) c_2Enum\_2E0) = V1n)) \wedge (\forall V2n \in ty\_2Enum\_2Enum. (\forall V3m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2B V3m) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2EiZ (ap (ap c_2Earithmetic\_2E\_2B V2n) V3m))))))) \wedge (\forall V4n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A c_2Enum\_2E0) V4n) = c_2Enum\_2E0)) \wedge (\forall V5n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A V5n) c_2Enum\_2E0) = c_2Enum\_2E0)) \wedge (\forall V6n \in ty\_2Enum\_2Enum. (\forall V7m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2A (ap c_2Earithmetic\_2ENUMERAL V6n)) (ap c_2Earithmetic\_2ENUMERAL V7m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2A V6n) V7m)))))) \wedge (\forall V8n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D c_2Enum\_2E0) V8n) = c_2Enum\_2E0)) \wedge (\forall V9n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D V9n) c_2Enum\_2E0) = V9n)) \wedge (\forall V10n \in ty\_2Enum\_2Enum. (\forall V11m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2E\_2D (ap c_2Earithmetic\_2ENUMERAL V10n)) (ap c_2Earithmetic\_2ENUMERAL V11m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2E\_2D V10n) V11m)))))) \wedge (\forall V12n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 V12n)))) = c_2Enum\_2E0)) \wedge (\forall V13n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT2 V13n)))) = c_2Enum\_2E0)) \wedge (\forall V14n \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP V14n) c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))))) \wedge (\forall V15n \in ty\_2Enum\_2Enum. (\forall V16m \in ty\_2Enum\_2Enum. ((ap (ap c_2Earithmetic\_2EEEXP (ap c_2Earithmetic\_2ENUMERAL V15n)) (ap c_2Earithmetic\_2ENUMERAL V16m)) = (ap c_2Earithmetic\_2ENUMERAL (ap (ap c_2Earithmetic\_2EEEXP V15n) V16m)))))) \wedge (((ap c_2Enum\_2ESUC c_2Enum\_2E0) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Earithmetic\_2EBIT1 c_2Earithmetic\_2EZERO)))) \wedge (\forall V17n \in ty\_2Enum\_2Enum. ((ap c_2Enum\_2ESUC (ap c_2Earithmetic\_2ENUMERAL V17n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Enum\_2ESUC V17n)))))) \wedge (((ap c_2Eprim\_rec\_2EPRE c_2Enum\_2E0) = c_2Enum\_2E0) \wedge (\forall V18n \in ty\_2Enum\_2Enum. ((ap c_2Eprim\_rec\_2EPRE (ap c_2Earithmetic\_2ENUMERAL V18n)) = (ap c_2Earithmetic\_2ENUMERAL (ap c_2Eprim\_rec\_2EPRE V18n)))))) \wedge (\forall V19n \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V19n) = c_2Enum\_2E0) \Leftrightarrow (V19n = c_2Earithmetic\_2EZERO))) \wedge (\forall V20n \in ty\_2Enum\_2Enum. ((c_2Enum\_2E0 = (ap c_2Earithmetic\_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic\_2EZERO))) \wedge (\forall V21n \in ty\_2Enum\_2Enum. ((\forall V22m \in ty\_2Enum\_2Enum. (((ap c_2Earithmetic\_2ENUMERAL V21n) = (ap c_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge ((\forall V23n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C V23n) c_2Enum\_2E0)) \Leftrightarrow False))) \wedge (\forall V24n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Earithmetic\_2EZERO) V24n)))) \wedge (\forall V25n \in ty\_2Enum\_2Enum. (\forall V26m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Earithmetic\_2ENUMERAL V25n) (ap c_2Earithmetic\_2ENUMERAL V26m)))) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V27n)) \Leftrightarrow False))) \wedge (\forall V28n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) (ap c_2Earithmetic\_2ENUMERAL V28n)) \Leftrightarrow (p (ap (ap c_2Eprim\_rec\_2E\_3C c_2Earithmetic\_2EZERO) V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V29n)) \Leftrightarrow True))) \wedge (\forall V30m \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3E c_2Enum\_2E0) V30m)) \Leftrightarrow (p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V30m)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V31n)) \Leftrightarrow True))) \wedge (\forall V32n \in ty\_2Enum\_2Enum. ((p (ap (ap c_2Earithmetic\_2E\_3D c_2Enum\_2E0) V32n)) \Leftrightarrow True)))$

Assume the following.

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m)))))))))) \\
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n))) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m)))))))))) \\
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{44}$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \tag{45}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \tag{46}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow \\
((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \tag{47}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & ((\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q) \vee (\neg(p V2r)))) \wedge (((p V0p) \vee ((\neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q) \vee (\neg(p V0p))))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0Q \in (2^{ty\_2Enum\_2Enum}).(\forall V1P \in (2^{ty\_2Enum\_2Enum}). \\ & (((\exists V2n \in ty\_2Enum\_2Enum.(p (ap V1P V2n))) \wedge (\forall V3n \in \\ & ty\_2Enum\_2Enum.(((\forall V4m \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Eprim\_rec\_2E\_3C \\ & V4m) V3n)) \Rightarrow (\neg(p (ap V1P V4m)))) \wedge (p (ap V1P V3n)) \Rightarrow (p (ap V0Q V3n)))) \Rightarrow \\ & (p (ap V0Q (ap c\_2Ewhile\_2ELEAST V1P))))))) \end{aligned} \quad (55)$$

### Theorem 1

$$(\forall V0n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) \\ (ap c\_2Edivides\_2EPIMES V0n))))$$