

thm\_2ErrorStateMonad\_2EBIND\_\_ASSOC  
 (TMRSMqySrK-  
 SaV36QFyxzQtBiwk4TPDZYXgP)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (2)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2ESND A.27a A.27b \in (A.27b^{(ty\_2Epair\_2Eprod A.27a A.27b)}) \quad (3)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c\_2Epair\_2EFST A.27a A.27b \in (A.27a^{(ty\_2Epair\_2Eprod A.27a A.27b)}) \quad (4)$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 4** We define  $c\_2Epair\_2Epair\_CASE$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0p \in (ty\_2Epair\_2Eprod A.27a A.27b)$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (5)$$

**Definition 5** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ ).

**Definition 6** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

**Definition 7** We define  $c\_2Ebool\_2E2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (6)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (7)$$

**Definition 11** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (8)$$

**Definition 12** We define  $c\_2Eoption\_2E2NONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c\_2Eone\_2Eone$

Let  $c\_2Eoption\_2Eoption\_CASE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Eoption\_2Eoption\_CASE A\_27a A\_27b \in (((A\_27b)^{(A\_27b^{A\_27a})})^{A\_27b})^{(ty\_2Eoption\_2Eoption A\_27a)} \quad (9)$$

**Definition 13** We define  $c\_2ErrorStateMonad\_2EBIND$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0g \in ((ty\_2Eoption\_2Eoption$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 15** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS$

**Definition 16** We define  $c\_2Eoption\_2E2SOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_2Eoption\_2Eoption\_ABS$

**Definition 17** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b}})^{A\_27a}) \quad (10)$$

**Definition 18** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x\ V1y)$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a.((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption\ A\_27a).((V0opt = (c\_2Eoption\_2ENONE\ A\_27a)) \vee (\exists V1x \in A\_27a.(V0opt = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V1x)))))) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0v \in A\_27b.(\forall V1f \in (A\_27b^{A\_27a}).((ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b)\ (c\_2Eoption\_2ENONE\ A\_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in A\_27a.(\forall V3v \in A\_27b.(\forall V4f \in (A\_27b^{A\_27a}).((ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_CASE\ A\_27a\ A\_27b)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x)))))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0x \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b).(\exists V1q \in A\_27a.(\exists V2r \in A\_27b.(V0x = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V1q)\ V2r)))))) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow (\forall V0x \in A\_27b.(\forall V1y \in A\_27c.(\forall V2f \in ((A\_27a^{A\_27c})^{A\_27b}).((ap\ (ap\ (c\_2Epair\_2Epair\_CASE\ A\_27a\ A\_27b\ A\_27c)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27b\ A\_27c)\ V0x)\ V1y))\ V2f) = (ap\ (ap\ V2f\ V0x)\ V1y)))))) \quad (17)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0k \in (( \\ & \quad ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))^{A\_27a}). \\ & \quad (\forall V1m \in (((ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A\_27c \\ & \quad A\_27a))^{A\_27a})^{A\_27b}). (\forall V2n \in (((ty\_2Eoption\_2Eoption \\ & \quad (ty\_2Epair\_2Eprod\ A\_27d\ A\_27a))^{A\_27a})^{A\_27c}). ((ap\ (ap\ (c\_2ErrorStateMonad\_2EBIND \\ & \quad A\_27a\ A\_27b\ A\_27d)\ V0k)\ (\lambda V3a \in A\_27b.(ap\ (ap\ (c\_2ErrorStateMonad\_2EBIND \\ & \quad A\_27a\ A\_27c\ A\_27d)\ (ap\ V1m\ V3a))\ V2n))) = (ap\ (ap\ (c\_2ErrorStateMonad\_2EBIND \\ & \quad A\_27a\ A\_27c\ A\_27d)\ (ap\ (ap\ (c\_2ErrorStateMonad\_2EBIND\ A\_27a\ A\_27b \\ & \quad A\_27c)\ V0k)\ V1m))\ V2n)))))) \end{aligned}$$