

thm_2ErrorStateMonad_2EIGNORE__BIND__FAIL
 (TMQCzr-
 LaGZU7fKgxuX7UYpz1upWhapiNBW1)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap (ap (c_2Emin_2E3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \tag{2}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{3}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \tag{4}$$

Definition 3 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E3D (2^{A_27a}))$

Definition 4 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0p \in (ty_2Epair_2Eprod$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \tag{5}$$

Definition 5 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then}$ (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 6 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 7 We define c_2Ebool_2E2F to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (6)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (7)$$

Definition 11 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (8)$$

Definition 12 We define $c_2Eoption_2EENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eone_2Eone))$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2Eoption_CASE A_27a A_27b \in (((A_27b)^{(A_27b)^{A_27a}})^{(ty_2Eoption_2Eoption A_27a)}) \quad (9)$$

Definition 13 We define $c_2ErrorStateMonad_2EBIND$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0g \in ((ty_2Eoption_2Eoption_ABS A_27a) (ap (c_2Eoption_2Eoption_CASE A_27a A_27b) V0g))$

Definition 14 We define $c_2ErrorStateMonad_2EIGNORE_BIND$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0g \in ((ty_2Eoption_2Eoption_ABS A_27a) (ap (c_2Eoption_2Eoption_CASE A_27a A_27b) V0g))$

Definition 15 We define $c_2ErrorStateMonad_2EES_FAIL$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s \in A_27b.(c_2Eoption_2Eoption_ABS A_27a)$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 17 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Definition 18 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_...$

Definition 19 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (10)$$

Definition 20 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (12)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = \\ V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap V0f V2x) = (ap V1g V2x)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\ A_27a). ((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a. \\ (V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ (\forall V0v \in A_27b. (\forall V1f \in (A_27b^{A_27a}). ((ap (ap (ap (c_2Eoption_2Eoption_CASE \\ A_27a A_27b) (c_2Eoption_2ENONE A_27a)) V0v) V1f) = V0v))) \wedge (\forall V2x \in \\ A_27a. (\forall V3v \in A_27b. (\forall V4f \in (A_27b^{A_27a}). ((ap (ap \\ (ap (c_2Eoption_2Eoption_CASE A_27a A_27b) (ap (c_2Eoption_2ESOME \\ A_27a) V2x)) V3v) V4f) = (ap V4f V2x)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ \forall V0x \in (ty_2Epair_2Eprod A_27a A_27b). (\exists V1q \in A_27a. \\ (\exists V2r \in A_27b. (V0x = (ap (ap (c_2Epair_2E_2C A_27a A_27b) \\ V1q) V2r)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0x \in A_27b. (\forall V1y \in A_27c. (\forall V2f \in \\
& \quad ((A_27a^{A_27c})^{A_27b}). ((ap\ (ap\ (c_2Epair_2Epair_CASE\ A_27a\ A_27b \\
& \quad A_27c)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27b\ A_27c)\ V0x)\ V1y))\ V2f) = (ap \\
& \quad (ap\ V2f\ V0x)\ V1y))))))
\end{aligned} \tag{18}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0xM \in (\\
& \quad (ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27b\ A_27a))^{A_27a}). \\
& \quad (((ap\ (ap\ (c_2ErrorStateMonad_2EIGNORE_BIND\ A_27c\ A_27a\ A_27b) \\
& \quad (c_2ErrorStateMonad_2EES_FAIL\ (ty_2Epair_2Eprod\ A_27c\ A_27a) \\
& \quad A_27a))\ V0xM) = (c_2ErrorStateMonad_2EES_FAIL\ (ty_2Epair_2Eprod \\
& \quad A_27b\ A_27a)\ A_27a)) \wedge ((ap\ (ap\ (c_2ErrorStateMonad_2EIGNORE_BIND \\
& \quad A_27b\ A_27a\ A_27d)\ V0xM)\ (c_2ErrorStateMonad_2EES_FAIL\ (ty_2Epair_2Eprod \\
& \quad A_27d\ A_27a)\ A_27a)) = (c_2ErrorStateMonad_2EES_FAIL\ (ty_2Epair_2Eprod \\
& \quad A_27d\ A_27a)\ A_27a))))))
\end{aligned}$$