

# thm\_2ErrorStateMonad\_2EMCOMP\_\_ASSOC (TMZQkLBk9rLHtWBWALb8L26cssNFsP2m2vF)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \tag{2}$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \tag{3}$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \tag{4}$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))) (\lambda V1c \in 2.V1c)))$

**Definition 4** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

Let  $c\_2Eoption\_2EOPTION\_BIND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_BIND A\_27a A\_27b \in (((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Eoption\_2Eoption A\_27a)^{A\_27b}})^{(ty\_2Eoption\_2Eoption A\_27b)}) \tag{5}$$

**Definition 5** We define  $c\_2Eoption\_2EOPTION\_MCOMP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0g \in ((t$

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (6)$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2E$

**Definition 9** We define  $c\_2Epair\_2ECURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27c^{(ty\_2Epair$

**Definition 10** We define  $c\_2EerrorStateMonad\_2EMCOMP$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota$

Assume the following.

$$True \quad (7)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (8)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\ nonempty A\_27c \Rightarrow \forall A\_27d.nonempty A\_27d \Rightarrow (\forall V0f \in (( \\ ty\_2Eoption\_2Eoption A\_27c)^{A\_27d}).(\forall V1g \in ((ty\_2Eoption\_2Eoption \\ A\_27d)^{A\_27b}).(\forall V2h \in ((ty\_2Eoption\_2Eoption A\_27b)^{A\_27a}). \\ ((ap (ap (c\_2Eoption\_2EOPTION\_MCOMP A\_27c A\_27d A\_27a) V0f) ( \\ ap (ap (c\_2Eoption\_2EOPTION\_MCOMP A\_27d A\_27b A\_27a) V1g) V2h)) = \\ (ap (ap (c\_2Eoption\_2EOPTION\_MCOMP A\_27c A\_27b A\_27a) (ap (ap \\ (c\_2Eoption\_2EOPTION\_MCOMP A\_27c A\_27d A\_27b) V0f) V1g)) V2h)))) \end{aligned} \quad (9)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow \forall A\_27c. \\ nonempty A\_27c \Rightarrow (\forall V0f \in (A\_27c^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}). \\ ((ap (c\_2Epair\_2EUNCURRY A\_27a A\_27b A\_27c) (ap (c\_2Epair\_2ECURRY \\ A\_27a A\_27b A\_27c) V0f)) = V0f)) \end{aligned} \quad (10)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow \forall A\_27e.nonempty \\ & A\_27e \Rightarrow \forall A\_27f.nonempty\ A\_27f \Rightarrow \forall A\_27g.nonempty\ A\_27g \Rightarrow \\ & (\forall V0f \in (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27e})^{A\_27d}).( \\ & \forall V1g \in (((ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A\_27d \\ & A\_27e))^{A\_27g})^{A\_27f}).(\forall V2h \in (((ty\_2Eoption\_2Eoption \\ & (ty\_2Epair\_2Eprod\ A\_27f\ A\_27g))^{A\_27b})^{A\_27a}).((ap\ (ap\ (c\_2ErrorStateMonad\_2EMCOMP \\ & A\_27a\ A\_27b\ A\_27c\ A\_27d\ A\_27e)\ V0f)\ (ap\ (ap\ (c\_2ErrorStateMonad\_2EMCOMP \\ & A\_27a\ A\_27b\ (ty\_2Epair\_2Eprod\ A\_27d\ A\_27e)\ A\_27f\ A\_27g)\ V1g)\ V2h)) = \\ & (ap\ (ap\ (c\_2ErrorStateMonad\_2EMCOMP\ A\_27a\ A\_27b\ A\_27c\ A\_27f\ A\_27g) \\ & (ap\ (ap\ (c\_2ErrorStateMonad\_2EMCOMP\ A\_27f\ A\_27g\ A\_27c\ A\_27d\ A\_27e) \\ & V0f)\ V1g))\ V2h)))))) \end{aligned}$$