

thm_2ErrorStateMonad_2EmapM__cons
(TMWD84By6259MwcyNnHYZcwhkJuRwDzXeGP)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \tag{2}$$

Definition 6 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \tag{3}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \tag{4}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{5}$$

Definition 7 We define c_Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_Esum_2EABS_2EINL) (ty_2Eoption_2Eoption A_27a V0e))$.
Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (6)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (7)$$

Definition 8 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS) V0x)$

Definition 9 We define $c_2ErrorStateMonad_2EUNIT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27b. (\lambda V1s \in A_27a. (c_2Eoption_2Eoption_ABS A_27a V1s))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (8)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (9)$$

Definition 10 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0p \in (ty_2Epair_2Epair A_27a A_27b). (c_2Eoption_2Eoption_ABS A_27a V0p)$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A \wedge P x)) \text{ of type } \iota \Rightarrow \iota.$

Definition 12 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. V0x))$

Definition 13 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2. V0t))$.

Definition 14 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 15 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS_2EINR) (ty_2Eoption_2Eoption A_27a V0e))$

Definition 16 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (ty_2Eoption_2Eoption A_27a))$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2Eoption_CASE A_27a A_27b \in (((A_27b)^{(A_27b^{A_27a})})^{(ty_2Eoption_2Eoption A_27a)}) \quad (10)$$

Definition 17 We define $c_2ErrorStateMonad_2EBIND$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0g \in ((ty_2Eoption_2Eoption A_27a) \Rightarrow A_27c)$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (11)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ENIL\ A.27a \in (ty_2Elist_2Elist\ A.27a) \quad (12)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Elist_2ECONS\ A.27a \in (((ty_2Elist_2Elist\ A.27a)^{(ty_2Elist_2Elist\ A.27a)})^{A.27a}) \quad (13)$$

Let $c_2Elist_2EFOLDR : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Elist_2EFOLDR\ A.27a\ A.27b \in (((A.27b)^{(ty_2Elist_2Elist\ A.27a)})^{A.27b})^{((A.27b)^{A.27b})^{A.27a}} \quad (14)$$

Definition 18 We define $c_2ErrorStateMonad_2Esequence$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.(ap\ (ap\ (c_2Elist_2ECONS\ A.27a)\ A.27b))\ A.27b)$

Definition 19 We define $c_2Ecombin_2Eo$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0f \in (A.27b)^{A.27c}.\lambda V1g \in (A.27a)^{A.27c}.$

Let $c_2Elist_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c_2Elist_2EMAP\ A.27a\ A.27b \in (((ty_2Elist_2Elist\ A.27b)^{(ty_2Elist_2Elist\ A.27a)})^{(A.27b)^{A.27a}}) \quad (15)$$

Definition 20 We define $c_2ErrorStateMonad_2EmapM$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0f \in (((ty_2Elist_2EMAP\ A.27a)\ A.27b)\ A.27c)$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c.nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b)^{A.27c}.\forall V1g \in (A.27a)^{A.27c}.\forall V2x \in A.27c.((ap\ (ap\ (ap\ (c_2Ecombin_2Eo\ A.27c\ A.27b\ A.27a)\ V0f)\ V1g)\ V2x) = (ap\ V0f\ (ap\ V1g\ V2x)))))) \quad (18)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b) \\
& V0f)\ (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL\ A.27b))) \wedge (\forall V1f \in \\
& (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty.2Elist.2Elist \\
& A.27a).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ (ap\ V1f\ V2h)) \\
& (ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ V3t)))))) \\
& \hspace{15em} (19)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& (\forall V0f \in ((A.27b^{A.27b})^{A.27a}).(\forall V1e \in A.27b.((ap\ (\\
& ap\ (ap\ (c.2Elist.2EFOLDR\ A.27a\ A.27b)\ V0f)\ V1e)\ (c.2Elist.2ENIL \\
& A.27a)) = V1e))) \wedge (\forall V2f \in ((A.27b^{A.27b})^{A.27a}).(\forall V3e \in \\
& A.27b.(\forall V4x \in A.27a.(\forall V5l \in (ty.2Elist.2Elist\ A.27a). \\
& ((ap\ (ap\ (ap\ (c.2Elist.2EFOLDR\ A.27a\ A.27b)\ V2f)\ V3e)\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V4x)\ V5l)) = (ap\ (ap\ V2f\ V4x)\ (ap\ (ap\ (ap\ (c.2Elist.2EFOLDR \\
& A.27a\ A.27b)\ V2f)\ V3e)\ V5l))))))))) \\
& \hspace{15em} (20)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow (\forall V0f \in (((ty.2Eoption.2Eoption\ (ty.2Epair.2Eprod \\
& A.27b\ A.27a))^{A.27a})^{A.27c}).(\forall V1x \in A.27c.(\forall V2xs \in \\
& (ty.2Elist.2Elist\ A.27c).((ap\ (ap\ (c.2ErrorStateMonad.2EmapM \\
& A.27c\ A.27a\ A.27b)\ V0f)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27c)\ V1x)\ V2xs)) = \\
& (ap\ (ap\ (c.2ErrorStateMonad.2EBIND\ A.27a\ A.27b\ (ty.2Elist.2Elist \\
& A.27b))\ (ap\ V0f\ V1x))\ (\lambda V3y \in A.27b.(ap\ (ap\ (c.2ErrorStateMonad.2EBIND \\
& A.27a\ (ty.2Elist.2Elist\ A.27b)\ (ty.2Elist.2Elist\ A.27b))\ (ap \\
& (ap\ (c.2ErrorStateMonad.2EmapM\ A.27c\ A.27a\ A.27b)\ V0f)\ V2xs)) \\
& (\lambda V4ys \in (ty.2Elist.2Elist\ A.27b).(ap\ (c.2ErrorStateMonad.2EUNIT \\
& A.27a\ (ty.2Elist.2Elist\ A.27b))\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27b) \\
& V3y)\ V4ys)))))))))
\end{aligned}$$