

thm\_2Eextreal\_2ECROSS\_COUNTABLE\_LEMMA2  
(TMNpjVqZM-  
BCdMkRnsFV6QPb53vZ6HrZXP)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.(\lambda V0f \in ((A.\lambda c^{A-27b})^{A-27a}))$

**Definition 3** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a})).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 5** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda A.\lambda c : \iota.\lambda V0f \in (A.\lambda b^{A-27c}).\lambda V1g$

**Definition 6** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A.\lambda a : \iota.(\lambda V0x \in A.\lambda a.(\lambda V1f \in (2^{A-27a})).(ap V1f V0x))$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (3)$$

**Definition 11** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 12** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 13** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 14** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if} (\exists x \in A. P\ x) \mathbf{then} (the (\lambda x. x \in A \wedge P\ x) \text{ of type } \iota \Rightarrow \iota)$ .

**Definition 16** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap (c\_2Emin\_2E\_40\ A) (\lambda V0x \in A\_27a. P\ x))))$ .

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (4)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)} \end{aligned} \quad (5)$$

**Definition 17** We define  $c\_2Epred\_set\_2ECROSS$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0P \in (2^{A\_27a}). \lambda V1Q \in (2^{A\_27b}). (ap (c\_2Emin\_2E\_40\ A\_27a) (\lambda V0x \in A\_27a. P\ x) (ap (c\_2Emin\_2E\_40\ A\_27b) (\lambda V0y \in A\_27b. Q\ y))))$ .

**Definition 18** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b)^{A\_27a}. \lambda V1s \in (2^{A\_27b}). (ap (c\_2Emin\_2E\_40\ A\_27b) (\lambda V0x \in A\_27b. s\ x) (ap (c\_2Emin\_2E\_40\ A\_27a) (\lambda V0y \in A\_27a. f\ y))))$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (6)$$

**Definition 19** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2ET)$ .

**Definition 20** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b)^{A\_27a}. \lambda V1s \in (2^{A\_27b}). (ap (c\_2Emin\_2E\_40\ A\_27b) (\lambda V0x \in A\_27b. s\ x) (ap (c\_2Emin\_2E\_40\ A\_27a) (\lambda V0y \in A\_27a. f\ y))))$ .

**Definition 21** We define  $c\_2Epred\_set\_2Ecountable$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E\_3F\ A\_27a) (\lambda V0x \in A\_27a. s\ x))$ .

**Definition 22** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap (c\_2Emin\_2E\_3D\_3D\_3E\ V0t) (c\_2Emin\_2E\_40\ A)) (\lambda V0x \in A. P\ x))))$ .

Assume the following.

$$True \quad (7)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (8)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (10)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1a \in A\_27a.((\exists V2x \in A\_27a.((V2x = V1a) \wedge (p \ (ap \ V0P \ V2x)))) \Leftrightarrow (p \ (ap \ V0P \ V1a)))))) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow (\forall V0t \in (2^{A\_27b}).(\forall V1s \in (2^{A\_27a}).(((p \ (ap \ (c\_2Epred\_set\_2Ecountable \ A\_27a) \ V1s)) \wedge ((p \ (ap \ (c\_2Epred\_set\_2EFINITE \ A\_27a) \ V1s)) \wedge (p \ (ap \ (c\_2Epred\_set\_2Ecountable \ A\_27b) \ V0t)))) \Rightarrow (p \ (ap \ (c\_2Epred\_set\_2Ecountable \ (ty\_2Epair\_2Eprod \ A\_27a \ A\_27b)) \ (ap \ (ap \ (c\_2Epred\_set\_2ECROSS \ A\_27a \ A\_27b) \ V1s) \ V0t)))))) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. (\forall V2a \in A\_27a. (\forall V3b \in \\ & \quad A\_27b. (((ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b). ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ A\_27b)\ (ap\ (c\_2Epair\_2EFST\ A\_27a\ A\_27b)\ V0x))\ (ap\ (c\_2Epair\_2ESND \\ & \quad A\_27a\ A\_27b)\ V0x)) = V0x)) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. ((ap\ (c\_2Epair\_2EFST\ A\_27a \\ & \quad A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27b. ((ap\ (c\_2Epair\_2ESND\ A\_27a \\ & \quad A\_27b)\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & \quad (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & \quad A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in ((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}). (\forall V1v \in \\ & \quad A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V1v)\ (ap\ (c\_2Epred\_set\_2EGSPEC \\ & \quad A\_27a\ A\_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A\_27b. ((ap\ (ap\ (c\_2Epair\_2E\_2C \\ & \quad A\_27a\ 2)\ V1v)\ c\_2Ebool\_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in (A\_27b^{A\_27a}). (\forall V1s \in (2^{A\_27a}). ((p\ (ap\ (c\_2Epred\_set\_2Ecountable \\ & \quad A\_27a)\ V1s)) \Rightarrow (p\ (ap\ (c\_2Epred\_set\_2Ecountable\ A\_27b)\ (ap\ (ap \\ & \quad (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V0f)\ V1s)))))) \end{aligned} \quad (23)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (28)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (29)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (30)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (31)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (38)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow \forall A.27b.nonempty \ A.27b \Rightarrow ( \\ & \forall V0t \in (2^{A.27b}). (\forall V1s \in (2^{A.27a}). (((p \ (ap \ (c.2Epred\_set\_2Ecountable \\ & \ A.27a) \ V1s)) \wedge ((p \ (ap \ (c.2Epred\_set\_2Ecountable \ A.27b) \ V0t)) \wedge \\ & (p \ (ap \ (c.2Epred\_set\_2EFINITE \ A.27b) \ V0t)))) \Rightarrow (p \ (ap \ (c.2Epred\_set\_2Ecountable \\ & (ty.2Epair.2Eprod \ A.27a \ A.27b)) \ (ap \ (ap \ (c.2Epred\_set\_2ECROSS \\ & \ A.27a \ A.27b) \ V1s) \ V0t)))))) \end{aligned}$$