

thm_2Eextreal_2EEXTREAL__SUM__IMAGE__ADD (TMUJ6dMWGJTppoUVJppUbZQ2j3nX36kotax)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{1}$$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \tag{2}$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \tag{3}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{4}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{5}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{6}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \tag{7}$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealx_2Ereal}) \tag{8}$$

Definition 4 We define $c_Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_Emin_2E_3D (2^{A_27a})))$

Definition 5 We define $c_Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap c_Eextreal_2Eextreal_of_num$

Let $c_Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_Epred_set_2EITSET \\ A_27a\ A_27b \in (((A_27b^{A_27b})^{(2^{A_27a})})^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (9)$$

Definition 6 We define $c_Eextreal_2EEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Eextreal_2Eextreal_of_num$

Definition 7 We define $c_Ebool_2E_2F$ to be $(ap (c_Ebool_2E_21\ 2)) (\lambda V0t \in 2. V0t)$.

Definition 8 We define $c_Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_Ebool_2E_2F)$.

Definition 9 We define c_Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 10 We define $c_Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 11 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21\ 2)) (\lambda V2t \in 2. V2t)))$

Definition 12 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21\ 2)) (\lambda V2t \in 2. V2t)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ A0\ A1) \end{aligned} \quad (10)$$

Let $c_Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (11)$$

Definition 13 We define $c_Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_Epair_2EABS_prod$

Let $c_Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (12)$$

Definition 14 We define $c_Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_Epred_set_2EEMPTY$

Definition 15 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap (c_Emin_2E_3D_3D_3E\ V0t)) c_Ebool_2E_2F))$

Definition 16 We define $c_Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_Emin_2E_3D_3D_3E$

Definition 17 We define $c_2\text{Epred_set_2EDELETE}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (a$

Definition 18 We define $c_2\text{Epred_set_2EFINITE}$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2\text{Ebool_2E_21 (2$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\ & p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\
& ((ap (ap c_2Eextreal_2Eextreal_add V0x) V1y) = (ap (ap c_2Eextreal_2Eextreal_add \\
& \quad V1y) V0x))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. (\forall V1y \in ty_2Eextreal_2Eextreal. \\
& (\forall V2z \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_add \\
& V0x) (ap (ap c_2Eextreal_2Eextreal_add V1y) V2z)) = (ap (ap c_2Eextreal_2Eextreal_add \\
& \quad (ap (ap c_2Eextreal_2Eextreal_add V0x) V1y)) V2z))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty_2Eextreal_2Eextreal. ((ap (ap c_2Eextreal_2Eextreal_add \\
& \quad (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) V0x) = V0x))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0f \in (ty_2Eextreal_2Eextreal^{A_27a}). \\
& (((ap (ap (c_2Eextreal_2EEXTREAL_SUM_IMAGE A_27a) V0f) (c_2Epred_set_2EEMPTY \\
& \quad A_27a)) = (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) \wedge \\
& (\forall V1e \in A_27a. (\forall V2s \in (2^{A_27a}). ((p (ap (c_2Epred_set_2EFINITE \\
& \quad A_27a) V2s)) \Rightarrow ((ap (ap (c_2Eextreal_2EEXTREAL_SUM_IMAGE A_27a) \\
& \quad V0f) (ap (ap (c_2Epred_set_2EINSERT A_27a) V1e) V2s)) = (ap (ap \\
& \quad c_2Eextreal_2Eextreal_add (ap V0f V1e)) (ap (ap (c_2Eextreal_2EEXTREAL_SUM_IMAGE \\
& \quad A_27a) V0f) (ap (ap (c_2Epred_set_2EDELETE A_27a) V2s) V1e))))))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1s \in \\
& (2^{A_27a}). ((\neg(p (ap (ap (c_2Ebool_2EIN A_27a) V0x) V1s))) \Leftrightarrow ((ap \\
& \quad (ap (c_2Epred_set_2EDELETE A_27a) V1s) V0x) = V1s))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{(2^{A_27a})}). ((\\
& \quad (p (ap V0P (c_2Epred_set_2EEMPTY A_27a))) \wedge (\forall V1s \in (2^{A_27a}). \\
& \quad ((p (ap (c_2Epred_set_2EFINITE A_27a) V1s)) \wedge (p (ap V0P V1s))) \Rightarrow \\
& \quad (\forall V2e \in A_27a. ((\neg(p (ap (ap (c_2Ebool_2EIN A_27a) V2e) V1s))) \Rightarrow \\
& \quad (p (ap V0P (ap (ap (c_2Epred_set_2EINSERT A_27a) V2e) V1s)))))) \Rightarrow \\
& \quad (\forall V3s \in (2^{A_27a}). ((p (ap (c_2Epred_set_2EFINITE A_27a) \\
& \quad V3s)) \Rightarrow (p (ap V0P V3s))))))
\end{aligned} \tag{28}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \tag{29}$$

Assume the following.

$$(\forall V0A \in 2.((p \ V0A) \Rightarrow ((\neg(p \ V0A)) \Rightarrow False))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow False) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p \ V0A)) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \ V0A)) \Rightarrow False) \Rightarrow (((p \ V0A) \Rightarrow False) \Rightarrow False))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Leftrightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (p \ V1q) \vee (p \ V2r)) \wedge (((p \ V0p) \vee (\neg(p \ V2r)) \vee (\neg(p \ V1q))) \wedge ((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Rightarrow (p \ V2r)) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p)))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p)))) \quad (40)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). ((p\ (ap \\ & (c_2Epred_set_2EFINITE\ A_27a)\ V0s)) \Rightarrow (\forall V1f \in (ty_2Eextreal_2Eextreal^{A_27a}). \\ & (\forall V2f_27 \in (ty_2Eextreal_2Eextreal^{A_27a}). ((ap\ (ap\ (c_2Eextreal_2EEXTREAL_SUM_IMAGE \\ & A_27a)\ (\lambda V3x \in A_27a.(ap\ (ap\ c_2Eextreal_2Eextreal_add\ (ap \\ & V1f\ V3x))\ (ap\ V2f_27\ V3x))))\ V0s) = (ap\ (ap\ c_2Eextreal_2Eextreal_add \\ & (ap\ (ap\ (c_2Eextreal_2EEXTREAL_SUM_IMAGE\ A_27a)\ V1f)\ V0s)) \\ & (ap\ (ap\ (c_2Eextreal_2EEXTREAL_SUM_IMAGE\ A_27a)\ V2f_27)\ V0s)))))) \end{aligned}$$