

# thm\_2Eextreal\_2EEXTREAL\_\_SUM\_\_IMAGE\_\_DISJOINT\_\_UNION (TMNDe6hpx7s4od1pFBhG6GSpYT95Log6CT6)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{1}$$

Let  $c\_2Eextreal\_2Eextreal\_add : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_add \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \tag{2}$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in omega \tag{3}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{4}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{5}$$

**Definition 3** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{6}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \tag{7}$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealx\_2Ereal}) \tag{8}$$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 5** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap c\_2Eextreal\_2E\_of\_num$

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET \\ A\_27a\ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \end{aligned} \quad (9)$$

**Definition 6** We define  $c\_2Eextreal\_2EEEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota. \lambda V0f \in (ty\_2Eextreal\_2E\_of\_num$

**Definition 7** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21\ 2)) (\lambda V0t \in 2.V0t)$ .

**Definition 8** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p\ P \Rightarrow Q)$  of type  $\iota$ .

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21\ 2)) (\lambda V2t \in 2. (ap (c\_2Emin\_2E\_3D\_3D\_3E$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. if (\exists x \in A. p (ap\ P\ x))$  then (the  $(\lambda x. x \in A \wedge p (ap\ P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_2Emin\_2E\_40$

**Definition 12** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 13** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ A0\ A1) \end{aligned} \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (11)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Emin\_2E\_40$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (12)$$

**Definition 15** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c\_2Emin\_2E\_40$

**Definition 16** We define  $c\_2Epred\_set\_2EDISJOINT$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c\_2Emin\_2E\_40$

**Definition 17** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21) 2) (\lambda V2t \in$

**Definition 18** We define `c_2Epred_set_2EINSERT` to be  $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2$

**Definition 19** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E$

**Definition 20** We define `c_2Epred_set_2EEDIFF` to be  $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2$

**Definition 21** We define `c_2Epred_set_2EDELETE` to be  $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1x \in A_27a.(ap (a$

**Definition 22** We define `c_2Epred_set_2EUNION` to be  $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_$

**Definition 23** We define `c_2Epred_set_2EFINITE` to be  $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21) 2$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (19)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (20)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A\_27a}). ((\forall V2x \in A\_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a. (p\ (ap\ V1P\ V3x)) \vee (p\ V0Q)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c.2Ebool\_2ECOND\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c.2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27)))))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. ((ap\ (ap\ (ap\ (c.2Ebool\_2ECOND\ A\_27a)\ c.2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap\ (ap\ (ap\ (c.2Ebool\_2ECOND\ A\_27a)\ c.2Ebool\_2EF)\ V2t1)\ V3t2) = V3t2)))) \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Eextreal\_2Eextreal. (\forall V1y \in ty\_2Eextreal\_2Eextreal. \\
& (\forall V2z \in ty\_2Eextreal\_2Eextreal. ((ap (ap c\_2Eextreal\_2Eextreal\_add \\
V0x) (ap (ap c\_2Eextreal\_2Eextreal\_add V1y) V2z)) = (ap (ap c\_2Eextreal\_2Eextreal\_add \\
& (ap (ap c\_2Eextreal\_2Eextreal\_add V0x) V1y)) V2z)))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in ty\_2Eextreal\_2Eextreal. ((ap (ap c\_2Eextreal\_2Eextreal\_add \\
& (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) V0x) = V0x)) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}). \\
& (((ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE A\_27a) V0f) (c\_2Epred\_set\_2EEMPTY \\
& A\_27a)) = (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) \wedge \\
& (\forall V1e \in A\_27a. (\forall V2s \in (2^{A\_27a}). ((p (ap (c\_2Epred\_set\_2EFINITE \\
& A\_27a) V2s)) \Rightarrow ((ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE A\_27a) \\
& V0f) (ap (ap (c\_2Epred\_set\_2EINSERT A\_27a) V1e) V2s)) = (ap (ap \\
& c\_2Eextreal\_2Eextreal\_add (ap V0f V1e)) (ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE \\
& A\_27a) V0f) (ap (ap (c\_2Epred\_set\_2EDELETE A\_27a) V2s) V1e)))))))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\
V2x) (ap (ap (c\_2Epred\_set\_2EUNION A\_27a) V0s) V1t))) \Leftrightarrow ((p (ap (32) \\
& (ap (c\_2Ebool\_2EIN A\_27a) V2x) V0s)) \vee (p (ap (ap (c\_2Ebool\_2EIN \\
& A\_27a) V2x) V1t))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). ((ap (ap (c\_2Epred\_set\_2EUNION A\_27a) V0s) V1t) = ( \\
& ap (ap (c\_2Epred\_set\_2EUNION A\_27a) V1t) V0s))) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow ((\forall V0s \in (2^{A\_27a}). ((ap ( \\
& ap (c\_2Epred\_set\_2EUNION A\_27a) (c\_2Epred\_set\_2EEMPTY A\_27a)) \\
V0s) = V0s)) \wedge (\forall V1s \in (2^{A\_27a}). ((ap (ap (c\_2Epred\_set\_2EUNION \\
& A\_27a) V1s) (c\_2Epred\_set\_2EEMPTY A\_27a)) = V1s))) \\
& \hspace{15em} (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). ((p (ap \\
& (ap (c\_2Epred\_set\_2EDISJOINT A\_27a) (c\_2Epred\_set\_2EEMPTY \\
A\_27a)) V0s)) \wedge (p (ap (ap (c\_2Epred\_set\_2EDISJOINT A\_27a) V0s) \\
& (c\_2Epred\_set\_2EEMPTY A\_27a)))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1s \in \\
& (2^{A\_27a}). (\forall V2t \in (2^{A\_27a}). ((ap\ (ap\ (c\_2Epred\_set\_2EUNION \\
& A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V0x)\ V1s))\ V2t) = \\
& (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (2^{A\_27a}))\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27a)\ V0x)\ V2t))\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V1s)\ V2t)) \\
& (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION \\
& A\_27a)\ V1s)\ V2t))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1s \in \\
& (2^{A\_27a}). (\forall V2t \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Epred\_set\_2EDISJOINT \\
& A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V0x)\ V1s))\ V2t)) \Leftrightarrow \\
& ((p\ (ap\ (ap\ (c\_2Epred\_set\_2EDISJOINT\ A\_27a)\ V1s)\ V2t)) \wedge (\neg (p\ ( \\
& ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V2t))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1s \in \\
& (2^{A\_27a}). ((\neg (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V1s))) \Leftrightarrow ((ap \\
& (c\_2Epred\_set\_2EDELETE\ A\_27a)\ V1s)\ V0x) = V1s)))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(2^{A\_27a})}). (( \\
& (p\ (ap\ V0P\ (c\_2Epred\_set\_2EEMPTY\ A\_27a))) \wedge (\forall V1s \in (2^{A\_27a}). \\
& ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V1s)) \wedge (p\ (ap\ V0P\ V1s))) \Rightarrow \\
& (\forall V2e \in A\_27a. ((\neg (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2e)\ V1s))) \Rightarrow \\
& (p\ (ap\ V0P\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V2e)\ V1s)))))) \Rightarrow \\
& (\forall V3s \in (2^{A\_27a}). ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a) \\
& V3s)) \Rightarrow (p\ (ap\ V0P\ V3s))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& (2^{A\_27a}). ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION \\
& A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V0s)) \wedge \\
& (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V1t))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{41}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg (p\ V0A)) \Rightarrow False))) \tag{42}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (52)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}). (\forall V1s_{27} \in \\ & (2^{A_{27a}}). (((p (ap (c\_2Epred\_set\_2EFINITE A_{27a}) V0s)) \wedge (p \\ & (ap (c\_2Epred\_set\_2EFINITE A_{27a}) V1s_{27})) \wedge (p (ap (ap (c\_2Epred\_set\_2EDISJOINT \\ & A_{27a}) V0s) V1s_{27})))) \Rightarrow (\forall V2f \in (ty\_2Eextreal\_2Eextreal^{A_{27a}}). \\ & ((ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE A_{27a}) V2f) (ap ( \\ & ap (c\_2Epred\_set\_2EUNION A_{27a}) V0s) V1s_{27})) = (ap (ap c\_2Eextreal\_2Eextreal\_add \\ & (ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE A_{27a}) V2f) V0s)) \\ & (ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE A_{27a}) V2f) V1s_{27})))))) \end{aligned}$$