

# thm\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE\_SING (TMbg7WwscLNCEL4kkXc3tuiGEPYJCgsLeEk)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21))$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{1}$$

Let  $c\_2Eextreal\_2Eextreal\_add : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_add \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \tag{2}$$

**Definition 7** We define  $c\_2Ebool\_2E\_IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 8** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{3}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b}})^{A\_27a}) \quad (4)$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (5)$$

**Definition 11** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2E$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (6)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (7)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (8)$$

**Definition 12** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \quad (9)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealx\_2Ereal}) \quad (11)$$

**Definition 13** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Eextreal\_2Eextreal\_of\_num\ n)$

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b \in (((A\_27b)^{A\_27b})^{(2^{A\_27a})})^{((A\_27b)^{A\_27b})^{A\_27a}} \quad (12)$$

**Definition 14** We define  $c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal\_2Eextreal\_of\_num\ A\_27a)$

**Definition 15** We define `c_2Epred_set_2EEMPTY` to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool\_2EF)$ .

**Definition 16** We define `c_2Epred_set_2EDIFF` to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap (c_2E$

**Definition 17** We define `c_2Epred_set_2EDELETE` to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1x \in A.27a.(ap (a$

**Definition 18** We define `c_2Epred_set_2EFINITE` to be  $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).(ap (c_2Ebool\_2E\_21 (2$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in ty\_2Eextreal\_2Eextreal.((ap (ap c\_2Eextreal\_2Eextreal\_add \\ & V0x) (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) = V0x)) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A.27a}). \\ & (((ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE A.27a) V0f) (c\_2Epred\_set\_2EEMPTY \\ & A.27a)) = (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) \wedge \\ & (\forall V1e \in A.27a.(\forall V2s \in (2^{A.27a}).((p (ap (c\_2Epred\_set\_2EFINITE \\ & A.27a) V2s)) \Rightarrow ((ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE A.27a) \\ & V0f) (ap (ap (c\_2Epred\_set\_2EINSERT A.27a) V1e) V2s)) = (ap (ap \\ & c\_2Eextreal\_2Eextreal\_add (ap V0f V1e)) (ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE \\ & A.27a) V0f) (ap (ap (c\_2Epred\_set\_2EDELETE A.27a) V2s) V1e)))))))))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((ap (ap (c\_2Epred\_set\_2EDELETE A.27a) (c\_2Epred\_set\_2EEMPTY A.27a)) V0x) = (c\_2Epred\_set\_2EEMPTY A.27a))) \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (p (ap (c\_2Epred\_set\_2EFINITE A.27a) (c\_2Epred\_set\_2EEMPTY A.27a))) \quad (19)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A.27a}). \\ & (\forall V1e \in A.27a.((ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE \\ & A.27a) V0f) (ap (ap (c\_2Epred\_set\_2EINSERT A.27a) V1e) (c\_2Epred\_set\_2EEMPTY \\ & A.27a)))) = (ap V0f V1e)))) \end{aligned}$$