

# thm\_2Eextreal\_2EEXTREAL\_\_SUM\_\_IMAGE\_\_THM (TMUJ9dRb5mULPqURWPwpSSjK53fKSiGnCqh)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 3** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \tag{4}$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealx\_2Ereal^{ty\_2Enum\_2Enum}) \tag{5}$$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{6}$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealx\_2Ereal}) \tag{7}$$



Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (13)$$

**Definition 15** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap\ (c\_2E$

**Definition 16** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 17** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2E$

**Definition 18** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1x \in A\_27a. (ap\ (ap$

**Definition 19** We define  $c\_2Epred\_set\_2EREST$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (ap\ (c\_2Epred\_set\_2E$

**Definition 20** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A \wedge$   
of type  $\iota \Rightarrow \iota$ .

**Definition 21** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 22** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). (ap\ (c\_2Ebool\_2E\_21\ (2$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} ((\forall V0t \in 2. ((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (V0x = V0x)) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (21)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (22)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2x \in A_{27a}.(\forall V3x_{27} \in A_{27a}.(\forall V4y \in A_{27a}.(\forall V5y_{27} \in A_{27a}.(((p V0P) \Leftrightarrow (p V1Q)) \wedge ((p V1Q) \Rightarrow (V2x = V3x_{27})) \wedge ((\neg(p V1Q)) \Rightarrow (V4y = V5y_{27})))))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_{27a}) V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_{27a}) V1Q) V3x_{27}) V5y_{27})))))) \quad (23)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow ((\forall V0t1 \in A_{27a}.(\forall V1t2 \in A_{27a}.((ap (ap (ap (c_2Ebool_2ECOND A_{27a}) c_2Ebool_2ET) V0t1) V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{27a}.(\forall V3t2 \in A_{27a}.((ap (ap (c_2Ebool_2ECOND A_{27a}) c_2Ebool_2EF) V2t1) V3t2) = V3t2)))) \quad (24)$$

Assume the following.

$$(\forall V0x \in ty\_2Eextreal\_2Eextreal.(\forall V1y \in ty\_2Eextreal\_2Eextreal.((ap (ap c_2Eextreal\_2Eextreal\_add V0x) V1y) = (ap (ap c_2Eextreal\_2Eextreal\_add V1y) V0x)))) \quad (25)$$

Assume the following.

$$(\forall V0x \in ty\_2Eextreal\_2Eextreal.(\forall V1y \in ty\_2Eextreal\_2Eextreal.(\forall V2z \in ty\_2Eextreal\_2Eextreal.((ap (ap c_2Eextreal\_2Eextreal\_add V0x) (ap (ap c_2Eextreal\_2Eextreal\_add V1y) V2z)) = (ap (ap c_2Eextreal\_2Eextreal\_add (ap (ap c_2Eextreal\_2Eextreal\_add V0x) V1y)) V2z)))))) \quad (26)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (p (ap (c_2Epred\_set_2EFINITE A_{27a}) (c_2Epred\_set_2EEMPTY A_{27a}))) \quad (27)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0s \in (2^{A\_27a}). (\forall V1f \in ((A\_27b^{A\_27b})^{A\_27a}). (\forall V2b \in \\
& \quad \quad A\_27b. ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V0s)) \Rightarrow ((ap\ (ap\ ( \\
& \quad \quad \quad ap\ (c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b)\ V1f)\ V0s)\ V2b) = (ap\ (ap\ ( \\
& \quad \quad \quad \quad ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a}))\ V0s) \\
& \quad \quad \quad \quad (c\_2Epred\_set\_2EEMPTY\ A\_27a)))\ V2b)\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EITSET \\
& \quad \quad \quad \quad \quad A\_27a\ A\_27b)\ V1f)\ (ap\ (c\_2Epred\_set\_2EREST\ A\_27a)\ V0s))\ (ap\ (ap \\
& \quad \quad \quad \quad \quad \quad V1f\ (ap\ (c\_2Epred\_set\_2ECHOICE\ A\_27a)\ V0s))\ V2b))))))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in ((A\_27b^{A\_27b})^{A\_27a}). (\forall V1e \in A\_27a. (\forall V2s \in \\
& \quad \quad (2^{A\_27a}). (\forall V3b \in A\_27b. ((\forall V4x \in A\_27a. (\forall V5y \in \\
& \quad \quad \quad A\_27a. (\forall V6z \in A\_27b. ((ap\ (ap\ V0f\ V4x)\ (ap\ (ap\ V0f\ V5y)\ V6z)) = \\
& \quad \quad \quad (ap\ (ap\ V0f\ V5y)\ (ap\ (ap\ V0f\ V4x)\ V6z)))))) \wedge (p\ (ap\ (c\_2Epred\_set\_2EFINITE \\
& \quad \quad \quad A\_27a)\ V2s))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b) \\
& \quad \quad \quad \quad V0f)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1e)\ V2s))\ V3b) = (ap \\
& \quad \quad \quad (ap\ V0f\ V1e)\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b)\ V0f) \\
& \quad \quad \quad \quad (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27a)\ V2s)\ V1e))\ V3b))))))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (31)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (33)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (34)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (35)
\end{aligned}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V0p))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p))) \Rightarrow (p V0p)) \quad (41)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a. \text{nonempty } A.27a \Rightarrow (\forall V0f \in (ty.2Eextreal.2Eextreal^{A.27a}). \\ & (((ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE A.27a) V0f) (c.2Epred\_set.2EEMPTY \\ & A.27a)) = (ap c.2Eextreal.2Eextreal\_of\_num c.2Enum.2E0)) \wedge \\ & (\forall V1e \in A.27a. (\forall V2s \in (2^{A.27a}). ((p (ap (c.2Epred\_set.2EFINITE \\ & A.27a) V2s)) \Rightarrow ((ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE A.27a) \\ & V0f) (ap (ap (c.2Epred\_set.2EINSERT A.27a) V1e) V2s)) = (ap (ap \\ & c.2Eextreal.2Eextreal\_add (ap V0f V1e)) (ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE \\ & A.27a) V0f) (ap (ap (c.2Epred\_set.2EDELETE A.27a) V2s) V1e)))))))))) \end{aligned}$$