

thm_2Eextreal_2EEXTREAL_SUM_IMAGE_ZERO (TMcf4ZMnBwn6AjwaS2xL9y1Ncmg6RANJDPV)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 4 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Epred_set_2ECARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECARD\ A_27a \in (ty_2Enum_2Enum^{(2^{A_27a})}) \tag{4}$$

Let $ty_2Erealx_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealx_2Ereal \tag{5}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealx_2Ereal^{ty_2Enum_2Enum}) \tag{6}$$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{7}$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealx_2Ereal}) \tag{8}$$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}$

Definition 6 We define $c_2Eextreal_2Eextreal_of_num$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap c_2Eextreal_2Eextreal_of_num$

Let $c_2Eextreal_2Eextreal_mul : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_mul \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})_{ty_2Eextreal_2Eextreal}) \quad (9)$$

Let $c_2Eextreal_2Eextreal_add : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_add \in ((ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal})_{ty_2Eextreal_2Eextreal}) \quad (10)$$

Let $c_2Epred_set_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EITSET \\ A_27a A_27b \in (((A_27b^{A_27b})(2^{A_27a}))^{((A_27b^{A_27b})^{A_27a})}) \end{aligned} \quad (11)$$

Definition 7 We define $c_2Eextreal_2EEEXTREAL_SUM_IMAGE$ to be $\lambda A_27a : \iota. \lambda V0f \in (ty_2Eextreal_2Eextreal_of_num$

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (c_2Emin_2E_3D_3D_3E t1 t2))))$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (c_2Emin_2E_3D_3D_3E t1 t2))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod \\ A0 A1) \end{aligned} \quad (12)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (13)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Emin_2E_3D_3D_3E x y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \end{aligned} \quad (14)$$

Definition 13 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2Emin_2E_3D_3D_3E x s)$

Definition 14 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21) 2) (\lambda V0t \in 2.V0t)$.

Definition 15 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 16 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21) 2)$

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Assume the following.

$$True \tag{15}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{16}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{18}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{19}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \tag{20}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{21}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{22}$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal.((ap (ap c_2Eextreal_2Eextreal_mul V0x) (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0)) = (ap c_2Eextreal_2Eextreal_of_num c_2Enum_2E0))) \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((p\ (ap \\
& (c.2Epred_set.2EFINITE\ A.27a)\ V0P)) \Rightarrow (\forall V1f \in (ty.2Eextreal.2Eextreal^{A.27a}). \\
& (\forall V2x \in ty.2Eextreal.2Eextreal.((\forall V3y \in A.27a.(\\
& (ap\ V1f\ V3y) = V2x)) \Rightarrow ((ap\ (ap\ (c.2Eextreal.2EEXTREAL_SUM_IMAGE \\
& A.27a)\ V1f)\ V0P) = (ap\ (ap\ c.2Eextreal.2Eextreal_mul\ (ap\ c.2Eextreal.2Eextreal_of_num \\
& (ap\ (c.2Epred_set.2ECARD\ A.27a)\ V0P)))\ V2x)))))) \\
& \hspace{15em} (24)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (25)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (26)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (29)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(\\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& (p\ V1q) \Rightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (p\ V1q)) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge ((\\
& \neg(p\ V1q)) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p) \Rightarrow (p\ V1q))) \Rightarrow (p\ V0p))) \quad (32)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p) \Rightarrow (p\ V1q))) \Rightarrow (\neg(p\ V1q)))) \quad (33)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (36)$$

Theorem 1

$$\forall A_{27a}.nonempty \ A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}).((p \ (ap \ (c_2Epred_set_2EFINITE \ A_{27a}) \ V0s)) \Rightarrow ((ap \ (ap \ (c_2Eextreal_2EEXTREAL_SUM_IMAGE \ A_{27a}) \ (\lambda V1x \in A_{27a}.(ap \ c_2Eextreal_2Eextreal_of_num \ c_2Enum_2E0))) \ V0s) = (ap \ c_2Eextreal_2Eextreal_of_num \ c_2Enum_2E0))))))$$