

thm_2Eextreal_2EQ__INFINITE (TMU6GW2RzzH1s1vDECw1Kdfdca4hE1jLg2y)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ecombin_2ES$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.(\lambda V0f \in ((A.27c^{A.27b})^{A.27a}))$

Definition 3 We define $c_2Ecombin_2EC$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.(\lambda V0f \in ((A.27c^{A.27b})^{A.27a}))$

Definition 4 We define c_2Ebool_2E2T to be $(ap (ap (c_2Emin_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A.27a})).(ap (ap (c_2Emin_2E3D (2^{A.27a}))$

Definition 6 We define $c_2Ecombin_2Eo$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0f \in (A.27b^{A.27c}).\lambda V1g$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{1}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{2}$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \tag{3}$$

Let $c_2Eextreal_2Eextreal_ainv : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_ainv \in (ty_2Eextreal_2Eextreal^{ty_2Eextreal_2Eextreal}) \tag{4}$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{5}$$

Let $c_2Ereal_2Ereal_of_num : \iota$ be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (ty_2Erealax_2Ereal^{ty_2Eenum_2Eenum}) \tag{6}$$

Definition 7 We define $c_Eextreal_Eextreal_of_num$ to be $\lambda V0n \in ty_EEnum_EEnum.(ap\ c_Eextreal_Eextreal_of_num\ n)$.
Let $c_EEnum_EZERO_REP : \iota$ be given. Assume the following.

$$c_EEnum_EZERO_REP \in omega \quad (7)$$

Let $c_EEnum_EABS_num : \iota$ be given. Assume the following.

$$c_EEnum_EABS_num \in (ty_EEnum_EEnum^{omega}) \quad (8)$$

Definition 8 We define c_EEnum_E0 to be $(ap\ c_EEnum_EABS_num\ c_EEnum_EZERO_REP)$.

Let $c_Eextreal_Eextreal_le : \iota$ be given. Assume the following.

$$c_Eextreal_Eextreal_le \in ((2^{ty_Eextreal_Eextreal})^{ty_Eextreal_Eextreal}) \quad (9)$$

Definition 9 We define c_Ebool_EF to be $(ap\ (c_Ebool_E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 10 We define $c_Emin_E3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow q\ Q)$ of type ι .

Definition 11 We define c_Ebool_E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_Emin_E3D_3D_3E\ V0t)\ c_Ebool_E21))$

Definition 12 We define $c_Eextreal_Eextreal_lt$ to be $\lambda V0x \in ty_Eextreal_Eextreal.\lambda V1y \in ty_Eextreal_Eextreal$

Let $c_Eextreal_Eextreal_inv : \iota$ be given. Assume the following.

$$c_Eextreal_Eextreal_inv \in (ty_Eextreal_Eextreal^{ty_Eextreal_Eextreal}) \quad (10)$$

Let $c_Eextreal_Eextreal_mul : \iota$ be given. Assume the following.

$$c_Eextreal_Eextreal_mul \in ((ty_Eextreal_Eextreal^{ty_Eextreal_Eextreal})^{ty_Eextreal_Eextreal}) \quad (11)$$

Definition 13 We define $c_Eextreal_Eextreal_div$ to be $\lambda V0x \in ty_Eextreal_Eextreal.\lambda V1y \in ty_Eextreal_Eextreal$

Definition 14 We define $c_Ebool_E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_Ebool_E21\ 2)\ (\lambda V2t \in 2.V2t))))$

Definition 15 We define c_Emin_E40 to be $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 16 We define c_Ebool_E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a})).(ap\ V0P\ (ap\ (c_Emin_E40\ A_27a)))$

Let $ty_Epair_Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_Epair_Eprod\ A0\ A1) \quad (12)$$

Let $c_Epair_EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Epair_EABS_prod\ A_27a\ A_27b \in ((ty_Epair_Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (13)$$

Definition 17 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota)$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}})$$
(14)

Definition 18 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 19 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 20 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2E$

Definition 21 We define $c_2Eextreal_2EQ_set$ to be $(ap (ap (c_2Epred_set_2EUNION ty_2Eextreal_2Eextreal$

Definition 22 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap ($

Definition 23 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 24 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E2ET)$.

Definition 25 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2E$

Definition 26 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E2EF)$.

Definition 27 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).(ap (c_2Ebool_2E_21 2)$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty ty_2Ehreal_2Ehreal$$
(15)

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal_REP_CLASS})$$
(16)

Definition 28 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap (c_2Emin_2E_40 (t$

Let $c_2Erealax_2Etrealm_neg : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_neg \in ((ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal) \\ ty_2Ehreal_2Ehreal)^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)}$$
(17)

Let $c_2Erealax_2Etrealm_eq : \iota$ be given. Assume the following.

$$c_2Erealax_2Etrealm_eq \in ((2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})$$
(18)

Let $c_2Erealax_2Ereal_ABS_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (ty_2Erealax_2Ereal)^{(2^{(ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal)})}$$
(19)

Definition 29 We define $c_2Erealax_2Ereal_ABS$ to be $\lambda V0r \in (ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty$

Definition 30 We define $c_2Erealax_2Ereal_neg$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.(ap\ c_2Erealax_2Ereal$

Assume the following.

$$True \quad (20)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (21)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (24)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \quad (29)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V1P\ V3x))) \vee (p\ V0Q)))))) \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (31)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))) \quad (33)$$

Assume the following.

$$(\forall V0a \in ty_2Erealax_2Ereal. (\forall V1a_27 \in ty_2Erealax_2Ereal. (((ap\ c_2Eextreal_2ENormal\ V0a) = (ap\ c_2Eextreal_2ENormal\ V1a_27)) \Leftrightarrow (V0a = V1a_27)))) \quad (34)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Eextreal_2Eextreal) (ap\ c_2Eextreal_2Eextreal_of_num\ V0n))\ c_2Eextreal_2EQ_set)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Eextreal_2Eextreal) (ap\ c_2Eextreal_2Eextreal_ainv) (ap\ c_2Eextreal_2Eextreal_of_num\ V0n))\ c_2Eextreal_2EQ_set)))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v) (ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27b)\ V0f)) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}). ((\neg(p\ (\\ ap\ (c.2Epred_set_2EFINITE\ A.27a)\ V0s))) \Rightarrow (\forall V1t \in (2^{A.27a}). \\ ((p\ (ap\ (ap\ (c.2Epred_set_2ESUBSET\ A.27a)\ V0s)\ V1t)) \Rightarrow (\neg(p\ (ap\ (\\ (c.2Epred_set_2EFINITE\ A.27a)\ V1t))))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ \forall V0f \in (A.27b^{A.27a}). (\forall V1s \in (2^{A.27a}). (\forall V2t \in \\ (2^{A.27b}). (((p\ (ap\ (ap\ (ap\ (c.2Epred_set_2EINJ\ A.27a\ A.27b)\ V0f) \\ V1s)\ V2t)) \wedge (\neg(p\ (ap\ (c.2Epred_set_2EFINITE\ A.27a)\ V1s)))) \Rightarrow (\\ \neg(p\ (ap\ (c.2Epred_set_2EFINITE\ A.27b)\ V2t)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} (\neg(p\ (ap\ (c.2Epred_set_2EFINITE\ ty.2Enum.2Enum)\ (c.2Epred_set_2EUNIV \\ ty.2Enum.2Enum)))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} (\forall V0n \in ty.2Enum.2Enum. (\forall V1m \in ty.2Enum.2Enum. (\\ (((ap\ c.2Ereal.2Ereal_of_num\ V0n) = (ap\ c.2Ereal.2Ereal_of_num \\ V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c.2Erealax.2Ereal_neg\ (ap\ c.2Ereal.2Ereal_of_num \\ V0n)) = (ap\ c.2Ereal.2Ereal_of_num\ V1m)) \Leftrightarrow ((V0n = c.2Enum.2E0) \wedge \\ (V1m = c.2Enum.2E0))) \wedge (((ap\ c.2Ereal.2Ereal_of_num\ V0n) = \\ (ap\ c.2Erealax.2Ereal_neg\ (ap\ c.2Ereal.2Ereal_of_num\ V1m))) \Leftrightarrow \\ ((V0n = c.2Enum.2E0) \wedge (V1m = c.2Enum.2E0))) \wedge (((ap\ c.2Erealax.2Ereal_neg \\ (ap\ c.2Ereal.2Ereal_of_num\ V0n)) = (ap\ c.2Erealax.2Ereal_neg \\ (ap\ c.2Ereal.2Ereal_of_num\ V1m))) \Leftrightarrow (V0n = V1m)))))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (42)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (43)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (45)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (52)$$

Theorem 1

$$(\neg(p (ap (c_2Epred_set_2EFINITE ty_2Eextreal_2Eextreal) c_2Eextreal_2EQ_set)))$$