thm_2Eextreal_2Eext__suminf__cmul__alt (TMZo63xsJuyjuSMZP3GtNEDgDWhivzA9oSC)

October 26, 2020

Let $ty\_2Eextreal\_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \quad (1)$$

Let $c\_2Eextreal\_2EPosInf : \iota$ be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \quad (2)$$

Let $c\_2Eextreal\_2ENegInf : \iota$ be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal \quad (3)$$

Definition 1 *We define* c_2Emin_2E_40 *to be* $\lambda A.\lambda P \in 2^A.$**if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p$ *of type* $\iota \Rightarrow \iota$.

Definition 2 *We define* c_2Emin_2E_3D *to be* $\lambda A.\lambda x \in A.\lambda y \in A.inj\_\_o\ (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 3 *We define* c_2Ebool_2E_3F *to be* $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ ($c_2Emin_2E_40 A

Definition 4 *We define* c_2Ebool_2ET *to be* $(ap\ (ap\ ($c_2Emin_2E_3D $(2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V$

Definition 5 *We define* c_2Ebool_2E_21 *to be* $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ ($c_2Emin_2E_3D $(2^{A\_27$

Definition 6 *We define* c_2Ecombin_2Eo *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in (A\_27b^{A\_27c}).\lambda V1g$

Let $ty\_2Erealax\_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (4)$$

Let $ty\_2Enum\_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (5)$$

Let $c\_2Ereal\_2Ereal\_\_of\_\_num : \iota$ be given. Assume the following.

$$c\_2Ereal\_2Ereal\_\_of\_\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (6)$$

Let $c\_2Eextreal\_2ENormal : \iota$ be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealax\_2Ereal}) \quad (7)$$

Definition 7 *We define* c_2Eextreal_2Eextreal__of__num *to be* $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Eextreal\_$

Let $c\_2Eextreal\_2Eextreal\_\_le : \iota$ be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \tag{8}$$

Definition 8 *We define* c_2Ebool_2EIN *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

Let $c\_2Eextreal\_2Eextreal\_\_mul : \iota$ be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_\_mul \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \tag{9}$$

Let $c\_2Enum\_2EZERO\_\_REP : \iota$ be given. Assume the following.

$$c\_2Enum\_2EZERO\_\_REP \in omega \tag{10}$$

Let $c\_2Enum\_2EABS\_\_num : \iota$ be given. Assume the following.

$$c\_2Enum\_2EABS\_\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{11}$$

Definition 9 *We define* c_2Enum_2E0 *to be* $(ap\ c\_2Enum\_2EABS\_\_num\ c\_2Enum\_2EZERO\_\_REP)$.

Let $ty\_2Ehreal\_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \tag{12}$$

Let $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{13}$$

Let $c\_2Erealax\_2Ereal\_\_REP\_\_CLASS : \iota$ be given. Assume the following.

$$c\_2Erealax\_2Ereal\_\_REP\_\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax} \tag{14}$$

Definition 10 *We define* c_2Erealax_2Ereal__REP *to be* $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (\mathsf{c\_2Emin\_2E\_40}\ (t$

Let $c\_2Erealax\_2Etreal\_\_lt : \iota$ be given. Assume the following.

$$c\_2Erealax\_2Etreal\_\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Eh} \tag{15}$$

Definition 11 *We define* c_2Erealax_2Ereal__lt *to be* $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_$

Definition 12 *We define* c_2Ebool_2EF *to be* $(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 13 *We define* c_2Emin_2E_3D_3D_3E *to be* $\lambda P \in 2.\lambda Q \in 2.inj\_\_o\ (p\ P \Rightarrow p\ Q)$ *of type* ι.

Definition 14 *We define* c_2Ebool_2E_7E *to be* $(\lambda V0t \in 2.(ap\ (ap\ \mathsf{c\_2Emin\_2E\_3D\_3D\_3E}\ V0t)\ \mathsf{c\_2Ebool\_2E}$

Definition 15 *We define* c_2Ereal_2Ereal__lte *to be* $\lambda V0x \in ty\_2Erealax\_2Ereal.\lambda V1y \in ty\_2Erealax\_2Er$

Definition 16 *We define* c_2Epred__set_2EUNIV *to be* $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Let $c\_2Eextreal\_2Eextreal\_\_add : \iota$ be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_\_add \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (16)$$

Let $c\_2Epred\_\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_\_set\_2EITSET\ A\_27a\ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \quad (17)$$

Definition 17 *We define* c_2Eextreal_2EEXTREAL__SUM__IMAGE *to be* $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal\_2$

Definition 18 *We define* c_2Ebool_2E_2F_5C *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap$ (c_2Ebool_2E_21 2) $(\lambda V2t \in$

Let $c\_2Epair\_2EABS\_\_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})}) \quad (18)$$

Definition 19 *We define* c_2Epair_2E_2C *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2$

Let $c\_2Epred\_\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \quad (19)$$

Definition 20 *We define* c_2Epred__set_2EIMAGE *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

Definition 21 *We define* c_2Ereal_2Esup *to be* $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap$ (c_2Emin_2E_40 ty_2Ereal

Definition 22 *We define* c_2Ebool_2ECOND *to be* $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Definition 23 *We define* c_2Eextreal_2Eextreal__sup *to be* $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}).(ap\ (ap\ (ap$ (c_2E

Let $c\_2Enum\_2EREP\_\_num : \iota$ be given. Assume the following.

$$c\_2Enum\_2EREP\_\_num \in (omega^{ty\_2Enum\_2Enum}) \quad (20)$$

Let $c\_2Enum\_2ESUC\_\_REP : \iota$ be given. Assume the following.

$$c\_2Enum\_2ESUC\_\_REP \in (omega^{omega}) \quad (21)$$

Definition 24 *We define* c_2Enum_2ESUC *to be* $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_\_num$

Definition 25 *We define* c_2Eprim__rec_2E_3C *to be* $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enu$

Definition 26 *We define* c_2Epred__set_2Ecount *to be* $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (c\_2Epred\_\_set\_2EG$

Definition 27 *We define* c_2Eextreal_2Eext__suminf *to be* $\lambda V0f \in (ty\_2Eextreal\_2Eextreal^{ty\_2Enum\_2Enum}$

Definition 28 *We define* c_2Ebool_2E_5C_2F *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V2t \in$

Definition 29 *We define* c_2Epred__set_2EINSERT *to be* $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_$

Definition 30 *We define* c_2Epred__set_2EEMPTY *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.\mathsf{c\_2Ebool\_2EF})$.

Definition 31 *We define* c_2Epred__set_2EFINITE *to be* $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ (2$

Assume the following.

$$True \tag{22}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{23}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \tag{24}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))))) \tag{25}$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{26}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{27}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{28}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge ((((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg (p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p\ V0t))))))) \tag{29}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a.(p\ (ap\ V1P\ V3x))) \vee (p\ V0Q))))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee ((p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.((((p\ V1B) \wedge (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A))))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.((((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))))) \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).((p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ A\_27a)\ V0s)) \Rightarrow (\forall V1f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}).(\forall V2c \in ty\_2Erealax\_2Ereal.(((p\ (ap\ (ap\ \mathsf{c\_2Ereal\_2Ereal\_\_lte}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V2c)) \vee (\forall V3x \in A\_27a.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V3x)\ V0s)) \Rightarrow (p\ (ap\ (ap\ c\_2Eextreal\_2Eextreal\_\_le\ (ap\ \mathsf{c\_2Eextreal\_2Eextreal\_\_of\_\_num}\ \mathsf{c\_2Enum\_2E0}))\ (ap\ V1f\ V3x)))))) \Rightarrow ((ap\ (ap\ (\mathsf{c\_2Eextreal\_2EEXTREAL\_\_SUM\_\_IMAGE}\ A\_27a)\ (\lambda V4x \in A\_27a.(ap\ (ap\ c\_2Eextreal\_2Eextreal\_\_mul\ (ap\ c\_2Eextreal\_2ENormal\ V2c))\ (ap\ V1f\ V4x))))\ V0s) = (ap\ (ap\ c\_2Eextreal\_2Eextreal\_\_mul\ (ap\ c\_2Eextreal\_2ENormal\ V2c))\ (ap\ (ap\ (\mathsf{c\_2Eextreal\_2EEXTREAL\_\_SUM\_\_IMAGE}\ A\_27a)\ V1f)\ V0s)))))))) \quad (35)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{A\_27a}).(\forall V1c \in ty\_2Erealax\_2Ereal.((p\ (ap\ (ap\ \mathsf{c\_2Ereal\_2Ereal\_\_lte}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V1c)) \Rightarrow ((ap\ \mathsf{c\_2Eextreal\_2Eextreal\_\_sup}\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EIMAGE}\ A\_27a\ ty\_2Eextreal\_2Eextreal)\ (\lambda V2n \in A\_27a.(ap\ (ap\ c\_2Eextreal\_2Eextreal\_\_mul\ (ap\ c\_2Eextreal\_2ENormal\ V1c))\ (ap\ V0f\ V2n))))\ (\mathsf{c\_2Epred\_\_set\_2EUNIV}\ A\_27a))) = (ap\ (ap\ c\_2Eextreal\_2Eextreal\_\_mul\ (ap\ c\_2Eextreal\_2ENormal\ V1c))\ (ap\ \mathsf{c\_2Eextreal\_2Eextreal\_\_sup}\ (ap\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EIMAGE}\ A\_27a\ ty\_2Eextreal\_2Eextreal)\ V0f)\ (\mathsf{c\_2Epred\_\_set\_2EUNIV}\ A\_27a)))))))) \quad (36)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p\ (ap\ (\mathsf{c\_2Epred\_\_set\_2EFINITE}\ ty\_2Enum\_2Enum)\ (ap\ \mathsf{c\_2Epred\_\_set\_2Ecount}\ V0n)))) \tag{37}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t)))\Leftrightarrow(p\ V0t))) \tag{38}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A)\Rightarrow((\neg(p\ V0A))\Rightarrow False))) \tag{39}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A)\lor(p\ V1B)))\Rightarrow False)\Leftrightarrow (((p\ V0A)\Rightarrow False)\Rightarrow((\neg(p\ V1B))\Rightarrow False))))) \tag{40}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A))\lor(p\ V1B)))\Rightarrow False)\Leftrightarrow ((p\ V0A)\Rightarrow((\neg(p\ V1B))\Rightarrow False))))) \tag{41}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A))\Rightarrow False)\Rightarrow(((p\ V0A)\Rightarrow False)\Rightarrow False))) \tag{42}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\Leftrightarrow(p\ V2r)))\Leftrightarrow(((p\ V0p)\lor((p\ V1q)\lor(p\ V2r)))\land(((p\ V0p)\lor((\neg(p\ V2r))\lor(\neg(p\ V1q))))\land(((p\ V1q)\lor((\neg(p\ V2r))\lor(\neg(p\ V0p))))\land((p\ V2r)\lor ((\neg(p\ V1q))\lor(\neg(p\ V0p))))))))))) \tag{43}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\land(p\ V2r)))\Leftrightarrow(((p\ V0p)\lor((\neg(p\ V1q))\lor(\neg(p\ V2r))))\land(((p\ V1q)\lor (\neg(p\ V0p)))\land((p\ V2r)\lor(\neg(p\ V0p))))))))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\lor(p\ V2r)))\Leftrightarrow(((p\ V0p)\lor(\neg(p\ V1q)))\land(((p\ V0p)\lor(\neg(p\ V2r)))\land ((p\ V1q)\lor((p\ V2r)\lor(\neg(p\ V0p)))))))))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p)\Leftrightarrow((p\ V1q)\Rightarrow(p\ V2r)))\Leftrightarrow(((p\ V0p)\lor(p\ V1q))\land(((p\ V0p)\lor(\neg(p\ V2r)))\land((\neg(p\ V1q))\lor((p\ V2r)\lor(\neg(p\ V0p)))))))))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p\ V0p)\Leftrightarrow(\neg(p\ V1q)))\Leftrightarrow(((p\ V0p)\vee (p\ V1q))\wedge((\neg(p\ V1q))\vee(\neg(p\ V0p))))))) \tag{47}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\Rightarrow(p\ V1q)))\Rightarrow(p\ V0p)))) \tag{48}$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p\ V0p)\Rightarrow(p\ V1q)))\Rightarrow(\neg(p\ V1q))))) \tag{49}$$

Theorem 1

$$(\forall V0f \in (ty\_2Eextreal\_2Eextreal^{ty\_2Enum\_2Enum}).(\forall V1c \in ty\_2Erealax\_2Ereal.(((p\ (ap\ (ap\ \mathsf{c\_2Ereal\_2Ereal\_\_lte}\ (ap\ c\_2Ereal\_2Ereal\_\_of\_\_num\ \mathsf{c\_2Enum\_2E0}))\ V1c))\wedge((\forall V2n \in ty\_2Enum\_2Enum.(\neg((ap\ V0f\ V2n) = c\_2Eextreal\_2ENegInf)))\vee(\forall V3n \in ty\_2Enum\_2Enum.(\neg((ap\ V0f\ V3n) = c\_2Eextreal\_2EPosInf)))))\Rightarrow((ap\ \mathsf{c\_2Eextreal\_2Eext\_\_suminf}\ (\lambda V4n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Eextreal\_2Eextreal\_\_mul\ (ap\ c\_2Eextreal\_2ENormal\ V1c))\ (ap\ V0f\ V4n)))) = (ap\ (ap\ c\_2Eextreal\_2Eextreal\_\_mul\ (ap\ c\_2Eextreal\_2ENormal\ V1c))\ (ap\ \mathsf{c\_2Eextreal\_2Eext\_\_suminf}\ V0f))))))$$