

thm_2Eextreal_2Eextreal_abs_def (TMZ- Zpk4PLFxunuUF6jKcnjXp37z1KiWMUX2)

October 26, 2020

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{1}$$

Let $c_2Eextreal_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENegInf \in ty_2Eextreal_2Eextreal \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow P \Rightarrow Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 5 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \tag{3}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{4}$$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{5}$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})ty_2Erealax_2Ereal) \tag{6}$$

Definition 6 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 7 We define `c_2Erealax_2Ereal__REP` to be $\lambda V0a \in \text{ty_2Erealax_2Ereal}. (\text{ap } (c_2Emin_2E_40 \text{ (ty_2Erealax_2Ereal_neg } \iota)))$

Let `c_2Erealax_2Ereal__neg` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_neg \in ((\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})^{(\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})}) \quad (7)$$

Let `c_2Erealax_2Ereal__eq` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_eq \in ((2^{(\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})})^{(\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})}) \quad (8)$$

Let `c_2Erealax_2Ereal__ABS__CLASS` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_ABS_CLASS \in (\text{ty_2Erealax_2Ereal})^{(2^{(\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})})} \quad (9)$$

Definition 8 We define `c_2Erealax_2Ereal__ABS` to be $\lambda V0r \in (\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})$

Definition 9 We define `c_2Erealax_2Ereal__neg` to be $\lambda V0T1 \in \text{ty_2Erealax_2Ereal}. (\text{ap } c_2Erealax_2Ereal_neg \ \iota)$

Let `c_2Enum_2EZERO__REP` : ι be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \text{omega} \quad (10)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty ty_2Enum_2Enum} \quad (11)$$

Let `c_2Enum_2EABS__num` : ι be given. Assume the following.

$$c_2Enum_2EABS_num \in (\text{ty_2Enum_2Enum})^{\text{omega}} \quad (12)$$

Definition 10 We define `c_2Enum_2E0` to be $(\text{ap } c_2Enum_2EABS_num \ c_2Enum_2EZERO_REP)$.

Let `c_2Ereal_2Ereal__of__num` : ι be given. Assume the following.

$$c_2Ereal_2Ereal_of_num \in (\text{ty_2Erealax_2Ereal})^{\text{ty_2Enum_2Enum}} \quad (13)$$

Let `c_2Erealax_2Ereal__lt` : ι be given. Assume the following.

$$c_2Erealax_2Ereal_lt \in ((2^{(\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})})^{(\text{ty_2Epair_2Eprod ty_2Ehreal_2Ehreal ty_2Ehreal_2Ehreal})}) \quad (14)$$

Definition 11 We define `c_2Erealax_2Ereal__lt` to be $\lambda V0T1 \in \text{ty_2Erealax_2Ereal}. \lambda V1T2 \in \text{ty_2Erealax_2Ereal}. (\text{ap } c_2Erealax_2Ereal_lt \ (V0T1 \ V1T2))$

Definition 12 We define `c_2Ebool_2EF` to be $(\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V0t \in 2. V0t))$.

Definition 13 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } c_2Emin_2E_3D_3D_3E \ V0t) \ c_2Ebool_2E_21))$

Definition 14 We define $c_2Ereal_2Ereal_lte$ to be $\lambda V0x \in ty_2Erealax_2Ereal.\lambda V1y \in ty_2Erealax_2Ereal.$

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 16 We define c_2Ereal_2Eabs to be $\lambda V0x \in ty_2Erealax_2Ereal.(ap (ap (ap (c_2Ebool_2ECOND$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \quad (15)$$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal \quad (16)$$

Definition 17 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 18 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 19 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A$

Let $c_2Eextreal_2Eextreal_CASE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eextreal_2Eextreal_CASE A_27a \in (((A_27a^{(A_27a^{ty_2Erealax_2Ereal})})^{A_27a})^{A_27a})^{ty_2Eextreal_2Eextreal}) \quad (17)$$

Definition 20 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 21 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2EARB A_27a \in A_27a \quad (18)$$

Definition 22 We define $c_2Erelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1M$

Definition 23 We define $c_2Erelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b$

Definition 24 We define $c_2Erelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 25 We define $c_2Erelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 26 We define $c_2Erelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M$

Definition 27 We define $c_2Eextreal_2Eextreal_abs$ to be $(ap (ap (c_2Erelation_2EWFREC ty_2Eextreal_2E$

Definition 28 We define $c_2Erelation_2EEMPTY_REL$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27a.c_2E$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & ((\forall V0v \in A_27a. (\forall V1v1 \in \\ & A_27a. (\forall V2f \in (A_27a^{ty_2Erealax_2Ereal}). ((ap\ (ap\ (ap\ (\\ & ap\ (c_2Eextreal_2Eextreal_CASE\ A_27a)\ c_2Eextreal_2ENegInf) \\ & V0v)\ V1v1)\ V2f) = V0v)))) \wedge ((\forall V3v \in A_27a. (\forall V4v1 \in A_27a. \\ & (\forall V5f \in (A_27a^{ty_2Erealax_2Ereal}). ((ap\ (ap\ (ap\ (ap\ (c_2Eextreal_2Eextreal_CASE \\ & A_27a)\ c_2Eextreal_2EPosInf)\ V3v)\ V4v1)\ V5f) = V4v1)))) \wedge (\forall V6a \in \\ & ty_2Erealax_2Ereal. (\forall V7v \in A_27a. (\forall V8v1 \in A_27a. \\ & (\forall V9f \in (A_27a^{ty_2Erealax_2Ereal}). ((ap\ (ap\ (ap\ (ap\ (c_2Eextreal_2Eextreal_CASE \\ & A_27a)\ (ap\ c_2Eextreal_2ENormal\ V6a)\ V7v)\ V8v1)\ V9f) = (ap\ V9f\ V6a)))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ (c_2Erelation_2EEMPTY_REL\ A_27a))) \quad (21)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0M \in ((A_27b^{A_27a})^{(A_27b^{A_27a})}). (\forall V1R \in ((2^{A_27a})^{A_27a}). \\ & (\forall V2f \in (A_27b^{A_27a}). ((V2f = (ap\ (ap\ (c_2Erelation_2EWFREC \\ & A_27a\ A_27b)\ V1R)\ V0M)) \Rightarrow ((p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ V1R)) \Rightarrow \\ & (\forall V3x \in A_27a. ((ap\ V2f\ V3x) = (ap\ (ap\ V0M\ (ap\ (ap\ (ap\ (c_2Erelation_2ERESTRICT \\ & A_27a\ A_27b)\ V2f)\ V1R)\ V3x))\ V3x)))))) \end{aligned} \quad (22)$$

Theorem 1

$$\begin{aligned} & (\forall V0x \in ty_2Erealax_2Ereal. (((ap\ c_2Eextreal_2Eextreal_abs \\ & (ap\ c_2Eextreal_2ENormal\ V0x)) = (ap\ c_2Eextreal_2ENormal\ (ap \\ & c_2Ereal_2Eabs\ V0x))) \wedge (((ap\ c_2Eextreal_2Eextreal_abs\ c_2Eextreal_2ENegInf) = \\ & c_2Eextreal_2EPosInf) \wedge ((ap\ c_2Eextreal_2Eextreal_abs\ c_2Eextreal_2EPosInf) = \\ & c_2Eextreal_2EPosInf)))) \end{aligned}$$