

thm\_2Eextreal\_2Einf\_\_const\_\_alt  
(TMaZEsiCeHs8KKcyzRicokwYTn5QEGXrgDk)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_EF$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \tag{1}$$

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \tag{2}$$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t$

Let  $c\_2Eextreal\_2Eextreal\_ainv : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_ainv \in (ty\_2Eextreal\_2Eextreal)^{ty\_2Eextreal\_2Eextreal} \tag{3}$$

**Definition 10** We define  $c\_2Ebool\_2E\_IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (4)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b}})^{A\_27a}) \quad (5)$$

**Definition 11** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ x\ y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (6)$$

**Definition 12** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (A\_27b)$

Let  $ty\_2Erealx\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealx\_2Ereal \quad (7)$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealx\_2Ereal}) \quad (8)$$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal \quad (9)$$

Let  $c\_2Erealx\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealx\_2Ereal}) \quad (10)$$

**Definition 13** We define  $c\_2Erealx\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealx\_2Ereal.(ap\ (c\_2Emin\_2E\_40\ ty\_2Erealx\_2Ereal)\ a)$

Let  $c\_2Erealx\_2Etreal\_lt : \iota$  be given. Assume the following.

$$c\_2Erealx\_2Etreal\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)}) \quad (11)$$

**Definition 14** We define  $c\_2Erealx\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealx\_2Ereal.\lambda V1T2 \in ty\_2Erealx\_2Ereal$

**Definition 15** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealx\_2Ereal}).(ap\ (c\_2Emin\_2E\_40\ ty\_2Erealx\_2Ereal)\ P)$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal \quad (12)$$

**Definition 16** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($   
Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal \quad (13)$$

**Definition 17** We define  $c\_2Eextreal\_2Eextreal\_sup$  to be  $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}). (ap (ap (ap (c\_2E$

**Definition 18** We define  $c\_2Eextreal\_2Eextreal\_inf$  to be  $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}). (ap c\_2Eextreal\_$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (16) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (17) \end{aligned}$$

Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg ( \\ & p V0t)))))) \quad (19) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in \\ & 2. ((\forall V2x \in A\_27a. ((p (ap V0P V2x)) \Rightarrow (p V1Q))) \Leftrightarrow ((\exists V3x \in \\ & A\_27a. (p (ap V0P V3x)) \Rightarrow (p V1Q)))))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow \\ & ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in \\
& 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow \quad (22) \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))
\end{aligned}$$

Assume the following.

$$(\forall V0x \in ty\_2Eextreal\_2Eextreal. (p (ap (ap c\_2Eextreal\_2Eextreal\_le V0x) V0x))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in (2^{ty\_2Eextreal\_2Eextreal}). (\forall V1x \in ty\_2Eextreal\_2Eextreal. \\
& (((ap c\_2Eextreal\_2Eextreal\_inf V0p) = V1x) \Leftrightarrow ((\forall V2y \in ty\_2Eextreal\_2Eextreal. \\
& ((p (ap V0p V2y)) \Rightarrow (p (ap (ap c\_2Eextreal\_2Eextreal\_le V1x) V2y)))))) \wedge \\
& (\forall V3y \in ty\_2Eextreal\_2Eextreal. ((\forall V4z \in ty\_2Eextreal\_2Eextreal. \\
& ((p (ap V0p V4z)) \Rightarrow (p (ap (ap c\_2Eextreal\_2Eextreal\_le V3y) V4z)))))) \Rightarrow \\
& (p (ap (ap c\_2Eextreal\_2Eextreal\_le V3y) V1x)))))) \quad (24)
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& (\forall V0p \in (2^{ty\_2Eextreal\_2Eextreal}). (\forall V1z \in ty\_2Eextreal\_2Eextreal. \\
& (((\exists V2x \in ty\_2Eextreal\_2Eextreal. (p (ap V0p V2x))) \wedge (\forall V3x \in \\
& ty\_2Eextreal\_2Eextreal. ((p (ap V0p V3x)) \Rightarrow (V3x = V1z)))))) \Rightarrow ((ap \\
& c\_2Eextreal\_2Eextreal\_inf V0p) = V1z)))
\end{aligned}$$