

thm_2Eextreal_2Esup__const__alt (TMVpvGLJ- grXhQJbD5VZw3a4PFFtqSrQvnds)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Definition 7 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 8 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_40 A$

Let $ty_2Eextreal_2Eextreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eextreal_2Eextreal \tag{1}$$

Let $c_2Eextreal_2Eextreal_le : \iota$ be given. Assume the following.

$$c_2Eextreal_2Eextreal_le \in ((2^{ty_2Eextreal_2Eextreal})^{ty_2Eextreal_2Eextreal}) \tag{2}$$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Erealax_2Ereal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Erealax_2Ereal \tag{3}$$

Let $c_2Eextreal_2ENormal : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENormal \in (ty_2Eextreal_2Eextreal^{ty_2Erealax_2Ereal}) \tag{4}$$

Let $ty_2Ehreal_2Ehreal : \iota$ be given. Assume the following.

$$nonempty\ ty_2Ehreal_2Ehreal \quad (5)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Erealax_2Ereal_REP_CLASS : \iota$ be given. Assume the following.

$$c_2Erealax_2Ereal_REP_CLASS \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{ty_2Erealax_2Ereal}) \quad (7)$$

Definition 10 We define $c_2Erealax_2Ereal_REP$ to be $\lambda V0a \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal\ a))$

Let $c_2Erealax_2Etreallt : \iota$ be given. Assume the following.

$$c_2Erealax_2Etreallt \in ((2^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal\ ty_2Ehreal_2Ehreal)})^{(ty_2Epair_2Eprod\ ty_2Ehreal_2Ehreal)}) \quad (8)$$

Definition 11 We define $c_2Erealax_2Ereal_lt$ to be $\lambda V0T1 \in ty_2Erealax_2Ereal.\lambda V1T2 \in ty_2Erealax_2Ereal.(ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal\ T1)\ T2)$

Definition 12 We define c_2Ereal_2Esup to be $\lambda V0P \in (2^{ty_2Erealax_2Ereal}).(ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal\ P))$

Let $c_2Eextreal_2ENegInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2ENegInf \in ty_2Eextreal_2Eextreal \quad (9)$$

Definition 13 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal\ t1)\ t2))))$

Let $c_2Eextreal_2EPosInf : \iota$ be given. Assume the following.

$$c_2Eextreal_2EPosInf \in ty_2Eextreal_2Eextreal \quad (10)$$

Definition 14 We define $c_2Eextreal_2Eextreal_sup$ to be $\lambda V0p \in (2^{ty_2Eextreal_2Eextreal}).(ap\ (ap\ (ap\ (c_2Emin_2E40\ ty_2Erealax_2Ereal\ p))\ ty_2Eextreal_2Eextreal)\ ty_2Eextreal_2Eextreal)$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (13) \end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0P \in (2^{A.27a}). (\forall V1Q \in 2. ((\forall V2x \in A.27a. ((p (ap V0P V2x)) \Rightarrow (p V1Q))) \Leftrightarrow ((\exists V3x \in A.27a. (p (ap V0P V3x)) \Rightarrow (p V1Q)))))) \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (18)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (19)$$

Assume the following.

$$(\forall V0x \in ty_2Eextreal_2Eextreal. (p (ap (ap c_2Eextreal_2Eextreal_le V0x) V0x))) \quad (20)$$

Assume the following.

$$(\forall V0p \in (2^{ty_2Eextreal_2Eextreal}). (\forall V1x \in ty_2Eextreal_2Eextreal. (((ap c_2Eextreal_2Eextreal_sup V0p) = V1x) \Leftrightarrow ((\forall V2y \in ty_2Eextreal_2Eextreal. ((p (ap V0p V2y)) \Rightarrow (p (ap (ap c_2Eextreal_2Eextreal_le V2y) V1x)))) \wedge (\forall V3y \in ty_2Eextreal_2Eextreal. ((\forall V4z \in ty_2Eextreal_2Eextreal. ((p (ap V0p V4z)) \Rightarrow (p (ap (ap c_2Eextreal_2Eextreal_le V4z) V3y)))) \Rightarrow (p (ap (ap c_2Eextreal_2Eextreal_le V1x) V3y)))))) \quad (21)$$

Theorem 1

$$(\forall V0p \in (2^{ty_2Eextreal_2Eextreal}). (\forall V1z \in ty_2Eextreal_2Eextreal. (((\exists V2x \in ty_2Eextreal_2Eextreal. (p (ap V0p V2x))) \wedge (\forall V3x \in ty_2Eextreal_2Eextreal. ((p (ap V0p V3x)) \Rightarrow (V3x = V1z)))) \Rightarrow ((ap c_2Eextreal_2Eextreal_sup V0p) = V1z))))$$