

thm\_2Eextreal\_2Esup\_\_sum\_\_mono  
(TMR8QZ63rce41iNRtLF1hTZxoA8KvWRJFmT)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A.27a}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A$

**Definition 4** We define `c_2Ebool_2E_2T` to be  $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V$

**Definition 5** We define `c_2Ecombin_2E_2S` to be  $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. \lambda A. \lambda 27c : \iota. (\lambda V0f \in ((A.27c^{A.27b})^{A.27a}$

**Definition 6** We define `c_2Ecombin_2E_2C` to be  $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. \lambda A. \lambda 27c : \iota. (\lambda V0f \in ((A.27c^{A.27b})^{A.27a}$

**Definition 7** We define `c_2Ecombin_2E_2K` to be  $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. (\lambda V0x \in A.27a. (\lambda V1y \in A.27b. V0x))$

**Definition 8** We define `c_2Ecombin_2E_2I` to be  $\lambda A. \lambda 27a : \iota. (\text{ap (ap (c_2Ecombin_2E_2S } A.27a \text{ (} A.27a^{A.27a} \text{) } A.$

**Definition 9** We define `c_2Ebool_2E_21` to be  $\lambda A. \lambda 27a : \iota. (\lambda V0P \in (2^{A.27a}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A.27a}$

**Definition 10** We define `c_2Ecombin_2E_2Eo` to be  $\lambda A. \lambda 27a : \iota. \lambda A. \lambda 27b : \iota. \lambda A. \lambda 27c : \iota. \lambda V0f \in (A.27b^{A.27c}). \lambda V1$

Let `c_2Enum_2EZERO__REP` :  $\iota$  be given. Assume the following.

$$c_2Enum_2EZERO__REP \in \text{omega} \tag{1}$$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty ty_2Enum_2Enum} \tag{2}$$

Let `c_2Enum_2EABS__num` :  $\iota$  be given. Assume the following.

$$c_2Enum_2EABS__num \in (\text{ty_2Enum_2Enum}^{\text{omega}}) \tag{3}$$

**Definition 11** We define `c_2Enum_2E0` to be  $(\text{ap } c_2Enum_2EABS__num \text{ } c_2Enum_2EZERO__REP).$

Let  $ty\_2Erealax\_2Ereal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Erealax\_2Ereal \quad (4)$$

Let  $c\_2Ereal\_2Ereal\_of\_num : \iota$  be given. Assume the following.

$$c\_2Ereal\_2Ereal\_of\_num \in (ty\_2Erealax\_2Ereal^{ty\_2Enum\_2Enum}) \quad (5)$$

Let  $ty\_2Eextreal\_2Eextreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eextreal\_2Eextreal \quad (6)$$

Let  $c\_2Eextreal\_2ENormal : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENormal \in (ty\_2Eextreal\_2Eextreal^{ty\_2Erealax\_2Ereal}) \quad (7)$$

**Definition 12** We define  $c\_2Eextreal\_2Eextreal\_of\_num$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ c\_2Eextreal\_2Eextreal\_of\_num\ V0n)$

Let  $c\_2Eextreal\_2Eextreal\_add : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_add \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal}) \quad (8)$$

Let  $c\_2Epred\_set\_2EITSET : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EITSET\ A\_27a\ A\_27b \in (((A\_27b^{A\_27b})^{(2^{A\_27a})})^{((A\_27b^{A\_27b})^{A\_27a})}) \quad (9)$$

**Definition 13** We define  $c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE$  to be  $\lambda A\_27a : \iota.\lambda V0f \in (ty\_2Eextreal\_2Eextreal)$

**Definition 14** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 15** We define  $c\_2Emin\_2E3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 16** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.(\lambda V3t \in 2.(ap\ V3t\ V2t))))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (11)$$

**Definition 17** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}})$$
(12)

**Definition 18** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in$

Let  $ty\_2Ehreal\_2Ehreal : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Ehreal\_2Ehreal$$
(13)

Let  $c\_2Erealax\_2Ereal\_REP\_CLASS : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Ereal\_REP\_CLASS \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{ty\_2Erealax\_2Ereal})$$
(14)

**Definition 19** We define  $c\_2Erealax\_2Ereal\_REP$  to be  $\lambda V0a \in ty\_2Erealax\_2Ereal.(ap\ (c\_2Emin\_2E.40\ (t$

Let  $c\_2Erealax\_2Etreall\_lt : \iota$  be given. Assume the following.

$$c\_2Erealax\_2Etreall\_lt \in ((2^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal\ ty\_2Ehreal\_2Ehreal)})^{(ty\_2Epair\_2Eprod\ ty\_2Ehreal\_2Ehreal)})$$
(15)

**Definition 20** We define  $c\_2Erealax\_2Ereal\_lt$  to be  $\lambda V0T1 \in ty\_2Erealax\_2Ereal.\lambda V1T2 \in ty\_2Erealax\_2Ereal$

**Definition 21** We define  $c\_2Ereal\_2Esup$  to be  $\lambda V0P \in (2^{ty\_2Erealax\_2Ereal}).(ap\ (c\_2Emin\_2E.40\ ty\_2Ereal$

Let  $c\_2Eextreal\_2ENegInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2ENegInf \in ty\_2Eextreal\_2Eextreal$$
(16)

**Definition 22** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E.21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 23** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Let  $c\_2Eextreal\_2EPosInf : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2EPosInf \in ty\_2Eextreal\_2Eextreal$$
(17)

Let  $c\_2Eextreal\_2Eextreal\_le : \iota$  be given. Assume the following.

$$c\_2Eextreal\_2Eextreal\_le \in ((2^{ty\_2Eextreal\_2Eextreal})^{ty\_2Eextreal\_2Eextreal})$$
(18)

**Definition 24** We define  $c\_2Eextreal\_2Eextreal\_sup$  to be  $\lambda V0p \in (2^{ty\_2Eextreal\_2Eextreal}).(ap\ (ap\ (ap\ (c\_2E$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum})$$
(19)

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega})$$
(20)

**Definition 25** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 26** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 27** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 28** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 29** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 30** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E$

**Definition 31** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 32** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(ap\ (ap$

**Definition 33** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ 2)$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (22)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (28)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A\_27a}).((\forall V2x \in A\_27a.((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A\_27a.(p (ap V1P V3x))) \vee (p V0Q))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee ((p V1B) \wedge (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))) \quad (36)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27))))) \quad (37)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a.((ap (c.2Ecombin.2EI A.27a) V0x) = V0x)) \quad (38)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow ( \\ & \forall V0f \in (A.27b^{A.27a}).(((ap (ap (c.2Ecombin.2Eo A.27a A.27b \\ & A.27b) (c.2Ecombin.2EI A.27b)) V0f) = V0f) \wedge ((ap (ap (c.2Ecombin.2Eo \\ & A.27a A.27b A.27a) V0f) (c.2Ecombin.2EI A.27a)) = V0f)))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0f \in (ty.2Eextreal.2Eextreal^{A.27a}). \\ & (((ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE A.27a) V0f) (c.2Epred\_set.2EEMPTY \\ & A.27a)) = (ap c.2Eextreal.2Eextreal\_of\_num c.2Enum.2E0)) \wedge \\ & (\forall V1e \in A.27a.(\forall V2s \in (2^{A.27a}).((p (ap (c.2Epred\_set.2EFINITE \\ & A.27a) V2s)) \Rightarrow ((ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE A.27a) \\ & V0f) (ap (ap (c.2Epred\_set.2EINSERT A.27a) V1e) V2s)) = (ap (ap \\ & c.2Eextreal.2Eextreal\_add (ap V0f V1e)) (ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE \\ & A.27a) V0f) (ap (ap (c.2Epred\_set.2EDELETE A.27a) V2s) V1e)))))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0f \in (ty.2Eextreal.2Eextreal^{A.27a}). \\ & (\forall V1s \in (2^{A.27a}).(((p (ap (c.2Epred\_set.2EFINITE A.27a) \\ & V1s)) \wedge (\forall V2x \in A.27a.((p (ap (ap (c.2Ebool.2EIN A.27a) V2x) \\ & V1s)) \Rightarrow (p (ap (ap c.2Eextreal.2Eextreal\_le (ap c.2Eextreal.2Eextreal\_of\_num \\ & c.2Enum.2E0)) (ap V0f V2x)))))) \Rightarrow (p (ap (ap c.2Eextreal.2Eextreal\_le \\ & (ap c.2Eextreal.2Eextreal\_of\_num c.2Enum.2E0)) (ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE \\ & A.27a) V0f) V1s)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).((p (ap \\ & (c.2Epred\_set.2EFINITE A.27a) V0s)) \Rightarrow (\forall V1f \in (ty.2Eextreal.2Eextreal^{A.27a}). \\ & (\forall V2f.27 \in (ty.2Eextreal.2Eextreal^{A.27a}).((\forall V3x \in \\ & A.27a.((p (ap (ap (c.2Ebool.2EIN A.27a) V3x) V0s)) \Rightarrow (p (ap (ap c.2Eextreal.2Eextreal\_le \\ & (ap V1f V3x)) (ap V2f.27 V3x)))))) \Rightarrow (p (ap (ap c.2Eextreal.2Eextreal\_le \\ & (ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE A.27a) V1f) V0s)) \\ & (ap (ap (c.2Eextreal.2EEXTREAL\_SUM\_IMAGE A.27a) V2f.27) V0s)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1k \in \\ & ty.2Eextreal.2Eextreal.((\neg (V0s = (c.2Epred\_set.2EEMPTY A.27a))) \Rightarrow \\ & ((ap c.2Eextreal.2Eextreal\_sup (ap (ap (c.2Epred\_set.2EIMAGE \\ & A.27a ty.2Eextreal.2Eextreal) (\lambda V2x \in A.27a.V1k)) V0s)) = V1k)))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned}
& (\forall V0f \in (ty\_2Eextreal\_2Eextreal^{ty\_2Enum\_2Enum}).(\forall V1g \in \\
& (ty\_2Eextreal\_2Eextreal^{ty\_2Enum\_2Enum}).((\forall V2n \in ty\_2Enum\_2Enum. \\
& (p (ap (ap (c\_2Eextreal\_2Eextreal\_le (ap c\_2Eextreal\_2Eextreal\_of\_num \\
& c\_2Enum\_2E0)) (ap V0f V2n)))))) \wedge ((\forall V3n \in ty\_2Enum\_2Enum. \\
& (p (ap (ap (c\_2Eextreal\_2Eextreal\_le (ap V0f V3n)) (ap V0f (ap c\_2Enum\_2ESUC \\
& V3n)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum.(p (ap (ap (c\_2Eextreal\_2Eextreal\_le \\
& (ap c\_2Eextreal\_2Eextreal\_of\_num c\_2Enum\_2E0)) (ap V1g V4n)))))) \wedge \\
& (\forall V5n \in ty\_2Enum\_2Enum.(p (ap (ap (c\_2Eextreal\_2Eextreal\_le \\
& (ap V1g V5n)) (ap V1g (ap c\_2Enum\_2ESUC V5n))))))))) \Rightarrow ((ap c\_2Eextreal\_2Eextreal\_sup \\
& (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum ty\_2Eextreal\_2Eextreal) \\
& (\lambda V6n \in ty\_2Enum\_2Enum.(ap (ap (c\_2Eextreal\_2Eextreal\_add \\
& (ap V0f V6n)) (ap V1g V6n)))) (c\_2Epred\_set\_2EUNIV ty\_2Enum\_2Enum))) = \\
& (ap (ap (c\_2Eextreal\_2Eextreal\_add (ap c\_2Eextreal\_2Eextreal\_sup \\
& (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum ty\_2Eextreal\_2Eextreal) \\
& V0f) (c\_2Epred\_set\_2EUNIV ty\_2Enum\_2Enum)))) (ap c\_2Eextreal\_2Eextreal\_sup \\
& (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum ty\_2Eextreal\_2Eextreal) \\
& V1g) (c\_2Epred\_set\_2EUNIV ty\_2Enum\_2Enum))))))))) \\
\end{aligned} \tag{44}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\neg((c\_2Epred\_set\_2EUNIV A\_27a) = (c\_2Epred\_set\_2EEMPTY A\_27a))) \tag{45}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\
& A\_27a.(\forall V2s \in (2^{A\_27a}).((p (ap (ap (c\_2Ebool\_2EIN A\_27a) \\
& V0x) (ap (ap (c\_2Epred\_set\_2EINSERT A\_27a) V1y) V2s))) \Leftrightarrow ((V0x = \\
& V1y) \vee (p (ap (ap (c\_2Ebool\_2EIN A\_27a) V0x) V2s)))))) \\
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1s \in \\
& (2^{A\_27a}).((\neg(p (ap (ap (c\_2Ebool\_2EIN A\_27a) V0x) V1s))) \Leftrightarrow ((ap \\
& (ap (c\_2Epred\_set\_2EDELETE A\_27a) V1s) V0x) = V1s)))) \\
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{(2^{A\_27a})}).(( \\
& (p (ap V0P (c\_2Epred\_set\_2EEMPTY A\_27a))) \wedge (\forall V1s \in (2^{A\_27a}). \\
& (((p (ap (c\_2Epred\_set\_2EFINITE A\_27a) V1s)) \wedge (p (ap V0P V1s))) \Rightarrow \\
& (\forall V2e \in A\_27a.((\neg(p (ap (ap (c\_2Ebool\_2EIN A\_27a) V2e) V1s))) \Rightarrow \\
& (p (ap V0P (ap (ap (c\_2Epred\_set\_2EINSERT A\_27a) V2e) V1s)))))) \Rightarrow \\
& (\forall V3s \in (2^{A\_27a}).((p (ap (c\_2Epred\_set\_2EFINITE A\_27a) \\
& V3s)) \Rightarrow (p (ap V0P V3s)))))) \\
\end{aligned} \tag{48}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (49)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (50)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (51)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (52)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p))))))))))))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (58)$$



Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (63)$$

**Theorem 1**

$$\begin{aligned} & (\forall V0f \in ((ty\_2Eextreal\_2Eextreal^{ty\_2Enum\_2Enum})_{ty\_2Enum\_2Enum}). \\ & \quad (\forall V1s \in (2^{ty\_2Enum\_2Enum}).(((p (ap (c\_2Epred\_set\_2EFINITE \\ & \quad ty\_2Enum\_2Enum) V1s)) \wedge ((\forall V2i \in ty\_2Enum\_2Enum.((p (ap \\ & (ap (c\_2Ebool\_2EIN ty\_2Enum\_2Enum) V2i) V1s)) \Rightarrow (\forall V3n \in ty\_2Enum\_2Enum. \\ & (p (ap (ap c\_2Eextreal\_2Eextreal\_le (ap c\_2Eextreal\_2Eextreal\_of\_num \\ & c\_2Enum\_2E0)) (ap (ap V0f V2i) V3n)))))) \wedge (\forall V4i \in ty\_2Enum\_2Enum. \\ & ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Enum\_2Enum) V4i) V1s)) \Rightarrow (\forall V5n \in \\ & ty\_2Enum\_2Enum.(p (ap (ap c\_2Eextreal\_2Eextreal\_le (ap (ap V0f \\ & V4i) V5n)) (ap (ap V0f V4i) (ap c\_2Enum\_2ESUC V5n))))))))) \Rightarrow ((ap \\ & c\_2Eextreal\_2Eextreal\_sup (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum \\ & ty\_2Eextreal\_2Eextreal) (\lambda V6n \in ty\_2Enum\_2Enum.(ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE \\ & ty\_2Enum\_2Enum) (\lambda V7i \in ty\_2Enum\_2Enum.(ap (ap V0f V7i) V6n))) \\ & V1s))) (c\_2Epred\_set\_2EUNIV ty\_2Enum\_2Enum))) = (ap (ap (c\_2Eextreal\_2EEXTREAL\_SUM\_IMAGE \\ & ty\_2Enum\_2Enum) (\lambda V8i \in ty\_2Enum\_2Enum.(ap c\_2Eextreal\_2Eextreal\_sup \\ & (ap (ap (c\_2Epred\_set\_2EIMAGE ty\_2Enum\_2Enum ty\_2Eextreal\_2Eextreal) \\ & (ap V0f V8i)) (c\_2Epred\_set\_2EUNIV ty\_2Enum\_2Enum)))))) V1s)))))) \end{aligned}$$