

thm_2Efcp_2EFCP__APPLY__UPDATE__THM
 (TMUk-
 CyqJz79txvQjcGo7dULCTPDU2qfKMWx)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1t \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 5 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 6 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Definition 9 We define $c_2Ecombin_2EFAIL$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Let $ty_2Ebool_2Eitself : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ebool_2Eitself A0) \quad (1)$$

Let $c_2Ebool_2Ethethe_value : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2Ethethe_value A_27a \in (\\ ty_2Ebool_2Eitself A_27a) \end{aligned} \quad (2)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (3)$$

Let $c_2Efcp_2Edimindex : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Efcp_2Edimindex A_27a \in (\text{ty_2Enum_2Enum}^{(\text{ty_2Ebool_2Eitself } A_27a)}) \quad (4)$$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{(\text{ty_2Enum_2Enum})}) \quad (5)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (\text{ty_2Enum_2Enum}^{\omega}) \quad (7)$$

Definition 10 We define c_2Enum_2ESUC to be $\lambda V0m \in \text{ty_2Enum_2Enum}.(\text{ap } c_2Enum_2EABS_num m)$

Definition 11 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p x) \text{ of type } \iota \Rightarrow \iota)$.

Definition 12 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\text{ap } V0P (\text{ap } (c_2Emin_2E_40 A_27a) P)))$

Definition 13 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in \text{ty_2Enum_2Enum}.(\lambda V1n \in \text{ty_2Enum_2Enum}.(\lambda V2o \in \text{ty_2Enum_2Enum}.(\text{if } (\exists x \in V1n.(\text{ap } (c_2Eprim_rec_2E_3C V1n) x)) \text{ then } (\text{the } (\lambda y.y \in V2o \wedge (\exists x \in V1n.(\text{ap } (c_2Eprim_rec_2E_3C V1n) x) = x)) \text{ of type } \iota \Rightarrow \iota) \text{ else } (\lambda y.y \in V2o) \text{ of type } \iota \Rightarrow \iota)))$

Let $\text{ty_2Efcp_2Efinit_image} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Efcp_2Efinit_image } A0) \quad (8)$$

Definition 14 We define $c_2Ebool_2E_3F_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\text{ap } (\text{ap } c_2Ebool_2E_2F_5C A_27a) P)))$

Definition 15 We define $c_2Efcp_2Efinit_index$ to be $\lambda A_27a : \iota.(\text{ap } (c_2Emin_2E_40 (A_27a^{\text{ty_2Enum_2Enum}})))$

Let $\text{ty_2Efcp_2Ecart} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Efcp_2Ecart } A0 A1) \quad (9)$$

Let $c_2Efcp_2Edest_cart : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Efcp_2Edest_cart A_27a A_27b \in ((A_27a^{(\text{ty_2Efcp_2Efinit_image } A_27b)})^{(\text{ty_2Efcp_2Ecart } A_27a A_27b)}) \quad (10)$$

Definition 16 We define $c_2Efcp_2Efcp_index$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in (\text{ty_2Efcp_2Ecart } A_27a A_27b).(\lambda V1y \in A_27b.(\text{ap } (c_2Efcp_2Efcp_index V0x) y)))$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\text{if } (\exists x \in V1t1.(\text{ap } (c_2Ebool_2ECOND V1t1) x)) \text{ then } (\text{the } (\lambda y.y \in V2t2 \wedge (\exists x \in V1t1.(\text{ap } (c_2Ebool_2ECOND V1t1) x) = x)) \text{ of type } \iota \Rightarrow \iota) \text{ else } (\lambda y.y \in V2t2) \text{ of type } \iota \Rightarrow \iota)))$

Definition 18 We define c_2Efcp_2EFCP to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0g \in (A_27a^{\text{ty_2Enum_2Enum}}).(\text{ap } (c_2Efcp_2EFCP V0g) (c_2Efcp_2Efcp_index A_27a A_27b))))$

Definition 19 We define $c_2Efcp_2E_3A_2B$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0a \in \text{ty_2Enum_2Enum}.(\lambda V1b \in \text{ty_2Enum_2Enum}.(\lambda V2c \in \text{ty_2Enum_2Enum}.(\text{if } (\exists x \in V1b.(\text{ap } (c_2Efcp_2E_3A_2B V1b) x)) \text{ then } (\text{the } (\lambda y.y \in V2c \wedge (\exists x \in V1b.(\text{ap } (c_2Efcp_2E_3A_2B V1b) x) = x)) \text{ of type } \iota \Rightarrow \iota) \text{ else } (\lambda y.y \in V2c) \text{ of type } \iota \Rightarrow \iota))))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (14)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0t1 \in A_27a. (\forall V1t2 \in A_27a. ((ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2ET) V0t1) \\ & V1t2) = V0t1) \wedge ((ap (ap (ap (c_2Ebool_2ECOND A_27a) c_2Ebool_2EF) \\ & V0t1) V1t2) = V1t2))) \end{aligned} \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))) \quad (19)$$

Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow & (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap (ap (ap (c_2Ebool_2ECOND A_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c_2Ebool_2ECOND A_27a) V1Q) V3x_27) \\ & V5y_27))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & ((\forall V0t1 \in A_{27a}.(\forall V1t2 \in \\ A_{27a}.((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{27a})\ c_2Ebool_2ET)\ V0t1) \\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A_{27a}.(\forall V3t2 \in A_{27a}.((ap\ \\ (ap\ (c_2Ebool_2ECOND\ A_{27a})\ c_2Ebool_2EF)\ V2t1)\ V3t2) = V3t2)))) \\ (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ \forall V0x \in A_{27a}.(\forall V1y \in A_{27b}.((ap\ (ap\ (c_2Ecombin_2EFAIL \\ A_{27a}\ A_{27b})\ V0x)\ V1y) = V0x))) \\ (22) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ \forall V0g \in (A_{27a}^{ty_2Enum_2Enum}).(\forall V1i \in ty_2Enum_2Enum. \\ ((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V1i)\ (ap\ (c_2Efcp_2Edimindex\ A_{27b}) \\ (c_2Ebool_2Ethe_value\ A_{27b})))) \Rightarrow ((ap\ (ap\ (c_2Efcp_2Efcp_index \\ A_{27a}\ A_{27b})\ (ap\ (c_2Efcp_2EFCP\ A_{27a}\ A_{27b})\ V0g))\ V1i) = (ap\ V0g \\ V1i)))))) \\ (23) \end{aligned}$$

Theorem 1

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ \forall V0index_20out_20of_20range \in 2.(\forall V1m \in (ty_2Efcp_2Ecart \\ A_{27a}\ A_{27b}).(\forall V2a \in ty_2Enum_2Enum.(\forall V3w \in A_{27a}. \\ (\forall V4b \in ty_2Enum_2Enum.((ap\ (ap\ (c_2Efcp_2Efcp_index \\ A_{27a}\ A_{27b})\ (ap\ (ap\ (c_2Efcp_2E_3A_2B\ A_{27a}\ A_{27b})\ V2a)\ V3w) \\ V1m))\ V4b) = (ap\ (ap\ (c_2Ebool_2ECOND\ A_{27a})\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\ V4b)\ (ap\ (c_2Efcp_2Edimindex\ A_{27b})\ (c_2Ebool_2Ethe_value\ A_{27b})))))) \\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_{27a})\ (ap\ (ap\ (c_2Emin_2E_3D\ ty_2Enum_2Enum) \\ V2a)\ V4b))\ V3w) = (ap\ (ap\ (c_2Efcp_2Efcp_index\ A_{27a}\ A_{27b})\ V1m) \\ V4b)))\ (ap\ (ap\ (ap\ (c_2Ecombin_2EFAIL\ ((A_{27a}^{ty_2Enum_2Enum})^{ty_2Efcp_2Ecart\ A_{27a}\ A_{27b}}) \\ 2)\ (c_2Efcp_2Efcp_index\ A_{27a}\ A_{27b}))\ V0index_20out_20of_20range) \\ (ap\ (ap\ (ap\ (c_2Efcp_2E_3A_2B\ A_{27a}\ A_{27b})\ V2a)\ V3w)\ V1m))\ V4b))))))) \\ (24) \end{aligned}$$