

# thm\_2Efinite\_\_map\_2EDOMSUB\_\_COMMUTES

(TMJA6xKk7ohg25uA7t8VPRZD3aDMvaZZtqq)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 6** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_map\_2Efmap\ A0\ A1) \tag{3}$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP\ A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)) \tag{4}$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

**Definition 9** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)$

**Definition 10** We define  $c\_2Emin\_2E40$  to be  $\lambda A. \lambda P \in 2^A$ .if  $(\exists x \in A. P\ x)$  then  $(\lambda x. x \in A \wedge P\ x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E40\ ty\_2Eone\_2Eone))\ (\lambda V0x \in ty\_2Eone\_2Eone)$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (6)$$

**Definition 12** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $c\_2Efinite\_map\_2Efmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_ABS \\ A\_27a\ A\_27b \in ((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})}) \end{aligned} \quad (7)$$

**Definition 13** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap\ (c\_2Efinite\_map\_2Efmap\_ABS\ A\_27a\ A\_27b)\ V0e)$

**Definition 14** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (V0t\ t1\ t2))))$

**Definition 15** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2ECOND)$ .

**Definition 16** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ A0\ A1) \end{aligned} \quad (8)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})}) \end{aligned} \quad (9)$$

**Definition 17** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (10)$$

**Definition 18** We define  $c\_2\text{Epred\_set\_2EINSERT}$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2$

**Definition 19** We define  $c\_2\text{Epred\_set\_2EUNIV}$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2\text{Ebool\_2ET})$ .

**Definition 20** We define  $c\_2\text{Epred\_set\_2EDIFF}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2$

**Definition 21** We define  $c\_2\text{Epred\_set\_2Ecompl}$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2\text{Epred\_set$

Let  $c\_2\text{Efinite\_map\_2EDRESTRICT} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2\text{Efinite\_map\_2EDRESTRICT} \\ & A\_27a A\_27b \in (((ty\_2\text{Efinite\_map\_2Efm} A\_27a A\_27b)^{(2^{A\_27a})})^{(ty\_2\text{Efinite\_map\_2Efm} A\_27a A\_27b)}) \end{aligned} \quad (11)$$

**Definition 22** We define  $c\_2\text{Efinite\_map\_2Efdomsub}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0fm \in (ty\_2\text{Efinite\_m$

Let  $c\_2\text{Esum\_2EOUtl} : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow c\_2\text{Esum\_2EOUtl} \\ & A\_27a A\_27b \in (A\_27a^{(ty\_2\text{Esum\_2Esum} A\_27a A\_27b)}) \end{aligned} \quad (12)$$

**Definition 23** We define  $c\_2\text{Efinite\_map\_2EFAPPLY}$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2\text{Efinite\_ma$

**Definition 24** We define  $c\_2\text{Epred\_set\_2EDELETE}$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(ap (a$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ & V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}). (\forall V1g \in (A\_27b^{A\_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V0t1)\ V1t2) = V1t2)))))) \quad (22)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. (\forall V5y\_27 \in A\_27a. (((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27)))))))))) \quad (24)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a. (\forall V1t2 \in A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a. (\forall V3t2 \in A\_27a. ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V2t1)\ V3t2) = V3t2)))))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (\forall V1g \in \\
& \quad (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (((ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad \quad A\_27a\ A\_27b)\ V0f) = (ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ V1g))) \wedge \\
& \quad ((ap\ (c\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b)\ V0f) = (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad \quad A\_27a\ A\_27b)\ V1g))) \Leftrightarrow (V0f = V1g)))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0fm \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (\forall V1k \in \\
& \quad A\_27a. ((ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2Efdomsub \\
& \quad \quad A\_27a\ A\_27b)\ V0fm)\ V1k)) = (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27a) \\
& \quad \quad (ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ V0fm))\ V1k))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0fm \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (\forall V1k1 \in \\
& \quad A\_27a. (\forall V2k2 \in A\_27a. ((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad \quad A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2Efdomsub\ A\_27a\ A\_27b)\ V0fm) \\
& \quad \quad V1k1))\ V2k2) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ (ap\ (ap\ (c\_2Emin\_2E\_3D \\
& \quad \quad A\_27a)\ V1k1)\ V2k2))\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b) \\
& \quad \quad (c\_2Efinite\_map\_2EFEMPTY\ A\_27a\ A\_27b))\ V2k2))\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad \quad A\_27a\ A\_27b)\ V0fm)\ V2k2))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& \quad A\_27a. (\forall V2s \in (2^{A\_27a}). ((ap\ (ap\ (c\_2Epred\_set\_2EDELETE \\
& \quad \quad A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27a)\ V2s)\ V0x))\ V1y) = \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EDELETE\ A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EDELETE \\
& \quad \quad A\_27a)\ V2s)\ V1y))\ V0x))))))
\end{aligned} \tag{29}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0fm \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (\forall V1k1 \in \\
& \quad A\_27a. (\forall V2k2 \in A\_27a. ((ap\ (ap\ (c\_2Efinite\_map\_2Efdomsub \\
& \quad \quad A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2Efdomsub\ A\_27a\ A\_27b)\ V0fm) \\
& \quad \quad V1k1))\ V2k2) = (ap\ (ap\ (c\_2Efinite\_map\_2Efdomsub\ A\_27a\ A\_27b) \\
& \quad \quad (ap\ (ap\ (c\_2Efinite\_map\_2Efdomsub\ A\_27a\ A\_27b)\ V0fm)\ V2k2))\ V1k1))))))
\end{aligned}$$