

# thm\_2Efinite\_\_map\_2EDOMSUB\_\_FAPPLY (TMGqBvp63ArEdPzco4TnfUstiHT1sciFpHG)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

**Definition 6** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 7** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

**Definition 8** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2EF$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \tag{3}$$

**Definition 10** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS$   
Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2Efmap A0 A1) \quad (4)$$

Let  $c\_2Efinite\_map\_2Efmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_ABS A\_27a A\_27b \in ((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a}}) \quad (5)$$

**Definition 11** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap (c\_2Efinite\_map\_2E$

**Definition 12** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP A\_27a A\_27b \in (((ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)}) \quad (6)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EOUTL A\_27a A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum A\_27a A\_27b)}) \quad (7)$$

**Definition 13** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EISL A\_27a A\_27b \in (2^{(ty\_2Esum\_2Esum A\_27a A\_27b)}) \quad (8)$$

**Definition 14** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

Let  $c\_2Efinite\_map\_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2EDRESTRICT A\_27a A\_27b \in (((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(2^{A\_27a}}))^{(ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)}) \quad (9)$$

**Definition 15** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2EF)$ .

**Definition 16** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

**Definition 17** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b}})^{A\_27a}) \quad (11)$$

**Definition 18** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \quad (12)$$

**Definition 19** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27a)\ (V0x\ V1s))$

**Definition 20** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 21** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27a)\ (V0s\ V1t))$

**Definition 22** We define  $c\_2Epred\_set\_2Ecompl$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0P))$

**Definition 23** We define  $c\_2Efinite\_map\_2Efdmsub$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0fm \in (ty\_2Efinite\_map\_2Eprod\ A\_27a\ A\_27b)$

**Definition 24** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27a)\ (V0s\ V1t))$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (16)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{18}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\
& A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{20}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{21}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\
& (\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a. \\
& (\forall V5y\_27 \in A\_27a.(((p \ V0P) \Leftrightarrow (p \ V1Q)) \wedge (((p \ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\
& ((\neg(p \ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a \\
& V0P) \ V2x) \ V4y) = (ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ V1Q) \ V3x\_27) \\
& V5y\_27))))))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow ((\forall V0t1 \in A\_27a.(\forall V1t2 \in \\
& A\_27a.((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2ET) \ V0t1) \\
& V1t2) = V0t1))) \wedge (\forall V2t1 \in A\_27a.(\forall V3t2 \in A\_27a.((ap \\
& (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2EF) \ V2t1) \ V3t2) = V3t2))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (\forall V1r \in \\
& \quad (2^{A\_27a}). (((ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ (ap\ (ap \\
& \quad (c\_2Efinite\_map\_2EDRESTRICT\ A\_27a\ A\_27b)\ V0f)\ V1r))) = (ap\ (ap \\
& \quad (c\_2Epred\_set\_2EINTER\ A\_27a)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a \\
& \quad A\_27b)\ V0f))\ V1r)) \wedge (\forall V2x \in A\_27a. ((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad A\_27a\ A\_27b)\ (ap\ (ap\ (c\_2Efinite\_map\_2EDRESTRICT\ A\_27a\ A\_27b) \\
& \quad V0f)\ V1r))\ V2x) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A\_27a)\ (ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad A\_27a\ A\_27b)\ V0f))\ V1r)))\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A\_27a \\
& \quad A\_27b)\ V0f)\ V2x))\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b) \\
& \quad (c\_2Efinite\_map\_2EFEMPTY\ A\_27a\ A\_27b))\ V2x)))))) \\
& \hspace{10em} (24)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg (p\ (ap\ (ap \\
& \quad (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)))))) \\
& \hspace{10em} (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\
& \quad (2^{A\_27a}). (\forall V2x \in A\_27a. ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& \quad V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINTER\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\
& \quad (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad A\_27a)\ V2x)\ V1t)))))) \\
& \hspace{10em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& \quad A\_27a. (\forall V2s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\
& \quad V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& \quad V1y) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V2s)))))) \\
& \hspace{10em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1s \in \\
& \quad (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (ap\ (c\_2Epred\_set\_2Ecompl \\
& \quad A\_27a)\ V1s))) \Leftrightarrow (\neg (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V1s)))))) \\
& \hspace{10em} (28)
\end{aligned}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0fm \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (\forall V1k \in \\
& \quad A\_27a. ((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b)\ (ap\ (ap \\
& \quad (c\_2Efinite\_map\_2Efdomsub\ A\_27a\ A\_27b)\ V0fm)\ V1k))\ V1k) = (ap \\
& \quad (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A\_27a\ A\_27b)\ (c\_2Efinite\_map\_2EFEMPTY \\
& \quad A\_27a\ A\_27b))\ V1k))))
\end{aligned}$$