

thm_2Efinite_map_2EDRESTRICTED_UNION (TMMWF1ZvbvTovGZrTe3EbT5a4z46cfL1MbP)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) P) a))$

Definition 6 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A-27b})^{A-27a})^2}) \tag{3}$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS$
 Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \quad (4)$$

Let $c_2Efinite_map_2Efmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_ABS A_27a A_27b \in ((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a}}) \quad (5)$$

Definition 11 We define $c_2Efinite_map_2EFEMPTY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (ap (c_2Efinite_map_2E$

Let $c_2Efinite_map_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EDRESTRICT A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(2^{A_27a}}))^{(ty_2Efinite_map_2Efmap A_27a A_27b)}) \quad (6)$$

Definition 12 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_REP A_27a A_27b \in (((ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap A_27a A_27b)}) \quad (7)$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EOUTL A_27a A_27b \in (A_27a^{(ty_2Esum_2Esum A_27a A_27b)}) \quad (8)$$

Definition 13 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map$

Let $c_2Efinite_map_2EFUNION : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Efinite_map_2EFUNION A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Efinite_map_2Efmap A_27a A_27b)})^{(ty_2Efin)}) \quad (9)$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EISL A_27a A_27b \in (2^{(ty_2Esum_2Esum A_27a A_27b)}) \quad (10)$$

Definition 14 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map$

Definition 15 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)) \quad (21)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (22)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (26)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A_27a.(\forall V3x_27 \in A_27a.(\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p V1Q)) \Rightarrow (V4y = V5y_27)))) \Rightarrow ((ap (ap (ap (c.2Ebool_2ECOND A_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c.2Ebool_2ECOND A_27a) V1Q) V3x_27) \\ & V5y_27)))))) \quad (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow ((\forall V0t1 \in A_27a.(\forall V1t2 \in \\ & A_27a.((ap (ap (ap (c.2Ebool_2ECOND A_27a) c.2Ebool_2ET) V0t1) \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A_27a.(\forall V3t2 \in A_27a.((ap \\ & (ap (ap (c.2Ebool_2ECOND A_27a) c.2Ebool_2EF) V2t1) V3t2) = V3t2)))) \quad (28) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(((ap\ (c.2Efinite_map_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f) = (ap\ (c.2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V1g)) \wedge \\
& \quad (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ (ap\ (\\
& \quad c.2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V0f)))) \Rightarrow ((ap\ (ap\ (c.2Efinite_map_2EFAPPLY \\
& \quad A.27a\ A.27b)\ V0f)\ V2x) = (ap\ (ap\ (c.2Efinite_map_2EFAPPLY\ A.27a \\
& \quad A.27b)\ V1g)\ V2x)))))) \Leftrightarrow (V0f = V1g))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1r \in \\
& \quad (2^{A.27a}).(((ap\ (c.2Efinite_map_2EFDOM\ A.27a\ A.27b)\ (ap\ (ap \\
& \quad (c.2Efinite_map_2EDRESTRICT\ A.27a\ A.27b)\ V0f)\ V1r)) = (ap\ (ap \\
& \quad (c.2Epred_set_2EINTER\ A.27a)\ (ap\ (c.2Efinite_map_2EFDOM\ A.27a \\
& \quad A.27b)\ V0f))\ V1r)) \wedge (\forall V2x \in A.27a.((ap\ (ap\ (c.2Efinite_map_2EFAPPLY \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite_map_2EDRESTRICT\ A.27a\ A.27b) \\
& \quad V0f)\ V1r))\ V2x) = (ap\ (ap\ (ap\ (c.2Ebool_2ECOND\ A.27b)\ (ap\ (ap\ (c.2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ (ap\ (ap\ (c.2Epred_set_2EINTER\ A.27a)\ (ap\ (c.2Efinite_map_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f))\ V1r)))\ (ap\ (ap\ (c.2Efinite_map_2EFAPPLY\ A.27a \\
& \quad A.27b)\ V0f)\ V2x))\ (ap\ (ap\ (c.2Efinite_map_2EFAPPLY\ A.27a\ A.27b) \\
& \quad (c.2Efinite_map_2EFEMPTY\ A.27a\ A.27b))\ V2x))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2E fmap\ A.27a\ A.27b).(((ap\ (c.2Efinite_map_2EFDOM \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite_map_2EFUNION\ A.27a\ A.27b)\ V0f) \\
& \quad V1g)) = (ap\ (ap\ (c.2Epred_set_2EUNION\ A.27a)\ (ap\ (c.2Efinite_map_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f))\ (ap\ (c.2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V1g))) \wedge \\
& \quad (\forall V2x \in A.27a.((ap\ (ap\ (c.2Efinite_map_2EFAPPLY\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c.2Efinite_map_2EFUNION\ A.27a\ A.27b)\ V0f)\ V1g)) \\
& \quad V2x) = (ap\ (ap\ (ap\ (c.2Ebool_2ECOND\ A.27b)\ (ap\ (ap\ (c.2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ (ap\ (c.2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V0f)))\ (ap \\
& \quad (ap\ (c.2Efinite_map_2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V2x))\ (ap\ (ap\ (\\
& \quad c.2Efinite_map_2EFAPPLY\ A.27a\ A.27b)\ V1g)\ V2x))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c.2Ebool_2EIN\ A.27a)\ V2x)\ V1t))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (\\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t)))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (\\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t)))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ (2^{A_27a}). (\forall V2x \in A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a) \\ V2x)\ (ap\ (ap\ (c_2Epred_set_2EDIFF\ A_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (\\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \wedge (\neg(p\ (ap\ (ap\ (c_2Ebool_2EIN \\ A_27a)\ V2x)\ V1t)))))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (40)$$

Assume the following.

$$\begin{aligned} (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg(\\ p\ V2r)) \vee (\neg(p\ V1q))) \wedge ((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{45}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& \forall V0f1 \in (ty_2Efinite_map_2Efmap A.27a A.27b). (\forall V1f2 \in \\
& (ty_2Efinite_map_2Efmap A.27a A.27b). (\forall V2s \in (2^{A.27a}). \\
& ((ap (ap (c_2Efinite_map_2EDRESTRICT A.27a A.27b) (ap (ap (c_2Efinite_map_2EFUNION \\
& A.27a A.27b) V0f1) V1f2)) V2s) = (ap (ap (c_2Efinite_map_2EFUNION \\
& A.27a A.27b) (ap (ap (c_2Efinite_map_2EDRESTRICT A.27a A.27b) \\
& V0f1) V2s)) (ap (ap (c_2Efinite_map_2EDRESTRICT A.27a A.27b) \\
& V1f2) (ap (ap (c_2Epred_set_2EDIFF A.27a) V2s) (ap (c_2Efinite_map_2EFDOM \\
& A.27a A.27b) V0f1)))))))))
\end{aligned}$$