

thm\_2Efinite\_\_map\_2EDRESTRICT\_\_EQ\_\_DRESTRICT  
(TM-  
SXE7sZe1GMknR5uo7Kp5wCba3mCNd71J9)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_map\_2Efmap\ A0\ A1) \tag{3}$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP\ A\_27a\ A\_27b \in (((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)) \tag{4}$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \tag{5}$$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 4** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E)$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

**Definition 5** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E)$

**Definition 6** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap\ V1f\ V0x)))$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o\ (p\ P \Rightarrow p\ Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2))))$

**Definition 9** We define  $c\_2Efinite\_map\_2ESUBMAP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2E)$

**Definition 10** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone))$

**Definition 12** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2. V0t))$ .

**Definition 13** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_21))$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (7)$$

**Definition 14** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\_sum\ V0e))$

Let  $c\_2Efinite\_map\_2Efmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_ABS \\ A\_27a\ A\_27b \in ((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})}) \end{aligned} \quad (8)$$

**Definition 15** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap\ (c\_2Efinite\_map\_2Efmap\_ABS\ V0f))$

Let  $c\_2Efinite\_map\_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2EDRESTRICT \\ A\_27a\ A\_27b \in (((ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)^{(2^{A\_27a})})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)}) \end{aligned} \quad (9)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (11)$$

**Definition 16** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \quad (12)$$

**Definition 17** We define  $c\_2Epred\_set\_2EINTER$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27a)\ V0s\ V1t)$

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap\ (c\_2Ebool\_2E\_21\ 2)\ V0t1\ V2t2))))$

**Definition 19** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ V0t1\ V1t2)))$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (16)$$

Assume the following.

$$((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (17)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ & p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee ( \\ & (p\ V1B) \wedge (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V1B) \wedge \\ & (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in (A\_27b^{A\_27a}).(\forall V1b \in 2.(\forall V2x \in A\_27a. \\ & \quad (\forall V3y \in A\_27a.((ap\ V0f\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & \quad V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V1b)\ (ap\ V0f \\ & \quad V2x))\ (ap\ V0f\ V3y)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & \quad (\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a. \\ & \quad (\forall V5y\_27 \in A\_27a.(((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & \quad ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & \quad V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\ & \quad V5y\_27)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & ((\forall V0t1 \in A.27a.(\forall V1t2 \in \\ A.27a.((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1) \\ V1t2) = V0t1))) \wedge & (\forall V2t1 \in A.27a.(\forall V3t2 \in A.27a.((ap \\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF)\ V2t1)\ V3t2) = V3t2)))) & \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0f \in (ty.2Efinite\_map.2E fmap\ A.27a\ A.27b). & (\forall V1g \in \\ (ty.2Efinite\_map.2E fmap\ A.27a\ A.27b). & (((ap\ (c.2Efinite\_map.2EFDOM \\ A.27a\ A.27b)\ V0f) = (ap\ (c.2Efinite\_map.2EFDOM\ A.27a\ A.27b)\ V1g)) \wedge \\ (\forall V2x \in A.27a. & ((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ (ap\ ( \\ c.2Efinite\_map.2EFDOM\ A.27a\ A.27b)\ V0f))) \Rightarrow & ((ap\ (ap\ (c.2Efinite\_map.2EFAPPLY \\ A.27a\ A.27b)\ V0f)\ V2x) = (ap\ (ap\ (c.2Efinite\_map.2EFAPPLY\ A.27a \\ A.27b)\ V1g)\ V2x)))))) & \Leftrightarrow (V0f = V1g)) & \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0f \in (ty.2Efinite\_map.2E fmap\ A.27a\ A.27b). & (\forall V1r \in \\ (2^{A.27a}). & (((ap\ (c.2Efinite\_map.2EFDOM\ A.27a\ A.27b)\ (ap\ (ap \\ (c.2Efinite\_map.2EDRESTRICT\ A.27a\ A.27b)\ V0f)\ V1r)) = (ap\ (ap \\ (c.2Epred\_set.2EINTER\ A.27a)\ (ap\ (c.2Efinite\_map.2EFDOM\ A.27a \\ A.27b)\ V0f))\ V1r)) \wedge & (\forall V2x \in A.27a.((ap\ (ap\ (c.2Efinite\_map.2EFAPPLY \\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite\_map.2EDRESTRICT\ A.27a\ A.27b) \\ V0f)\ V1r))\ V2x) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27b)\ (ap\ (ap\ (c.2Ebool.2EIN \\ A.27a)\ V2x)\ (ap\ (ap\ (c.2Epred\_set.2EINTER\ A.27a)\ (ap\ (c.2Efinite\_map.2EFDOM \\ A.27a\ A.27b)\ V0f))\ V1r)))\ (ap\ (ap\ (c.2Efinite\_map.2EFAPPLY\ A.27a \\ A.27b)\ V0f)\ V2x))\ (ap\ (ap\ (c.2Efinite\_map.2EFAPPLY\ A.27a\ A.27b) \\ (c.2Efinite\_map.2EFEMPTY\ A.27a\ A.27b))\ V2x)))))) & \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\ (2^{A.27a}). & ((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN \\ A.27a)\ V2x)\ V0s)) \Leftrightarrow & (p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V1t)))))) & \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\ (2^{A.27a}). & (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ V2x)\ (ap\ (c.2Epred\_set.2EINTER\ A.27a)\ V0s)\ V1t))) \Leftrightarrow & ((p\ (ap \\ (ap\ (c.2Ebool.2EIN\ A.27a)\ V2x)\ V0s)) \wedge & (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ A.27a)\ V2x)\ V1t)))))) & \end{aligned} \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2.((p \vee 0A) \Rightarrow ((\neg(p \vee 0A)) \Rightarrow \text{False}))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \vee 0A) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \vee 0A)) \vee (p \vee 1B))) \Rightarrow \text{False}) \Leftrightarrow ((p \vee 0A) \Rightarrow ((\neg(p \vee 1B)) \Rightarrow \text{False})))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \vee 0A)) \Rightarrow \text{False}) \Rightarrow (((p \vee 0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Leftrightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((p \vee 1q) \vee (p \vee 2r))) \wedge (((p \vee 0p) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 1q)))) \wedge (((p \vee 1q) \vee ((\neg(p \vee 2r)) \vee (\neg(p \vee 0p)))) \wedge ((p \vee 2r) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \wedge (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee ((\neg(p \vee 1q)) \vee (\neg(p \vee 2r)))) \wedge (((p \vee 1q) \vee (\neg(p \vee 0p))) \wedge ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \vee (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (\neg(p \vee 1q))) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((p \vee 1q) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \vee 0p) \Leftrightarrow (p \vee 1q) \Rightarrow (p \vee 2r))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge (((p \vee 0p) \vee (\neg(p \vee 2r))) \wedge ((\neg(p \vee 1q)) \vee ((p \vee 2r) \vee (\neg(p \vee 0p)))))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \vee 0p) \Leftrightarrow (\neg(p \vee 1q))) \Leftrightarrow (((p \vee 0p) \vee (p \vee 1q)) \wedge ((\neg(p \vee 1q)) \vee (\neg(p \vee 0p)))))) \quad (41)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (\forall V3s \in \\
& 2. (((p \ V0p) \Leftrightarrow (p \ (ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ 2) \ V1q) \ V2r) \ V3s))) \Leftrightarrow \\
& (((p \ V0p) \vee ((p \ V1q) \vee (\neg(p \ V3s)))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge \\
& (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V3s)))) \wedge (((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))) \wedge \\
& ((p \ V1q) \vee ((p \ V3s) \vee (\neg(p \ V0p)))))))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p)))) \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{44}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{45}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{46}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{47}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow ( \\
& \forall V0f1 \in (ty\_2Efinite\_map\_2Efmap \ A\_27a \ A\_27b). (\forall V1f2 \in \\
& (ty\_2Efinite\_map\_2Efmap \ A\_27a \ A\_27b). (\forall V2s1 \in (2^{A\_27a}). \\
& (\forall V3s2 \in (2^{A\_27a}). (((ap \ (ap \ (c\_2Efinite\_map\_2EDRESTRICT \\
& A\_27a \ A\_27b) \ V0f1) \ V2s1) = (ap \ (ap \ (c\_2Efinite\_map\_2EDRESTRICT \\
& A\_27a \ A\_27b) \ V1f2) \ V3s2)) \Leftrightarrow ((p \ (ap \ (ap \ (c\_2Efinite\_map\_2ESUBMAP \\
& A\_27a \ A\_27b) \ (ap \ (ap \ (c\_2Efinite\_map\_2EDRESTRICT \ A\_27a \ A\_27b) \\
& V0f1) \ V2s1)) \ V1f2)) \wedge ((p \ (ap \ (ap \ (c\_2Efinite\_map\_2ESUBMAP \ A\_27a \\
& A\_27b) \ (ap \ (ap \ (c\_2Efinite\_map\_2EDRESTRICT \ A\_27a \ A\_27b) \ V1f2) \\
& V3s2)) \ V0f1)) \wedge ((ap \ (ap \ (c\_2Epred\_set\_2EINTER \ A\_27a) \ V2s1) \ (ap \\
& (c\_2Efinite\_map\_2EFDOM \ A\_27a \ A\_27b) \ V0f1)) = (ap \ (ap \ (c\_2Epred\_set\_2EINTER \\
& A\_27a) \ V3s2) \ (ap \ (c\_2Efinite\_map\_2EFDOM \ A\_27a \ A\_27b) \ V1f2)))))))))
\end{aligned}$$