

thm\_2Efinite\_map\_2EFDOM\_EQ\_FDOM\_FUPDATE  
 (TMUwdmsQFNCKCNsd-  
 tyX2DmRV3vPgMLRgbiq)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \tag{1}$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.\lambda a.nonempty A \Rightarrow \forall A.\lambda b.nonempty A \Rightarrow c\_2Epair\_2EABS\_prod A a A b \in ((ty\_2Epair\_2Eprod A a A b)^{(2^{A-27b})^{A-27a}}) \tag{2}$$

**Definition 8** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A.\lambda a : \iota.\lambda A.\lambda b : \iota.\lambda V0x \in A.\lambda V1y \in A.\lambda V2z \in A.(ap (c\_2Ebool\_2E\_2F\_5C$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Efinite\_map\_2Efmap\ A0\ A1) \quad (3)$$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c\_2Efinite\_map\_2EFUPDATE\ A_{27a}\ A_{27b} \in (((ty\_2Efinite\_map\_2Efmap\ A_{27a}\ A_{27b})^{(ty\_2Epair\_2Eprod\ A_{27a}\ A_{27b})})^{(ty\_2Efinite\_map\_2EFUPDATE\ A_{27a}\ A_{27b})}) \quad (4)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (5)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (6)$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c\_2Efinite\_map\_2Efmap\_REP\ A_{27a}\ A_{27b} \in (((ty\_2Esum\_2Esum\ A_{27b}\ ty\_2Eone\_2Eone)^{A_{27a}})^{(ty\_2Efinite\_map\_2Efmap\ A_{27a}\ A_{27b})}) \quad (7)$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c\_2Esum\_2EISL\ A_{27a}\ A_{27b} \in (2^{(ty\_2Esum\_2Esum\ A_{27a}\ A_{27b})}) \quad (8)$$

**Definition 9** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A_{27a} : \iota. \lambda A_{27b} : \iota. \lambda V0f \in (ty\_2Efinite\_map\_2EFDOM\ A_{27a}\ A_{27b}\ V0f)$

**Definition 10** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E5C\_2F\ V0t1\ V1t2\ V2t))))$

**Definition 11** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A_{27a} : \iota. (\lambda V0x \in A_{27a}. (\lambda V1f \in (2^{A_{27a}}). (ap\ V1f\ V0x)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c\_2Epred\_set\_2EGSPEC\ A_{27a}\ A_{27b} \in ((2^{A_{27a}})^{(ty\_2Epair\_2Eprod\ A_{27a}\ 2)^{A_{27b}}}) \quad (9)$$

**Definition 12** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A_{27a} : \iota. \lambda V0x \in A_{27a}. \lambda V1s \in (2^{A_{27a}}). (ap\ (c\_2Epred\_set\_2EINSERT\ V0x\ V1s))$

Assume the following.

$$True \quad (10)$$

Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_{27a}. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (16)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (17)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \Rightarrow (p V1t2)) \wedge ((p V1t2) \Rightarrow (p V0t1)))))) \quad (18)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x.27 \in 2. (\forall V2y \in 2. (\forall V3y.27 \in 2. (((p V0x) \Leftrightarrow (p V1x.27)) \wedge ((p V1x.27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y.27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x.27) \Rightarrow (p V3y.27)))))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0f \in (ty\_2Efinite\_map\_2E fmap A.27a A.27b). (\forall V1a \in A.27a. (\forall V2b \in A.27b. ((ap (c\_2Efinite\_map\_2EFDOM A.27a A.27b) (ap (ap (c\_2Efinite\_map\_2EFUPDATE A.27a A.27b) V0f) (ap (ap (c\_2Epair\_2E\_2C A.27a A.27b) V1a) V2b))) = (ap (ap (c\_2Epred\_set\_2EINSERT A.27a) V1a) (ap (c\_2Efinite\_map\_2EFDOM A.27a A.27b) V0f)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1t \in \\ & (2^{A\_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN \\ & A\_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) V2x) V1t))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ & A\_27a. (\forall V2s \in (2^{A\_27a}). ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) \\ & V0x) (ap (ap (c\_2Epred\_set\_2EINSERT\ A\_27a) V1y) V2s))) \Leftrightarrow ((V0x = \\ & V1y) \vee (p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) V0x) V2s))))))) \end{aligned} \quad (22)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b). (\forall V1x \in \\ & A\_27a. ((p (ap (ap (c\_2Ebool\_2EIN\ A\_27a) V1x) (ap (c\_2Efinite\_map\_2EFDOM \\ & A\_27a\ A\_27b) V0f))) \Rightarrow (\forall V2y \in A\_27b. ((ap (c\_2Efinite\_map\_2EFDOM \\ & A\_27a\ A\_27b) (ap (ap (c\_2Efinite\_map\_2EFUPDATE\ A\_27a\ A\_27b) V0f) \\ & (ap (ap (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b) V1x) V2y))) = (ap (c\_2Efinite\_map\_2EFDOM \\ & A\_27a\ A\_27b) V0f)))))) \end{aligned}$$