

thm_2Efinite__map_2EFDOM__FUPDATE (TMHJ8D2F4zbiAYgaqR3UXj9xf22YXB75RPP)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_40` to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ **then** $(the (\lambda x.x \in A \wedge p (ap P x)))$ of type $\iota \Rightarrow \iota$.

Definition 6 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))$

Let `ty_2Eone_2Eone` : ι be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 7 We define `c_2Eone_2Eone` to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 8 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let `c_2Esum_2EABS__sum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 10 We define c_Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_Esum_2EABS$

Definition 11 We define c_Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 12 We define $c_Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_Emin_2E_3D_3D_3E V0t) c_Ebool_2E$

Definition 13 We define c_Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_Esum_2EABS$

Definition 14 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_Ebool_2E_21 2) (\lambda V2t \in$

Definition 15 We define $c_Efinite_map_2Eis_fmap$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0a0 \in ((ty_2Esum_2E$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Efinite_map_2Efmap A0 A1) \quad (4)$$

Let $c_2Efinite_map_2Efmap_ABS : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_ABS A_27a A_27b \in ((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a}}) \quad (5)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (6)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (7)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2$

Let $c_2Efinite_map_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Efinite_map_2EFUPDATE A_27a A_27b \in (((ty_2Efinite_map_2Efmap A_27a A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)})^{(ty_2Efinite_map$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Efinite_map_2Efmap_REP A_27a A_27b \in (((ty_2Esum_2Esum A_27b ty_2Eone_2Eone)^{A_27a})^{(ty_2Efinite_map_2Efmap A_27a A_27b)}) \quad (9)$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Esum_2EISL A_27a A_27b \in (2^{(ty_2Esum_2Esum A_27a A_27b)}) \quad (10)$$

Definition 17 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map$

Definition 18 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (11)$$

Definition 19 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2E$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. ((p\ V0t) \vee \neg(p\ V0t))) \quad (15)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge ((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (18)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ p\ V0t)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in A_27a. (\forall V1t2 \in \\ & A_27a. (((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ c_2Ebool_2EF \\ & V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in \\ & 2. (((p\ V0x) \Rightarrow (p\ V1y)) \wedge ((p\ V2z) \Rightarrow (p\ V3w))) \Rightarrow (((p\ V0x) \wedge (p\ V2z)) \Rightarrow \\ & ((p\ V1y) \wedge (p\ V3w))))))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1y \in 2. (\forall V2z \in 2. (\forall V3w \in \\ & 2. (((p\ V0x) \Rightarrow (p\ V1y)) \wedge ((p\ V2z) \Rightarrow (p\ V3w))) \Rightarrow (((p\ V0x) \vee (p\ V2z)) \Rightarrow \\ & ((p\ V1y) \vee (p\ V3w))))))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in \\ & (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ (ap\ V1Q\ V2x)))))) \Rightarrow \\ & ((\exists V3x \in A_27a. (p\ (ap\ V0P\ V3x))) \Rightarrow (\exists V4x \in A_27a. (p\ (\\ & ap\ V1Q\ V4x)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & (\forall V0a \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b). ((ap\ (c_2Efinite_map_2E fmap_ABS \\ & A_27a\ A_27b)\ (ap\ (c_2Efinite_map_2E fmap_REP\ A_27a\ A_27b)\ V0a)) = \\ & V0a)) \wedge (\forall V1r \in ((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a}). \\ & ((p\ (ap\ (c_2Efinite_map_2Eis_fmap\ A_27a\ A_27b)\ V1r)) \Leftrightarrow ((ap\ (\\ & c_2Efinite_map_2E fmap_REP\ A_27a\ A_27b)\ (ap\ (c_2Efinite_map_2E fmap_ABS \\ & A_27a\ A_27b)\ V1r))) = V1r)))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in (ty_2Efinite_map_2E fmap\ A_27a\ A_27b). (\forall V1x \in \\ & A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Efinite_map_2EFUPDATE \\ & A_27a\ A_27b)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y)) = \\ & (ap\ (c_2Efinite_map_2E fmap_ABS\ A_27a\ A_27b)\ (\lambda V3a \in A_27a. \\ & (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ (ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)) \\ & (ap\ (ap\ (c_2Emin_2E_3D\ A_27a)\ V3a)\ V1x))\ (ap\ (c_2Esum_2EINL\ A_27b \\ & ty_2Eone_2Eone)\ V2y))\ (ap\ (ap\ (c_2Efinite_map_2E fmap_REP\ A_27a \\ & A_27b)\ V0f)\ V3a))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V1x)\ V0P)) \Leftrightarrow (p (ap\ V0P\ V1x)))))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V2x)\ V1t))))))) \quad (27)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. (\forall V2s \in (2^{A_27a}). ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap (ap (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = V1y) \vee (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s))))))) \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow ((\forall V0x \in A_27a. (p (ap (c_2Esum_2EISL\ A_27a\ A_27b)\ (ap (c_2Esum_2EINL\ A_27a\ A_27b)\ V0x)))) \wedge (\forall V1y \in A_27b. (\neg (p (ap (c_2Esum_2EISL\ A_27a\ A_27b)\ (ap (c_2Esum_2EINR\ A_27a\ A_27b)\ V1y)))))) \quad (29)$$

Theorem 1

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (ty_2Efinite_map_2Efmmap\ A_27a\ A_27b). (\forall V1a \in A_27a. (\forall V2b \in A_27b. ((ap (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ (ap (ap (c_2Efinite_map_2EFUPDATE\ A_27a\ A_27b)\ V0f)\ (ap (ap (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1a)\ V2b))) = (ap (ap (c_2Epred_set_2EINSERT\ A_27a\ V1a)\ (ap (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f)))))))$$