

# thm\_2Efinite\_map\_2EFEVERY\_ALL\_FLOOKUP (TMN677uzc8npwv2Af32d6m6sSXwoVjZHD1V)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A-27b})^{A-27a})^2}) \tag{3}$$

**Definition 11** We define  $c\_Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_Esum\_2EABS$   
Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (4)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (5)$$

**Definition 12** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) ($   
Let  $ty\_2Efinite\_map\_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2E fmap A0 A1) \quad (6)$$

Let  $c\_2Efinite\_map\_2E fmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2E fmap\_REP A\_27a A\_27b \in (((ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)}) \quad (7)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EOUTL A\_27a A\_27b \in (A\_27a)^{(ty\_2Esum\_2Esum A\_27a A\_27b)} \quad (8)$$

**Definition 13** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

**Definition 14** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS$

**Definition 15** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EISL A\_27a A\_27b \in (2^{(ty\_2Esum\_2Esum A\_27a A\_27b)}) \quad (9)$$

**Definition 16** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

**Definition 17** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 19** We define  $c\_2Efinite\_map\_2EFLOOKUP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (11)$$

**Definition 20** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

**Definition 21** We define  $c\_2Efinite\_map\_2EFEVERY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0P \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C))))) \quad (16)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A)) \vee (p\ V1B)))) \quad (18)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2) \Rightarrow (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))) \quad (19)$$

Assume the following.

$$2.((\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (20)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0f \in (2^{A_{.27a}}).(\forall V1v \in A_{.27a}.((\forall V2x \in A_{.27a}.((V2x = V1v) \Rightarrow (p (ap V0f V2x)))) \Leftrightarrow (p (ap V0f V1v)))))) \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1x \in A_{.27a}. \\ & (\forall V2y \in A_{.27a}.(((ap (ap (c_{.2E}bool_{.2E}COND (ty_{.2E}option_{.2E}option A_{.27a})) V0P) (ap (c_{.2E}option_{.2E}ESOME A_{.27a}) V1x)) (c_{.2E}option_{.2E}ENONE A_{.27a})) = (c_{.2E}option_{.2E}ENONE A_{.27a})) \Leftrightarrow (\neg (p V0P))) \wedge (((ap (ap (ap (c_{.2E}bool_{.2E}COND (ty_{.2E}option_{.2E}option A_{.27a})) V0P) (c_{.2E}option_{.2E}ENONE A_{.27a})) (ap (c_{.2E}option_{.2E}ESOME A_{.27a}) V1x)) = (c_{.2E}option_{.2E}ENONE A_{.27a})) \Leftrightarrow (p V0P)) \wedge (((ap (ap (ap (c_{.2E}bool_{.2E}COND (ty_{.2E}option_{.2E}option A_{.27a})) V0P) (ap (c_{.2E}option_{.2E}ESOME A_{.27a}) V1x)) (c_{.2E}option_{.2E}ENONE A_{.27a})) = (ap (c_{.2E}option_{.2E}ESOME A_{.27a}) V2y)) \Leftrightarrow ((p V0P) \wedge (V1x = V2y))) \wedge \\ & (((ap (ap (ap (c_{.2E}bool_{.2E}COND (ty_{.2E}option_{.2E}option A_{.27a})) V0P) (c_{.2E}option_{.2E}ENONE A_{.27a})) (ap (c_{.2E}option_{.2E}ESOME A_{.27a}) V1x)) = (ap (c_{.2E}option_{.2E}ESOME A_{.27a}) V2y)) \Leftrightarrow ((\neg (p V0P)) \wedge (V1x = V2y)))))) \quad (22) \end{aligned}$$

**Theorem 1**

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow ( \\ & \forall V0P \in (2^{(ty_{.2E}pair_{.2E}prod A_{.27a} A_{.27b})}).(\forall V1f \in (ty_{.2E}finite\_map_{.2E}fmap A_{.27a} A_{.27b}).((p (ap (ap (c_{.2E}finite\_map_{.2E}FEVERY A_{.27a} A_{.27b}) V0P) V1f)) \Leftrightarrow (\forall V2k \in A_{.27a}.(\forall V3v \in A_{.27b}. \\ & (((ap (ap (c_{.2E}finite\_map_{.2E}FLOOKUP A_{.27a} A_{.27b}) V1f) V2k) = (ap (c_{.2E}option_{.2E}ESOME A_{.27b}) V3v)) \Rightarrow (p (ap V0P (ap (ap (c_{.2E}pair_{.2E}E_{.2C} A_{.27a} A_{.27b}) V2k) V3v)))))))))) \end{aligned}$$