

# thm\_2Efinite\_\_map\_2EFLOOKUP\_\_MAP\_\_KEYS (TMPqHqUp8zkwrhQHnLYMx57VpAzEzvsfy1x)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

**Definition 6** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

**Definition 7** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$

**Definition 9** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 10** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \tag{3}$$

**Definition 11** We define  $c\_Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_Esum\_2EABS$   
 Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (4)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (5)$$

**Definition 12** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) ($   
 Let  $ty\_2Efinite\_map\_2E fmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2E fmap A0 A1) \quad (6)$$

Let  $c\_2Efinite\_map\_2E fmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2E fmap\_REP A\_27a A\_27b \in (((ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2E fmap A\_27a A\_27b)}) \quad (7)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EOUTL A\_27a A\_27b \in (A\_27a)^{(ty\_2Esum\_2Esum A\_27a A\_27b)} \quad (8)$$

**Definition 13** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

**Definition 14** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS$

**Definition 15** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EISL A\_27a A\_27b \in (2^{(ty\_2Esum\_2Esum A\_27a A\_27b)}) \quad (9)$$

**Definition 16** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

**Definition 17** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

**Definition 19** We define  $c\_2Efinite\_map\_2EFLOOKUP$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_map$

**Definition 20** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2ET)$ .

**Definition 21** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^{A\_27b^{A\_27a}})$

Let  $c\_2Efinite\_map\_2EMAP\_KEYS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow c\_2Efinite\_map\_2EMAP\_KEYS\ A\_27a\ A\_27b\ A\_27c \in \\ & (((ty\_2Efinite\_map\_2E fmap\ A\_27b\ A\_27c)^{(ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27c)})^{(A\_27b^{A\_27a}})) \end{aligned} \quad (10)$$

Let  $c\_2Eoption\_2EOPTION\_BIND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_BIND \\ & A\_27a\ A\_27b \in (((ty\_2Eoption\_2EOption\ A\_27a)^{(ty\_2Eoption\_2EOption\ A\_27a)^{A\_27b}})^{(ty\_2Eoption\_2EOption\ A\_27b)}) \end{aligned} \quad (11)$$

**Definition 22** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 23** We define  $c\_2Eoption\_2Esome$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (ap\ (c\_2Ebool\_2E\_3F$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod \\ & A0\ A1) \end{aligned} \quad (12)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ & A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b^{A\_27a}})}) \end{aligned} \quad (13)$$

**Definition 24** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap\ (c\_2E$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ & A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \end{aligned} \quad (14)$$

**Definition 25** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (18)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (19)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg (p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg (\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg (p (ap V0P V2x)))))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg ((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg (p V0A) \vee (\neg (p V1B)))) \wedge ((\neg ((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg (p V0A)) \wedge (\neg (p V1B)))))) \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (24)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg (p V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) \\ & V0P) V2x) V4y) = (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V1Q) V3x\_27) \\ & V5y\_27)))))) \quad (26) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0t1 \in A.27a.(\forall V1t2 \in \\ & A.27a.((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2ET)\ V0t1)\ \\ & V1t2) = V0t1))) \wedge (\forall V2t1 \in A.27a.(\forall V3t2 \in A.27a.((ap \\ & (ap\ (ap\ (c.2Ebool.2ECOND\ A.27a)\ c.2Ebool.2EF)\ V2t1)\ V3t2) = V3t2)))))) \\ & \hspace{15em} (27) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & nonempty\ A.27c \Rightarrow (\forall V0f \in (A.27b^{A.27a}).(\forall V1fm \in (ty.2Efinite\_map.2Efm\ ap \\ & A.27a\ A.27c).(((ap\ (c.2Efinite\_map.2EFDOM\ A.27b\ A.27c)\ (ap\ ( \\ & ap\ (c.2Efinite\_map.2EMAP\_KEYS\ A.27a\ A.27b\ A.27c)\ V0f)\ V1fm))) = \\ & (ap\ (ap\ (c.2Epred\_set.2EIMAGE\ A.27a\ A.27b)\ V0f)\ (ap\ (c.2Efinite\_map.2EFDOM \\ & A.27a\ A.27c)\ V1fm))) \wedge ((p\ (ap\ (ap\ (ap\ (c.2Epred\_set.2EINJ\ A.27a \\ & A.27b)\ V0f)\ (ap\ (c.2Efinite\_map.2EFDOM\ A.27a\ A.27c)\ V1fm))\ (c.2Epred\_set.2EUNIV \\ & A.27b))) \Rightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool.2EIN\ A.27a) \\ & V2x)\ (ap\ (c.2Efinite\_map.2EFDOM\ A.27a\ A.27c)\ V1fm))) \Rightarrow ((ap\ (ap \\ & (c.2Efinite\_map.2EFAPPLY\ A.27b\ A.27c)\ (ap\ (ap\ (c.2Efinite\_map.2EMAP\_KEYS \\ & A.27a\ A.27b\ A.27c)\ V0f)\ V1fm))\ (ap\ V0f\ V2x)) = (ap\ (ap\ (c.2Efinite\_map.2EFAPPLY \\ & A.27a\ A.27c)\ V1fm)\ V2x))))))))) \\ & \hspace{15em} (28) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in \\ & A.27a.(((ap\ (c.2Eoption.2ESOME\ A.27a)\ V0x) = (ap\ (c.2Eoption.2ESOME \\ & A.27a)\ V1y)) \Leftrightarrow (V0x = V1y)))) \\ & \hspace{15em} (29) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in 2.(\forall V1x \in A.27a. \\ & (\forall V2y \in A.27a.((((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ (ty.2Eoption.2Eoption \\ & A.27a)\ V0P)\ (ap\ (c.2Eoption.2ESOME\ A.27a)\ V1x))\ (c.2Eoption.2ENONE \\ & A.27a)) = (c.2Eoption.2ENONE\ A.27a)) \Leftrightarrow (\neg(p\ V0P)))) \wedge (((ap\ (ap\ ( \\ & ap\ (c.2Ebool.2ECOND\ (ty.2Eoption.2Eoption\ A.27a)\ V0P)\ (c.2Eoption.2ENONE \\ & A.27a))\ (ap\ (c.2Eoption.2ESOME\ A.27a)\ V1x)) = (c.2Eoption.2ENONE \\ & A.27a)) \Leftrightarrow (p\ V0P))) \wedge (((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ (ty.2Eoption.2Eoption \\ & A.27a)\ V0P)\ (ap\ (c.2Eoption.2ESOME\ A.27a)\ V1x))\ (c.2Eoption.2ENONE \\ & A.27a)) = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V2y)) \Leftrightarrow ((p\ V0P) \wedge (V1x = V2y))) \wedge \\ & (((ap\ (ap\ (ap\ (c.2Ebool.2ECOND\ (ty.2Eoption.2Eoption\ A.27a)) \\ & V0P)\ (c.2Eoption.2ENONE\ A.27a))\ (ap\ (c.2Eoption.2ESOME\ A.27a) \\ & V1x)) = (ap\ (c.2Eoption.2ESOME\ A.27a)\ V2y)) \Leftrightarrow ((\neg(p\ V0P)) \wedge (V1x = \\ & V2y))))))))) \\ & \hspace{15em} (30) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0f \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b}).((ap\ (ap\ ( \\
& c\_2Eoption\_2EOPTION\_BIND\ A\_27a\ A\_27b)\ (c\_2Eoption\_2ENONE\ A\_27b)) \\
& V0f) = (c\_2Eoption\_2ENONE\ A\_27a))) \wedge (\forall V1x \in A\_27b.(\forall V2f \in \\
& ((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b}).((ap\ (ap\ (c\_2Eoption\_2EOPTION\_BIND \\
& A\_27a\ A\_27b)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V1x))\ V2f) = (ap\ V2f\ V1x)))))) \\
& \tag{31}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in \\
& (2^{(ty\_2Eoption\_2Eoption\ A\_27a)}).(((\forall V2x \in A\_27a.((p \\
& (ap\ V0P\ V2x)) \Rightarrow (p\ (ap\ V1Q\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V2x)))))) \wedge \\
& ((\forall V3x \in A\_27a.(\neg(p\ (ap\ V0P\ V3x)))) \Rightarrow (p\ (ap\ V1Q\ (c\_2Eoption\_2ENONE \\
& A\_27a)))))) \Rightarrow (p\ (ap\ V1Q\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ V0P)))))) \\
& \tag{32}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0y \in A\_27b.(\forall V1s \in (2^{A\_27a}).(\forall V2f \in (A\_27b^{A\_27a}). \\
& ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\
& A\_27a\ A\_27b)\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A\_27a.((V0y = (ap\ V2f\ V3x)) \wedge \\
& (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s))))))) \\
& \tag{33}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0x \in A\_27a.(\forall V1s \in (2^{A\_27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27a)\ V0x)\ V1s)) \Rightarrow (\forall V2f \in (A\_27b^{A\_27a}).(p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27b)\ (ap\ V2f\ V0x))\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ \\
& V2f)\ V1s)))))) \\
& \tag{34}
\end{aligned}$$

### Theorem 1

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1m \in (ty\_2Efinite\_map\_2Efmap \\
& A\_27a\ A\_27c).(\forall V2k \in A\_27b.((p\ (ap\ (ap\ (ap\ (c\_2Epred\_set\_2EINJ \\
& A\_27a\ A\_27b)\ V0f)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27c)\ V1m)) \\
& (c\_2Epred\_set\_2EUNIV\ A\_27b))) \Rightarrow ((ap\ (ap\ (c\_2Efinite\_map\_2EFLOOKUP \\
& A\_27b\ A\_27c)\ (ap\ (ap\ (c\_2Efinite\_map\_2EMAP\_KEYS\ A\_27a\ A\_27b \\
& A\_27c)\ V0f)\ V1m))\ V2k) = (ap\ (ap\ (c\_2Eoption\_2EOPTION\_BIND\ A\_27c \\
& A\_27a)\ (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ (\lambda V3x \in A\_27a.(ap\ (ap\ c\_2Ebool\_2E\_2F\_5C \\
& (ap\ (ap\ (c\_2Emin\_2E\_3D\ A\_27b)\ V2k)\ (ap\ V0f\ V3x)))\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& A\_27a)\ V3x)\ (ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27c)\ V1m)))))) \\
& (ap\ (c\_2Efinite\_map\_2EFLOOKUP\ A\_27a\ A\_27c)\ V1m)))))) \\
& \tag{35}
\end{aligned}$$