

thm\_2Efinite\_\_map\_2EFMERGE\_\_ASSOC  
(TMbjNWJxf9GfkVvHSbLerHizCJKxofNdVmQ)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p x)$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a V0P))))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}) V0P) V0P))))$

**Definition 6** We define  $c\_2Ecombin\_2EASSOC$  to be  $\lambda A\_27a : \iota.\lambda V0f \in ((A\_27a^{A\_27a})^{A\_27a}).(ap (c\_2Ebool\_2E\_21 A\_27a V0f))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty \ ty\_2Eone\_2Eone \tag{1}$$

**Definition 7** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty \ A0 \Rightarrow \forall A1.nonempty \ A1 \Rightarrow nonempty (ty\_2Esum\_2Esum \ A0 \ A1) \tag{2}$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \ A\_27a \ A\_27b \in ((ty\_2Esum\_2Esum \ A\_27a \ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \tag{3}$$

**Definition 12** We define  $c\_Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_Esum\_2EABS$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2Efmap A0 A1) \quad (4)$$

Let  $c\_2Efinite\_map\_2Efmap\_ABS : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_ABS A\_27a A\_27b \in ((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a}}) \quad (5)$$

**Definition 13** We define  $c\_2Efinite\_map\_2EFEMPTY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. (ap (c\_2Efinite\_map\_2E$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (6)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (7)$$

**Definition 14** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2EFUPDATE A\_27a A\_27b \in (((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)})^{(ty\_2Efinite\_map\_2E$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP A\_27a A\_27b \in (((ty\_2Esum\_2Esum A\_27b ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)}) \quad (9)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Esum\_2EOUTL A\_27a A\_27b \in (A\_27a^{(ty\_2Esum\_2Esum A\_27a A\_27b)}) \quad (10)$$

**Definition 15** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (ty\_2Efinite\_ma$

Let  $c\_2Efinite\_map\_2EFMERGE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2EFMERGE A\_27a A\_27b \in (((((ty\_2Efinite\_map\_2Efmap A\_27b A\_27a)^{(ty\_2Efinite\_map\_2Efmap A\_27b A\_27a)})^{(ty\_2Efi$$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL \\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \end{aligned} \quad (12)$$

**Definition 16** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map$

**Definition 17** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

**Definition 18** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (13)$$

**Definition 19** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 20** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 21** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap\ (c\_2E$

**Definition 22** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))
\end{aligned} \tag{19}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{20}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \tag{22}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\
& A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p V0t))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\
& A\_27a.(((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2ET) V0t1) \\
& V1t2) = V0t1) \wedge ((ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) c\_2Ebool\_2EF) \\
& V0t1) V1t2) = V1t2))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in \\
& 2.((\exists V2x \in A\_27a.((p (ap V0P V2x)) \Rightarrow (p V1Q))) \Leftrightarrow ((\forall V3x \in \\
& A\_27a.(p (ap V0P V3x)) \Rightarrow (p V1Q))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg( \\
& p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B)))))))
\end{aligned} \tag{27}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V0A) \vee (p V1B) \wedge (p V2C)) \Leftrightarrow (((p V0A) \vee (p V1B)) \wedge ((p V0A) \vee (p V2C))))))) \quad (28)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0b \in 2.(\forall V1f \in (A\_27b^{A\_27a}).(\forall V2g \in (A\_27b^{A\_27a}). \\ & \quad (\forall V3x \in A\_27a.((ap\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (A\_27b^{A\_27a}) \\ & \quad V0b)\ V1f)\ V2g)\ V3x) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V0b)\ (ap \\ & \quad V1f\ V3x))\ (ap\ V2g\ V3x)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0f \in (A\_27b^{A\_27a}).(\forall V1b \in 2.(\forall V2x \in A\_27a. \\ & \quad (\forall V3y \in A\_27a.((ap\ V0f\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & \quad V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27b)\ V1b)\ (ap\ V0f \\ & \quad V2x))\ (ap\ V0f\ V3y)))))) \end{aligned} \quad (32)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in 2.(((p V0x) \Leftrightarrow (p V1x\_27)) \wedge ((p V1x\_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y\_27)))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x\_27) \Rightarrow (p V3y\_27)))))) \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2. \\ & \quad (\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a. \\ & \quad (\forall V5y\_27 \in A\_27a.(((p V0P) \Leftrightarrow (p V1Q)) \wedge (((p V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & \quad ((\neg(p V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a) \\ & \quad V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27) \\ & \quad V5y\_27)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (ap\ (c\_2Efinite\_map\_2EFDOM\ A\_27a\ A\_27b)\ (c\_2Efinite\_map\_2EEMPTY\ A\_27a\ A\_27b)) = (c\_2Epred\_set\_2EEMPTY\ A\_27a) \quad (35)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(\forall V1a \in \\
& \quad A.27a.(\forall V2b \in A.27b.((ap\ (c.2Efinite\_map\_2EFDOM\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c.2Efinite\_map\_2EFUPDATE\ A.27a\ A.27b)\ V0f)\ (ap \\
& \quad (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V1a)\ V2b)))) = (ap\ (ap\ (c.2Epred\_set\_2EINSERT \\
& \quad A.27a)\ V1a)\ (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ V0f))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(\forall V1a \in \\
& \quad A.27a.(\forall V2b \in A.27b.(\forall V3x \in A.27a.((ap\ (ap\ (c.2Efinite\_map\_2EFAPPLY \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c.2Efinite\_map\_2EFUPDATE\ A.27a\ A.27b)\ V0f)\ \\
& \quad (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V1a)\ V2b))))\ V3x) = (ap\ (ap\ (ap \\
& \quad (c.2Ebool\_2ECOND\ A.27b)\ (ap\ (ap\ (c.2Emin\_2E\_3D\ A.27a)\ V3x)\ V1a)) \\
& \quad V2b)\ (ap\ (ap\ (c.2Efinite\_map\_2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V3x))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& \quad \forall V0f \in (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(\forall V1g \in \\
& \quad (ty\_2Efinite\_map\_2E fmap\ A.27a\ A.27b).(((ap\ (c.2Efinite\_map\_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f) = (ap\ (c.2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ V1g))) \wedge \\
& \quad (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c.2Ebool\_2EIN\ A.27a)\ V2x)\ (ap\ ( \\
& \quad c.2Efinite\_map\_2EFDOM\ A.27a\ A.27b)\ V0f)))) \Rightarrow ((ap\ (ap\ (c.2Efinite\_map\_2EFAPPLY \\
& \quad A.27a\ A.27b)\ V0f)\ V2x) = (ap\ (ap\ (c.2Efinite\_map\_2EFAPPLY\ A.27a \\
& \quad A.27b)\ V1g)\ V2x)))))) \Leftrightarrow (V0f = V1g))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\
& \quad \forall V0m \in ((A_{.27a}^{A_{.27a}})^{A_{.27a}}).(\forall V1f \in (ty\_2Efinite\_map\_2Efmap \\
& \quad \quad A_{.27b}\ A_{.27a}).(\forall V2g \in (ty\_2Efinite\_map\_2Efmap\ A_{.27b}\ A_{.27a}). \\
& \quad ((ap\ (c\_2Efinite\_map\_2EFDOM\ A_{.27b}\ A_{.27a})\ (ap\ (ap\ (ap\ (c\_2Efinite\_map\_2EFMERGE \\
& \quad \quad A_{.27a}\ A_{.27b})\ V0m)\ V1f)\ V2g)) = (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A_{.27b}) \\
& \quad (ap\ (c\_2Efinite\_map\_2EFDOM\ A_{.27b}\ A_{.27a})\ V1f))\ (ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad \quad A_{.27b}\ A_{.27a})\ V2g))) \wedge (\forall V3x \in A_{.27b}.((ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY \\
& \quad \quad A_{.27b}\ A_{.27a})\ (ap\ (ap\ (ap\ (c\_2Efinite\_map\_2EFMERGE\ A_{.27a}\ A_{.27b}) \\
& \quad \quad V0m)\ V1f)\ V2g))\ V3x) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A_{.27a})\ (ap\ c\_2Ebool\_2E\_7E \\
& \quad \quad (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27b})\ V3x)\ (ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad \quad A_{.27b}\ A_{.27a})\ V1f))))\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A_{.27b}\ A_{.27a}) \\
& \quad \quad V2g)\ V3x))\ (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A_{.27a})\ (ap\ c\_2Ebool\_2E\_7E \\
& \quad \quad (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27b})\ V3x)\ (ap\ (c\_2Efinite\_map\_2EFDOM \\
& \quad \quad A_{.27b}\ A_{.27a})\ V2g))))\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A_{.27b}\ A_{.27a}) \\
& \quad \quad V1f)\ V3x))\ (ap\ (ap\ V0m\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A_{.27b}\ A_{.27a}) \\
& \quad \quad V1f)\ V3x))\ (ap\ (ap\ (c\_2Efinite\_map\_2EFAPPLY\ A_{.27b}\ A_{.27a})\ V2g) \\
& \quad \quad \quad V3x))))))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in \\
& \quad (2^{A_{.27a}}).(\forall V2x \in A_{.27a}.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a}) \\
& \quad V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A_{.27a})\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap\ (40) \\
& \quad (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad \quad A_{.27a})\ V2x)\ V1t))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in \\
& \quad (2^{A_{.27a}}).(\forall V2u \in (2^{A_{.27a}}).((ap\ (ap\ (c\_2Epred\_set\_2EUNION \\
& \quad A_{.27a})\ V0s)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A_{.27a})\ V1t)\ V2u)) = ( \\
& \quad ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A_{.27a})\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION \\
& \quad \quad A_{.27a})\ V0s)\ V1t))\ V2u))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in \\
& \quad A_{.27a}.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A_{.27a})\ V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\
& \quad A_{.27a})\ V1y)\ (c\_2Epred\_set\_2EEMPTY\ A_{.27a})))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{42}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{43}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{44}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((\neg(p V1q)) \vee (\neg(p V2r))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(\forall V3s \in 2.(((p V0p) \Leftrightarrow (ap (ap (ap (c_2Ebool_2ECOND 2) V1q) V2r) V3s)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (\neg(p V3s)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V3s)))) \wedge (((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))) \wedge ((p V1q) \vee ((p V3s) \vee (\neg(p V0p)))))))))) \quad (53)$$



Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (55)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p))))) \quad (56)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (58)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \forall V0m \in ((A\_27b^{A\_27b})^{A\_27b}).((p\ (ap\ (c\_2Ecombin\_2EASSOC \\ & (ty\_2Efinite\_map\_2E fmap\ A\_27a\ A\_27b))\ (ap\ (c\_2Efinite\_map\_2EFMERGE \\ & A\_27b\ A\_27a)\ V0m))) \Leftrightarrow (p\ (ap\ (c\_2Ecombin\_2EASSOC\ A\_27b)\ V0m)))) \end{aligned}$$