

# thm\_2Efinite\_map\_2EFRANGE\_FUPDATE\_DOMSUB (TMZV6WFxKLC38VT2L1aW9mA6sxQr6kKg8Aa)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (1)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (2)$$

**Definition 6** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

Let  $ty\_2Efinite\_map\_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Efinite\_map\_2Efmap A0 A1) \quad (3)$$

Let  $c\_2Efinite\_map\_2EFUPDATE : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a A\_27b \in (((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)})^{(ty\_2Efinite\_map\_2EFUPDATE A\_27a A\_27b)}) \quad (4)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (5)$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (6)$$

Let  $c\_2Efinite\_map\_2Efmap\_REP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Efinite\_map\_2Efmap\_REP\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27b\ ty\_2Eone\_2Eone)^{A\_27a})^{(ty\_2Efinite\_map\_2Efmap\ A\_27a\ A\_27b)} \quad (7)$$

Let  $c\_2Esum\_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EOUTL\ A\_27a\ A\_27b \in (A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)} \quad (8)$$

**Definition 7** We define  $c\_2Efinite\_map\_2EFAPPLY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2E$

Let  $c\_2Esum\_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EISL\ A\_27a\ A\_27b \in (2^{(ty\_2Esum\_2Esum\ A\_27a\ A\_27b)}) \quad (9)$$

**Definition 8** We define  $c\_2Efinite\_map\_2EFDOM$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2E$

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x)))$

**Definition 10** We define  $c\_2Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if}\ (\exists x \in A.p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x.x \in A \wedge p\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 11** We define  $c\_2Ebool\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E40\ A\_27a\ P))))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (10)$$

**Definition 12** We define  $c\_2Efinite\_map\_2EFRANGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (ty\_2Efinite\_map\_2E$

**Definition 13** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 14** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 15** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.V2t))))$

**Definition 16** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2E$

**Definition 17** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 18** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2ET)$

**Definition 19** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2E$

**Definition 20** We define  $c\_2Epred\_set\_2Ecompl$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Epred\_set$

Let  $c\_2Efinite\_map\_2EDRESTRICT : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Efinite\_map\_2EDRESTRICT \\ & A\_27a A\_27b \in (((ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)^{(2^{A\_27a})})(ty\_2Efinite\_map\_2Efmap A\_27a A\_27b)) \end{aligned} \quad (11)$$

**Definition 21** We define  $c\_2Efinite\_map\_2Efdmsub$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0fm \in (ty\_2Efinite\_map$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (13)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ & \forall V0f \in (ty\_2Efinite\_map\_2Efmap A\_27a A\_27b).(\forall V1x \in \\ & A\_27a.(\forall V2y \in A\_27b.((ap (c\_2Efinite\_map\_2EFRANGE A\_27a \\ & A\_27b) (ap (ap (c\_2Efinite\_map\_2EFUPDATE A\_27a A\_27b) V0f) (ap \\ & (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V1x) V2y))) = (ap (ap (c\_2Epred\_set\_2EINSERT \\ & A\_27b) V2y) (ap (c\_2Efinite\_map\_2EFRANGE A\_27a A\_27b) (ap (ap \\ & (c\_2Efinite\_map\_2EDRESTRICT A\_27a A\_27b) V0f) (ap (c\_2Epred\_set\_2Ecompl \\ & A\_27a) (ap (ap (c\_2Epred\_set\_2EINSERT A\_27a) V1x) (c\_2Epred\_set\_2EEMPTY \\ & A\_27a)))))))))) \end{aligned} \quad (14)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\ & \forall V0fm \in (ty\_2Efinite\_map\_2Efmap A\_27a A\_27b).(\forall V1k \in \\ & A\_27a.(\forall V2v \in A\_27b.((ap (c\_2Efinite\_map\_2EFRANGE A\_27a \\ & A\_27b) (ap (ap (c\_2Efinite\_map\_2EFUPDATE A\_27a A\_27b) V0fm) ( \\ & ap (ap (c\_2Epair\_2E\_2C A\_27a A\_27b) V1k) V2v))) = (ap (ap (c\_2Epred\_set\_2EINSERT \\ & A\_27b) V2v) (ap (c\_2Efinite\_map\_2EFRANGE A\_27a A\_27b) (ap (ap \\ & (c\_2Efinite\_map\_2Efdmsub A\_27a A\_27b) V0fm) V1k)))))) \end{aligned}$$