

thm_2Efinite__map_2EFUNION__COMM (TMa1ZkmsctU2BQrGZv8DeSV781TzAwrEuc8)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Efinite_map_2Efmap : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Efinite_map_2Efmap\ A0\ A1) \tag{3}$$

Let $c_2Efinite_map_2Efmap_REP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2Efmap_REP\ A_27a\ A_27b \in (((ty_2Esum_2Esum\ A_27b\ ty_2Eone_2Eone)^{A_27a})(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)) \tag{4}$$

Let $c_2Esum_2EOUTL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EOUTL\ A_27a\ A_27b \in (A_27a^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \tag{5}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Efinite_map_2EFAPPLY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (ty_2Efinite_map_2Efmap$

Let $c_2Efinite_map_2EFUNION : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Efinite_map_2EFUNION \\ & A_27a\ A_27b \in (((ty_2Efinite_map_2Efmap\ A_27a\ A_27b)^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)})^{(ty_2Efinite_map_2Efmap\ A_27a\ A_27b)} \end{aligned} \quad (6)$$

Let $c_2Esum_2EISL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EISL \\ & A_27a\ A_27b \in (2^{(ty_2Esum_2Esum\ A_27a\ A_27b)}) \end{aligned} \quad (7)$$

Definition 5 We define $c_2Efinite_map_2EFDOM$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (ty_2Efinite_map_2EFDOM\ A_27a\ A_27b)$

Definition 6 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 7 We define $c_2Emin_2E3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2. (c_2Ebool_2E5C_2F\ V2t\ V1t2))))$

Definition 9 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2. (c_2Ebool_2E2F_5C\ V2t\ V1t2))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod \\ & A0\ A1) \end{aligned} \quad (8)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})}) \end{aligned} \quad (9)$$

Definition 10 We define c_2Epair_2E2C to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E2C\ V0x\ V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epred_set_2EGSPEC\ A_27a\ 2)^{A_27b})}) \end{aligned} \quad (10)$$

Definition 11 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Epred_set_2EUNION\ V0s\ V1t))$

Definition 12 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2. V0t))$.

Definition 13 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF\ V0x)$.

Definition 14 We define $c_2Epred_set_2EINTER$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Epred_set_2EINTER\ V0s\ V1t))$

Definition 15 We define $c_2Epred_set_2EDISJOINT$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Epred_set_2EDISJOINT\ V0s\ V1t))$

Definition 16 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge \dots$
of type $\iota \Rightarrow \iota$.

Definition 17 We define `c_2Ebool_2ECOND` to be $\lambda A. 27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A. 27a. (\lambda V2t2 \in A. 27a. (\dots$

Definition 18 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } \text{c_2Emin_2E_3D_3D_3E } V0t) \text{ c_2Ebool_2E_7E } V0t))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (12)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p \ V0t))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \quad (15)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (16)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0x \in A. 27a. ((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow (\forall V0x \in A. 27a. (\forall V1y \in A. 27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg (p \ V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \vee (\neg(p \ V1B)))))) \wedge (((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B))))))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee (p \ V1B) \wedge (p \ V2C)) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \wedge ((p \ V0A) \vee (p \ V2C))))))) \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (22)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ \forall V0b \in 2.(\forall V1f \in (A_27b^{A_27a}).(\forall V2g \in (A_27b^{A_27a}). \\ (\forall V3x \in A_27a.((ap \ (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27b^{A_27a}) \\ V0b) \ V1f) \ V2g) \ V3x) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27b) \ V0b) \ (ap \\ V1f \ V3x)) \ (ap \ V2g \ V3x))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ \forall V0f \in (A_27b^{A_27a}).(\forall V1b \in 2.(\forall V2x \in A_27a. \\ (\forall V3y \in A_27a.((ap \ V0f \ (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27a) \\ V1b) \ V2x) \ V3y)) = (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ A_27b) \ V1b) \ (ap \ V0f \\ V2x)) \ (ap \ V0f \ V3y))))))) \end{aligned} \quad (24)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))))) \Rightarrow ((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)))))) \quad (25)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\ \forall V0f \in (ty_2Efinite_map_2E fmap \ A_27a \ A_27b).(\forall V1g \in \\ (ty_2Efinite_map_2E fmap \ A_27a \ A_27b).(((ap \ (c_2Efinite_map_2EFDOM \\ A_27a \ A_27b) \ V0f) = (ap \ (c_2Efinite_map_2EFDOM \ A_27a \ A_27b) \ V1g)) \wedge \\ (\forall V2x \in A_27a.((p \ (ap \ (ap \ (c_2Ebool_2EIN \ A_27a) \ V2x) \ (ap \ (\\ c_2Efinite_map_2EFDOM \ A_27a \ A_27b) \ V0f))) \Rightarrow ((ap \ (ap \ (c_2Efinite_map_2EFAPPLY \\ A_27a \ A_27b) \ V0f) \ V2x) = (ap \ (ap \ (c_2Efinite_map_2EFAPPLY \ A_27a \\ A_27b) \ V1g) \ V2x)))))) \Leftrightarrow (V0f = V1g)))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmap\ A.27a\ A.27b).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2Efmap\ A.27a\ A.27b).(((ap\ (c_2Efinite_map_2EFDOM \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A.27a\ A.27b)\ V0f) \\
& \quad V1g)) = (ap\ (ap\ (c_2Epred_set_2EUNION\ A.27a)\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A.27a\ A.27b)\ V0f))\ (ap\ (c_2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V1g))) \wedge \\
& \quad (\forall V2x \in A.27a.((ap\ (ap\ (c_2Efinite_map_2EFAPPLY\ A.27a \\
& \quad A.27b)\ (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A.27a\ A.27b)\ V0f)\ V1g)) \\
& \quad V2x) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A.27b)\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ (ap\ (c_2Efinite_map_2EFDOM\ A.27a\ A.27b)\ V0f)))\ (ap \\
& \quad (ap\ (c_2Efinite_map_2EFAPPLY\ A.27a\ A.27b)\ V0f)\ V2x))\ (ap\ (ap\ (\\
& \quad c_2Efinite_map_2EFAPPLY\ A.27a\ A.27b)\ V1g)\ V2x)))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A.27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a)\ V2x)\ V1t)))))) \\
& \hspace{15em} (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\neg(p\ (ap\ (ap \\
& \quad (c_2Ebool_2EIN\ A.27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A.27a)))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).(\forall V2x \in A.27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\
& \quad V2x)\ (ap\ (ap\ (c_2Epred_set_2EUNION\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\
& \quad (ap\ (c_2Ebool_2EIN\ A.27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ V1t)))))) \\
& \hspace{15em} (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{A.27a}).(\forall V1t \in \\
& \quad (2^{A.27a}).(\forall V2x \in A.27a.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A.27a) \\
& \quad V2x)\ (ap\ (ap\ (c_2Epred_set_2EINTER\ A.27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\
& \quad (ap\ (c_2Ebool_2EIN\ A.27a)\ V2x)\ V0s)) \wedge (p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& \quad A.27a)\ V2x)\ V1t)))))) \\
& \hspace{15em} (31)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \hspace{15em} (32)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \hspace{15em} (33)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow False) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p \ V0A)) \vee (p \ V1B))) \Rightarrow False) \Leftrightarrow ((p \ V0A) \Rightarrow ((\neg(p \ V1B)) \Rightarrow False)))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p \ V0A)) \Rightarrow False) \Rightarrow (((p \ V0A) \Rightarrow False) \Rightarrow False))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p \ V0p) \Leftrightarrow (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p)))))))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p)))))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(\forall V3s \in 2.(((p \ V0p) \Leftrightarrow (p \ (ap \ (ap \ (ap \ (c_2Ebool_2ECOND \ 2) \ V1q) \ V2r) \ V3s))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (\neg(p \ V3s)))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V0p) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V3s)))) \wedge (((\neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p)))) \wedge ((p \ V1q) \vee ((p \ V3s) \vee (\neg(p \ V0p)))))))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p)))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \quad (43)$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (ty_2Efinite_map_2Efmap\ A_27a\ A_27b).(\forall V1g \in \\
& \quad (ty_2Efinite_map_2Efmap\ A_27a\ A_27b).((p\ (ap\ (ap\ (c_2Epred_set_2EDISJOINT \\
& \quad A_27a)\ (ap\ (c_2Efinite_map_2EFDOM\ A_27a\ A_27b)\ V0f))\ (ap\ (c_2Efinite_map_2EFDOM \\
& \quad A_27a\ A_27b)\ V1g))) \Rightarrow ((ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a \\
& \quad A_27b)\ V0f)\ V1g) = (ap\ (ap\ (c_2Efinite_map_2EFUNION\ A_27a\ A_27b) \\
& \quad V1g)\ V0f))))))
\end{aligned}$$